

*ANNEX B to ATTACHMENT F*  
*COMPARISON OF 2003 UPDATE DATA TO TWBIR REVISION 2*

***This Page Intentionally Left Blank***

*Table of Contents*

1

2 ***DATA-F-B-1.0 VOLUME DATA..... 1***

3     ***DATA-F-B-1.1 Waste Inventory Volume Comparison .....1***

4     ***DATA-F-B-1.2 Waste Inventory Comparison by Final Waste Form.....5***

5     ***DATA-F-B-1.3 Analysis of CH-TRU Waste Volume Differences by Site.....5***

6     ***DATA-F-B-1.4 CH-TRU Waste Volumes by Final Waste Form by Site.....6***

7     ***DATA-F-B-1.5 Analysis of RH-TRU Waste Volume Differences by Site.....28***

8     ***DATA-F-B-1.6 RH-TRU Waste Volumes by Final Waste Form by Site.....28***

9 ***DATA-F-B-2.0 WASTE MATERIAL PARAMETERS AND CONTAINER MATERIALS... 29***

10     ***DATA-F-B-2.1 Analysis of CH-TRU Waste Material Parameter Differences .....30***

11     ***DATA-F-B-2.2 Analysis of RH-TRU Waste Material Parameter Differences .....31***

12     ***DATA-F-B-2.3 Analysis of CH-TRU Waste Container Materials.....32***

13     ***DATA-F-B-2.4 Analysis of RH-TRU Waste Container Materials.....33***

14 ***DATA-F-B-3.0 RADIONUCLIDES..... 33***

15 ***REFERENCES ..... 46***

*List of Tables*

17 ***Table DATA-F-B-1. Comparison of Stored, Projected, and Anticipated CH-TRU***

18 ***Waste Volumes Between the 2003 Update and TWBIR Revision 2 (m<sup>3</sup>).....2***

19 ***Table DATA-F-B-2. Comparison of Stored, Projected, and Anticipated RH-TRU Waste***

20 ***Volumes Between the 2003 Update and TWBIR Revision 2 (m<sup>3</sup>).....3***

21 ***Table DATA-F-B-3. Comparison of Stored, Projected, and Anticipated Total TRU***

22 ***Waste Volumes Between the 2003 Update and TWBIR Revision 2 (m<sup>3</sup>).....4***

23 ***Table DATA-F-B-4. WIPP CH-TRU Waste Profile Differences Between TWBIR Rev.***

24 ***2 and 2003 Update Report — Combustible Material .....7***

25 ***Table DATA-F-B-5. WIPP CH-TRU Waste Profile Differences Between TWBIR Rev.***

26 ***2 and 2003 Update — Filter Material.....8***

27 ***Table DATA-F-B-6. WIPP CH-TRU Waste Profile Differences Between TWBIR Rev.***

28 ***2 and 2003 Update — Graphite.....9***

29 ***Table DATA-F-B-7. WIPP CH-TRU Waste Profile Differences Between TWBIR Rev.***

30 ***2 and 2003 Update — Heterogeneous Debris.....10***

31 ***Table DATA-F-B-8. WIPP CH-TRU Waste Profile Differences Between TWBIR Rev.***

32 ***2 and 2003 Update — Inorganic Non-Metal.....11***

33 ***Table DATA-F-B-9. WIPP CH-TRU Waste Profile Differences Between TWBIR Rev.***

34 ***2 and 2003 Update — Lead/Cadmium Metal .....12***

35 ***Table DATA-F-B-10. WIPP CH-TRU Waste Profile Differences Between TWBIR***

36 ***Rev. 2 and 2003 Update — Salt.....13***

37 ***Table DATA-F-B-11. WIPP CH-TRU Waste Profile Differences Between TWBIR***

38 ***Rev. 2 and 2003 Update — Soil.....14***

39 ***Table DATA-F-B-12. WIPP CH-TRU Waste Profile Differences Between TWBIR***

40 ***Rev. 2 and 2003 Update — Solidified Inorganic Material.....15***

41 ***Table DATA-F-B-13. WIPP CH-TRU Waste Profile Differences Between TWBIR***

42 ***Rev. 2 and 2003 Update — Solidified Organic Material.....16***

1 ***Table DATA-F-B-14. WIPP CH-TRU Waste Profile Differences Between TWBIR***  
2 ***Rev. 2 and 2003 Update — Uncategorized Metal.....17***  
3 ***Table DATA-F-B-15. WIPP RH-TRU Waste Profile Differences Between TWBIR***  
4 ***Rev. 2 and 2003 Update — Combustible Material .....17***  
5 ***Table DATA-F-B-16. WIPP RH-TRU Waste Profile Differences Between TWBIR***  
6 ***Rev. 2 and 2003 Update — Filter Material.....19***  
7 ***Table DATA-F-B-17. WIPP RH-TRU Waste Profile Differences Between TWBIR***  
8 ***Rev. 2 and 2003 Update — Heterogeneous Debris .....20***  
9 ***Table DATA-F-B-18. WIPP RH-TRU Waste Profile Differences Between TWBIR***  
10 ***Rev. 2 and 2003 Update — Inorganic Non-Metal.....21***  
11 ***Table DATA-F-B-19. WIPP RH-TRU Waste Profile Differences Between TWBIR***  
12 ***Rev. 2 and 2003 Update — Lead/Cadmium Metal .....22***  
13 ***Table DATA-F-B-20. WIPP RH-TRU Waste Profile Differences Between TWBIR***  
14 ***Rev. 2 and 2003 Update — Soil.....23***  
15 ***Table DATA-F-B-21. WIPP RH-TRU Waste Profile Differences Between TWBIR***  
16 ***Rev. 2 and 2003 Update — Solidified Inorganic Material.....24***  
17 ***Table DATA-F-B-22. WIPP RH-TRU Waste Profile Differences Between TWBIR***  
18 ***Rev. 2 and 2003 Update — Solidified Organic Material.....25***  
19 ***Table DATA-F-B-23. WIPP RH-TRU Waste Profile Differences Between TWBIR***  
20 ***Rev. 2 and 2003 Update — Uncategorized Metal.....26***  
21 ***Table DATA-F-B-24. Differences in Waste Material Parameter Average Densities***  
22 ***(kg/m<sup>3</sup>) for CH-TRU Waste Between TWBIR Rev. 2 and 2003 Update***  
23 ***Report .....31***  
24 ***Table DATA-F-B-25. Difference on Waste Material Parameter Average Densities***  
25 ***(kg/m<sup>3</sup>) for RH-TRU Waste Between TWBIR Rev. 2 and 2003 Update***  
26 ***Report .....32***  
27 ***Table DATA-F-B-26. Waste Streams Shipped and to be Shipped in POCs to the WIPP.....34***  
28 ***Table DATA-F-B-27. WIPP Disposal Radionuclide Inventory Comparison, 1995 to***  
29 ***2001, CH-TRU Waste .....35***  
30 ***Table DATA-F-B-28. WIPP Disposal Radionuclide Inventory Comparison, 1995 to***  
31 ***2001, RH-TRU Waste .....41***

**DATA-F-B-1.0 VOLUME DATA****DATA-F-B-1.1 Waste Inventory Volume Comparison**

*This explanation applies to Tables DATA-F-B-1 through DATA-F-B-3. Tables DATA-F-B-1 and DATA-F-B-2 contain the volume data comparisons for contact handled- (CH-) and remote handled- (RH-) TRU waste, respectively. Table DATA-F-B-3 contains the volume data comparisons for the total CH TRU -, total RH- TRU, and emplaced waste. The current data for the 2003 Update Report are stored in the Transuranic Waste Baseline Inventory Database Revision 2.1 (TWBID Revision 2.1, LANL 2003). The previous data are from the Transuranic Waste Baseline Inventory Report, Revision 2 (TWBIR Revision 2, DOE 1995). The site name is given in the first column of the table. Data for the 2003 Update Report, the TWBIR Revision 2, and for the difference between the 2003 Update Report and TWBIR Revision 2 stored volumes for each site are given in the next three columns, respectively (columns 2, 3, and 4). Data for the 2003 Update Report, TWBIR Revision 2, and for the difference between the 2003 Update Report and TWBIR Revision 2 projected volumes for each site are given in columns 5, 6, and 7, respectively. Finally, data for the 2003 Update Report, TWBIR Revision 2, and for the difference between the 2003 Update and TWBIR Revision 2 anticipated volumes for each site are given in the last three columns, respectively (columns 8, 9, and 10). The total volumes for columns 2-10 are then given near the bottom of Table DATA-F-B-1. Table DATA-F-B-1 then gives the emplaced waste volumes, with the WIPP identified as the site, for the 2003 Update Report and TWBIR Revision 2 inventory, and the difference between the two for stored, projected, and anticipated CH-TRU wastes.*

*Table DATA-F-B-2 is similar to Table DATA-F-B-1 except that it contains data for the comparison of stored (columns 2-4), projected (columns 5-7), and anticipated (columns 8-10) RH-TRU waste volumes by site (column 1) and gives the total volumes of RH-TRU waste. There was no RH-TRU waste emplaced as of the inventory date, September 30, 2002. Table DATA-F-B-3 has the same column structure as Tables DATA-F-B-1 and DATA-F-B-2, but contains the total volumes for the comparison of stored, projected, and anticipated CH-TRU and RH-TRU waste volumes and provides the total waste volume. The emplaced CH-TRU waste volume,  $7.72 \times 10^3 \text{ m}^3$ , is added to the anticipated volumes for a current total TRU waste volume of  $1.58 \times 10^5 \text{ m}^3$ . This is an increase from the TWBIR Revision 2 total volume of  $1.39 \times 10^5 \text{ m}^3$ .*

*The 2003 Update Report and TWBIR Revision 2 data in Tables DATA-F-B-1 through DATA-F-B-3 were analyzed for differences in stored, projected, and anticipated volumes. The CH-TRU waste volume data will be discussed first (Section DATA-F-B-1.3), followed by a discussion of the RH-TRU waste volume data (Section DATA-F-B-1.5).*

**Table DATA-F-B-1. Comparison of Stored, Projected, and Anticipated CH-TRU Waste Volumes Between the 2003 Update and TWBIR Revision 2 (m<sup>3</sup>)<sup>1</sup>**

TRU Waste Site	2003 Update Stored	TWBIR Rev. 2 Stored	Difference in Stored	2003 Update Projected	TWBIR Rev. 2 Projected	Difference in Projected	2003 Update Anticipated	TWBIR Rev. 2 Anticipated	Difference in Anticipated
Argonne National Laboratory - East	$1.10 \times 10^2$	$1.10 \times 10^1$	$9.90 \times 10^1$	$7.95 \times 10^1$	$1.30 \times 10^2$	$-5.05 \times 10^1$	$1.89 \times 10^2$	$1.40 \times 10^2$	$4.95 \times 10^1$
Argonne National Laboratory - West	$6.03 \times 10^0$	$6.50 \times 10^0$	$-4.68 \times 10^{-1}$	$3.81 \times 10^1$	$7.40 \times 10^2$	$-7.02 \times 10^2$	$4.41 \times 10^1$	$7.50 \times 10^2$	$-7.06 \times 10^2$
Battelle Columbus Laboratories	$5.24 \times 10^0$	$0.00 \times 10^0$	$5.24 \times 10^0$	$0.00 \times 10^0$	$0.00 \times 10^0$	$0.00 \times 10^0$	$5.24 \times 10^0$	$0.00 \times 10^0$	$5.24 \times 10^0$
Bettis Atomic Power Laboratory	$1.86 \times 10^1$	$0.00 \times 10^0$	$1.86 \times 10^1$	$0.00 \times 10^0$	$1.20 \times 10^2$	$-1.20 \times 10^2$	$1.86 \times 10^1$	$1.20 \times 10^2$	$-1.01 \times 10^2$
Energy Technology Engineering Center	$2.30 \times 10^0$	$1.70 \times 10^0$	$5.96 \times 10^{-1}$	$0.00 \times 10^0$	$0.00 \times 10^0$	$0.00 \times 10^0$	$2.30 \times 10^0$	$1.70 \times 10^0$	$5.96 \times 10^{-1}$
Hanford (Richland-RL)	$1.30 \times 10^4$	$1.20 \times 10^4$	$1.00 \times 10^3$	$1.28 \times 10^4$	$3.30 \times 10^4$	$-2.02 \times 10^4$	$2.58 \times 10^4$	$4.60 \times 10^4$	$-2.02 \times 10^4$
Hanford (River Protection-RP)	$3.93 \times 10^3$	$0.00 \times 10^0$	$3.93 \times 10^3$	$0.00 \times 10^0$	$0.00 \times 10^0$	$0.00 \times 10^0$	$3.93 \times 10^3$	$0.00 \times 10^0$	$3.93 \times 10^3$
Idaho National Engineering and Environmental Laboratory	$6.10 \times 10^4$	$2.90 \times 10^4$	$3.20 \times 10^4$	$1.20 \times 10^2$	$0.00 \times 10^0$	$1.20 \times 10^2$	$6.11 \times 10^4$	$2.90 \times 10^4$	$3.21 \times 10^4$
Knolls Atomic Power Laboratory - Nuclear Fuel Services	$5.49 \times 10^1$	$0.00 \times 10^0$	$5.49 \times 10^1$	$1.70 \times 10^2$	$0.00 \times 10^0$	$1.70 \times 10^2$	$2.25 \times 10^2$	$0.00 \times 10^0$	$2.25 \times 10^2$
Lawrence Livermore National Laboratory	$3.50 \times 10^2$	$2.30 \times 10^2$	$1.20 \times 10^2$	$2.10 \times 10^3$	$7.10 \times 10^2$	$1.39 \times 10^3$	$2.45 \times 10^3$	$9.40 \times 10^2$	$1.51 \times 10^3$
Los Alamos National Laboratory	$1.20 \times 10^4$	$1.10 \times 10^4$	$1.00 \times 10^3$	$3.29 \times 10^3$	$7.40 \times 10^3$	$-4.11 \times 10^3$	$1.53 \times 10^4$	$1.80 \times 10^4$	$-2.71 \times 10^3$
Nevada Test Site	$6.19 \times 10^2$	$6.20 \times 10^2$	$-1.07 \times 10^0$	$4.63 \times 10^2$	$9.00 \times 10^0$	$4.54 \times 10^2$	$1.08 \times 10^3$	$6.30 \times 10^2$	$4.52 \times 10^2$
Oak Ridge National Laboratory	$0.00 \times 10^0$	$1.30 \times 10^3$	$-1.30 \times 10^3$	$4.49 \times 10^2$	$2.60 \times 10^2$	$1.89 \times 10^2$	$4.49 \times 10^2$	$1.60 \times 10^3$	$-1.15 \times 10^3$
Paducah Gaseous Diffusion Plant	$5.70 \times 10^0$	$0.00 \times 10^0$	$5.70 \times 10^0$	$5.70 \times 10^0$	$1.90 \times 10^0$	$3.80 \times 10^0$	$1.14 \times 10^1$	$1.90 \times 10^0$	$9.50 \times 10^0$
Rocky Flats Environmental Technology Site	$5.35 \times 10^3$	$7.10 \times 10^2$	$4.64 \times 10^3$	$2.75 \times 10^3$	$4.40 \times 10^3$	$-1.65 \times 10^3$	$8.10 \times 10^3$	$5.10 \times 10^3$	$3.00 \times 10^3$
Sandia National Laboratories - Albuquerque	$2.35 \times 10^1$	$6.70 \times 10^0$	$1.68 \times 10^1$	$0.00 \times 10^0$	$7.50 \times 10^0$	$-7.50 \times 10^0$	$2.35 \times 10^1$	$1.40 \times 10^1$	$9.50 \times 10^0$
Savannah River Site/Mound	$1.30 \times 10^4$	$3.20 \times 10^3$	$9.80 \times 10^3$	$2.44 \times 10^3$	$6.80 \times 10^3$	$-4.36 \times 10^3$	$1.54 \times 10^4$	$9.87 \times 10^3$	$5.57 \times 10^3$
U.S. Army Material Command	$2.50 \times 10^0$	$2.50 \times 10^0$	$-4.00 \times 10^{-3}$	$0.00 \times 10^0$	$0.00 \times 10^0$	$0.00 \times 10^0$	$2.50 \times 10^0$	$2.50 \times 10^0$	$-4.00 \times 10^{-3}$
University of Missouri Research Reactor	$1.46 \times 10^0$	$2.10 \times 10^{-1}$	$1.25 \times 10^0$	$0.00 \times 10^0$	$8.30 \times 10^{-1}$	$-8.30 \times 10^{-1}$	$1.46 \times 10^0$	$1.00 \times 10^0$	$4.56 \times 10^{-1}$
Totals	$1.09 \times 10^5$	$5.81 \times 10^4$	$5.14 \times 10^4$	$2.47 \times 10^4$	$5.36 \times 10^4$	$-2.89 \times 10^4$	$1.34 \times 10^5$	$1.12 \times 10^5$	$2.20 \times 10^4$

<sup>1</sup> See Pages 1, 5 and 6 for discussion.

**Table DATA-F-B-2. Comparison of Stored, Projected, and Anticipated RH-TRU Waste Volumes Between the 2003 Update and TWBIR Revision 2 (m<sup>3</sup>)<sup>1</sup>**

TRU Waste Site	2003 Update Stored	TWBIR Rev. 2 Stored	Difference in Stored	2003 Update Projected	TWBIR Rev. 2 Projected	Difference in Projected	2003 Update Anticipated	TWBIR Rev. 2 Anticipated	Difference in Anticipated
Argonne National Laboratory - East	$1.50 \times 10^1$	$0.00 \times 10^0$	$1.50 \times 10^1$	$1.00 \times 10^2$	$0.00 \times 10^0$	$1.00 \times 10^2$	$1.15 \times 10^2$	$0.00 \times 10^0$	$1.15 \times 10^2$
Argonne National Laboratory - West	$2.40 \times 10^1$	$1.90 \times 10^1$	$5.00 \times 10^0$	$6.90 \times 10^1$	$1.30 \times 10^3$	$-1.23 \times 10^3$	$9.30 \times 10^1$	$1.30 \times 10^3$	$-1.21 \times 10^3$
Battelle Columbus Laboratories	$4.40 \times 10^1$	$5.80 \times 10^2$	$-5.36 \times 10^2$	$1.80 \times 10^0$	$0.00 \times 10^0$	$1.80 \times 10^0$	$4.58 \times 10^1$	$5.80 \times 10^2$	$-5.34 \times 10^2$
Bettis Atomic Power Laboratory	$2.00 \times 10^0$	$0.00 \times 10^0$	$2.00 \times 10^0$	$0.00 \times 10^0$	$6.70 \times 10^0$	$-6.70 \times 10^0$	$2.00 \times 10^0$	$6.70 \times 10^0$	$-4.70 \times 10^0$
Energy Technology Engineering Center	$5.00 \times 10^0$	$8.90 \times 10^{-1}$	$4.11 \times 10^0$	$0.00 \times 10^0$	$0.00 \times 10^0$	$0.00 \times 10^0$	$5.00 \times 10^0$	$8.90 \times 10^{-1}$	$4.11 \times 10^0$
Hanford (Richland-RL)	$3.80 \times 10^2$	$2.00 \times 10^2$	$1.80 \times 10^2$	$9.40 \times 10^3$	$2.20 \times 10^4$	$-1.26 \times 10^4$	$9.78 \times 10^3$	$2.20 \times 10^4$	$-1.22 \times 10^4$
Hanford (River Protection-RP)	$4.50 \times 10^3$	$0.00 \times 10^0$	$4.50 \times 10^3$	$0.00 \times 10^0$	$0.00 \times 10^0$	$0.00 \times 10^0$	$4.50 \times 10^3$	$0.00 \times 10^0$	$4.50 \times 10^3$
Idaho National Engineering and Environmental Laboratory	$2.20 \times 10^2$	$2.20 \times 10^2$	$0.00 \times 10^0$	$0.00 \times 10^0$	$0.00 \times 10^0$	$0.00 \times 10^0$	$2.20 \times 10^2$	$2.20 \times 10^2$	$0.00 \times 10^0$
Knolls Atomic Power Laboratory - Nuclear Fuel Services	$0.00 \times 10^0$	$0.00 \times 10^0$	$0.00 \times 10^0$	$1.40 \times 10^2$	$0.00 \times 10^0$	$1.40 \times 10^2$	$1.40 \times 10^2$	$0.00 \times 10^0$	$1.40 \times 10^2$
Los Alamos National Laboratory	$1.20 \times 10^2$	$9.40 \times 10^1$	$2.60 \times 10^1$	$0.00 \times 10^0$	$9.90 \times 10^1$	$-9.90 \times 10^1$	$1.20 \times 10^2$	$1.90 \times 10^2$	$-7.00 \times 10^1$
Oak Ridge National Laboratory	$0.00 \times 10^0$	$2.50 \times 10^3$	$-2.50 \times 10^3$	$6.60 \times 10^2$	$4.50 \times 10^2$	$2.10 \times 10^2$	$6.60 \times 10^2$	$2.90 \times 10^3$	$-2.24 \times 10^3$
Sandia National Laboratories - Albuquerque	$4.58 \times 10^0$	$0.00 \times 10^0$	$4.58 \times 10^0$	$0.00 \times 10^0$	$0.00 \times 10^0$	$0.00 \times 10^0$	$4.58 \times 10^0$	$0.00 \times 10^0$	$4.58 \times 10^0$
Savannah River Site/Mound	$0.00 \times 10^0$	$0.00 \times 10^0$	$0.00 \times 10^0$	$2.26 \times 10^1$	$0.00 \times 10^0$	$2.26 \times 10^1$	$2.26 \times 10^1$	$0.00 \times 10^0$	$2.26 \times 10^1$
Totals	$5.31 \times 10^3$	$3.61 \times 10^3$	$1.70 \times 10^3$	$1.04 \times 10^4$	$2.39 \times 10^4$	$-1.35 \times 10^4$	$1.57 \times 10^4$	$2.72 \times 10^4$	$-1.15 \times 10^4$

<sup>1</sup> See Pages 1 and 28 for discussion.

**Table DATA-F-B-3. Comparison of Stored, Projected, and Anticipated Total TRU Waste Volumes Between the 2003 Update and TWBIR Revision 2 (m<sup>3</sup>)<sup>1</sup>**

<i>TRU Waste Site</i>	<i>2003 Update Stored</i>	<i>TWBIR Rev. 2 Stored</i>	<i>Difference in Stored</i>	<i>2003 Update Projected</i>	<i>TWBIR Rev. 2 Projected</i>	<i>Difference in Projected</i>	<i>2003 Update Anticipated</i>	<i>TWBIR Rev. 2 Anticipated</i>	<i>Difference in Anticipated</i>
<i>CH TRU Waste Volumes</i>	$1.09 \times 10^5$	$5.81 \times 10^4$	$5.14 \times 10^4$	$2.47 \times 10^4$	$5.36 \times 10^4$	$-2.89 \times 10^4$	$1.34 \times 10^5$	$1.12 \times 10^5$	$2.20 \times 10^4$
<i>CH Emplaced TRU Waste Volumes</i>	$7.72 \times 10^3$	$0.00 \times 10^0$	$7.72 \times 10^3$	$0.00 \times 10^0$	$0.00 \times 10^0$	$0.00 \times 10^0$	$7.72 \times 10^3$	$0.00 \times 10^0$	$7.72 \times 10^3$
<i>Total CH TRU Waste Volumes</i>	$1.17 \times 10^5$	$5.81 \times 10^4$	$5.91 \times 10^4$	$2.47 \times 10^4$	$5.36 \times 10^4$	$-2.89 \times 10^4$	$1.42 \times 10^5$	$1.12 \times 10^5$	$2.97 \times 10^4$
<i>Total RH TRU Waste Volumes</i>	$5.31 \times 10^3$	$3.61 \times 10^3$	$1.70 \times 10^3$	$1.04 \times 10^4$	$2.30 \times 10^4$	$-1.35 \times 10^4$	$1.57 \times 10^4$	$2.72 \times 10^4$	$-1.15 \times 10^4$
<i>Total TRU Waste Volumes</i>	$1.23 \times 10^5$	$6.17 \times 10^4$	$6.08 \times 10^4$	$3.51 \times 10^4$	$7.74 \times 10^4$	$-4.23 \times 10^4$	$1.58 \times 10^5$	$1.39 \times 10^5$	$1.82 \times 10^4$

<sup>1</sup> See Pages 1, 5, 6 and 28 for discussion.



1 ***DATA-F-B-1.2 Waste Inventory Comparison by Final Waste Form***

2 ***Tables DATA-F-B-4 through DATA-F-B-23 contain two parts. The top portion of each table***  
3 ***shows the volume data, and the lower portion of each table shows the waste material***  
4 ***parameter (WMP) data. These tables compare the 2003 Update Report and TWBIR Revision***  
5 ***2 volume and WMP data for the roll-ups by final waste form. There is one table for each final***  
6 ***waste form for each CH-TRU or RH-TRU waste type.***

7 ***The first part of Tables DATA-F-B-4 through DATA-F-B-23 contains rolled up final waste***  
8 ***form volume data by site, and were compiled using the TWBID Revision 2.1 (LANL 2003). In***  
9 ***the upper portion of each table, there are eight columns. The first column contains the site***  
10 ***identification. Column 2 contains the volume of emplaced waste for the sites listed. Columns***  
11 ***3 and 4 contain the 2003 Update Report and TWBIR Revision 2 stored volumes, respectively.***  
12 ***Columns 5 and 6 contain the 2003 Update Report and TWBIR Revision 2 projected volumes,***  
13 ***respectively. Columns 7 and 8 contain the 2003 Update Report and TWBIR Revision 2 total***  
14 ***volumes, respectively. The 9th and last column contains the volume difference between the***  
15 ***total (anticipated) 2003 Update Report and TWBIR Revision 2 volumes (columns 7 and 8,***  
16 ***respectively). This volume difference is the result of subtracting TWBIR Revision 2 volumes***  
17 ***from 2003 Update volumes. The sum of each column is shown in the “TRU Waste Site Total”***  
18 ***row.***

19 ***The 2003 Update Report and TWBIR Revision 2 stored and projected waste volumes by site***  
20 ***which contributed to the final waste form are given for the applicable sites and for emplaced***  
21 ***waste. No waste was emplaced at the time of the TWBIR Revision 2 (DOE 1995), resulting in***  
22 ***zero values for those columns (2, 4, and 6) for the WIPP. Sections DATA-F-B-1.4 and DATA-***  
23 ***F-B-1.6 explain the volume data in these tables.***

24 ***The second part of Tables DATA-F-B-4 through DATA-F-B-23, contains the WMP average***  
25 ***densities in units of kilograms per cubic meter (kg/m<sup>3</sup>) and shows the comparison of the 2003***  
26 ***Update Report and TWBIR Revision 2 WMP data for the roll-ups by final waste form. The***  
27 ***last column of the WMP data table gives the result of subtracting the TWBIR Revision 2***  
28 ***average density from the 2003 Update Report average density. The 2003 Update Report WMP***  
29 ***data were compiled using TWBID Revision 2.1 (LANL 2003). Sections DATA-F-B-2.1 and***  
30 ***DATA-F-B-2.2 explain the WMP data in these tables. Section DATA-F-B-2.3 discusses the***  
31 ***waste container (packaging) materials.***

32 ***DATA-F-B-1.3 Analysis of CH-TRU Waste Volume Differences by Site***

33 ***Table DATA-F-B-1 compares the stored, projected, and anticipated CH-TRU waste volumes***  
34 ***between the TWBIR Revision 2 (DOE 1995) and 2003 Update Report inventories by site and***  
35 ***gives the total CH-TRU waste and emplaced waste volumes.***

36 ***The total difference in stored CH-TRU waste at the sites is  $5.14 \times 10^4 \text{ m}^3$ , or an 88 percent***  
37 ***increase from the TWBIR Revision 2 inventory. The bulk of this additional stored volume***  
38 ***came from the Idaho National Engineering and Environmental Laboratory (INEEL;  $3.20 \times$***   
39  ***$10^4 \text{ m}^3$ ), the Savannah River Site (SRS;  $9.80 \times 10^3 \text{ m}^3$ ), Los Alamos National Laboratory***  
40 ***(LANL;  $1.00 \times 10^3 \text{ m}^3$ ), and the Rocky Flats Environmental Technology Site (RFETS); ( $4.64 \times$***

1  $10^3 \text{ m}^3$ ). The sites adjusted their existing inventory data based on new information (since the  
2 TWBIR Revision 2 inventory) about the waste and/or increased accessibility to the waste. The  
3 Hanford River Protection (RP) stored waste ( $3.93 \times 10^3 \text{ m}^3$ ) is a new addition to the inventory.  
4 Several small-quantity generator sites have also added small volumes of CH-TRU stored waste  
5 to the inventory that were not previously reported (Battelle Columbus Laboratories (BCL),  
6 Bettis Atomic Power Laboratory (BAPL), Knolls Atomic Power Laboratory Nuclear Fuels  
7 Services (KAPL-NFS), and Paducah Gaseous Diffusion Plant (PGDP)).

8 The total projected CH-TRU waste volume has decreased by  $2.89 \times 10^4 \text{ m}^3$ , or a 54 percent  
9 decrease from the TWBIR Revision 2 inventory. The largest decrease in projected CH-TRU  
10 waste volume is  $2.02 \times 10^4 \text{ m}^3$  reported by Hanford Richland (RL). This was most likely  
11 prompted by changes in future forecast planning volumes based on better knowledge about the  
12 waste by on-site burial of non-TRU waste or by redesignation into the stored waste category as  
13 a result of waste operations.

14 The anticipated CH-TRU waste is simply the sum of the stored and projected wastes. It  
15 follows that the overall change is an increase of  $2.20 \times 10^4 \text{ m}^3$ , or a 20 percent increase for the  
16 anticipated volumes.

17 The emplaced waste volume as of the inventory date (September 30, 2002) is  $7.72 \times 10^3 \text{ m}^3$ . As  
18 of the inventory date, only CH-TRU waste has been emplaced. Table DATA-F-B-3 shows the  
19 sum of the current anticipated and emplaced CH-TRU waste volumes as  $1.42 \times 10^5 \text{ m}^3$ . The  
20 total CH-TRU waste volume from the TWBIR Revision 2 was  $1.12 \times 10^5 \text{ m}^3$ , giving a  
21 difference of  $2.97 \times 10^4 \text{ m}^3$ .

#### 22 DATA-F-B-1.4 CH-TRU Waste Volumes by Final Waste Form by Site

23 Tables DATA-F-B-4 through DATA-F-B-14 show that 5 of the 11 CH-TRU waste final waste  
24 form total volumes increased (filter material, heterogeneous debris, inorganic non-metal,  
25 solidified inorganic material, and solidified organic material). These increases were all  
26 greater than  $800 \text{ m}^3$ . Of these, the heterogeneous debris and solidified inorganic material  
27 volumes had the largest increases of  $2.9 \times 10^4 \text{ m}^3$  and  $2.2 \times 10^4 \text{ m}^3$ , respectively. The solidified  
28 organic material increased by  $4.6 \times 10^3 \text{ m}^3$  and the inorganic non-metal increased by  $7.2 \times 10^3$   
29  $\text{m}^3$ . The filter material and final waste form volumes increased by  $8.5 \times 10^2 \text{ m}^3$ . (See Section  
30 DATA-F-3.2.1.4 for additional information regarding solidified inorganic material and  
31 solidified organic material received after TWBID Revision 2.1 Version 3.12, Data Version 4.09  
32 was configured for performance assessment calculation.)

33 Six of the 11 CH-TRU waste final waste form total volumes decreased (combustible material,  
34 graphite, lead/cadmium metal, salt, soil, and uncategorized metal). These decreases ranged  
35 from less than  $5.0 \times 10^2 \text{ m}^3$  for graphite, lead/cadmium metal, salt, and soil, to  $4.2 \times 10^3 \text{ m}^3$  for  
36 combustible and  $2.7 \times 10^4 \text{ m}^3$  for uncategorized metal.

1 **Table DATA-F-B-4. WIPP CH-TRU Waste Profile Differences Between TWBIR Rev. 2 and**  
 2 **2003 Update Report — Combustible Material<sup>1</sup>**

Final Waste Form: Combustible Material

<i>TRU Waste Site Volumes (m<sup>3</sup>)</i>								
<i>Site</i>	<i>Emplaced Waste Volume</i>	<i>2003 Stored</i>	<i>Rev. 2 Stored</i>	<i>2003 Proj.</i>	<i>Rev. 2 Proj.</i>	<i>2003 Total</i>	<i>Rev. 2 Total</i>	<i>Total Diff.</i>
<i>Argonne National Laboratory - East</i>	$0.0 \times 10^0$	$9.0 \times 10^1$	$0.0 \times 10^0$	$6.6 \times 10^1$	$0.0 \times 10^0$	$1.6 \times 10^2$	$0.0 \times 10^0$	$1.6 \times 10^2$
<i>Argonne National Laboratory - West</i>	$0.0 \times 10^0$	$5.4 \times 10^0$	$0.0 \times 10^0$	$4.4 \times 10^0$	$1.0 \times 10^2$	$9.8 \times 10^0$	$1.0 \times 10^2$	$-9.2 \times 10^1$
<i>Battelle Columbus Laboratories</i>	$0.0 \times 10^0$	$5.2 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$5.2 \times 10^0$	$0.0 \times 10^0$	$5.2 \times 10^0$
<i>Hanford (Richland-RL)</i>	$0.0 \times 10^0$	$9.8 \times 10^1$	$4.6 \times 10^2$	$0.0 \times 10^0$	$1.2 \times 10^3$	$9.8 \times 10^1$	$1.7 \times 10^3$	$-1.6 \times 10^3$
<i>Idaho National Engineering and Environmental Laboratory</i>	$6.2 \times 10^1$	$0.0 \times 10^0$	$3.3 \times 10^3$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$3.3 \times 10^3$	$-3.3 \times 10^3$
<i>Los Alamos National Laboratory</i>	$5.9 \times 10^0$	$2.9 \times 10^3$	$1.8 \times 10^3$	$1.4 \times 10^3$	$2.4 \times 10^3$	$4.3 \times 10^3$	$4.2 \times 10^3$	$6.5 \times 10^1$
<i>Mound Plant</i>	$6.2 \times 10^1$	$0.0 \times 10^0$	$7.1 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$7.1 \times 10^0$	$-7.1 \times 10^0$
<i>Rocky Flats Environmental Technology Site</i>	$4.8 \times 10^2$	$1.2 \times 10^3$	$1.9 \times 10^2$	$4.5 \times 10^2$	$8.6 \times 10^2$	$1.6 \times 10^3$	$1.0 \times 10^3$	$6.0 \times 10^2$
<i>TRU Waste Site Total</i>	$6.1 \times 10^2$	$4.3 \times 10^3$	$5.8 \times 10^3$	$1.9 \times 10^3$	$4.6 \times 10^3$	$6.2 \times 10^3$	$1.0 \times 10^4$	$-4.2 \times 10^3$
<b>Waste Material Parameters</b>								
	<u><i>2003 Update Average Density (kg/m<sup>3</sup>)</i></u>	<u><i>TWBIR Rev. 2 Average Density (kg/m<sup>3</sup>)</i></u>		<u><i>Difference (kg/m<sup>3</sup>)</i></u>				
<i>Fe-Base Metal/Alloys</i>	$1.5 \times 10^1$	$1.1 \times 10^2$		$-9.4 \times 10^1$				
<i>Al-Base Metal/Alloys</i>	$8.4 \times 10^1$	$2.0 \times 10^1$		$6.4 \times 10^1$				
<i>Other Metal/Alloys</i>	$7.9 \times 10^0$	$1.0 \times 10^1$		$-2.5 \times 10^0$				
<i>Other Inorganic Material</i>	$1.0 \times 10^1$	$8.7 \times 10^0$		$1.3 \times 10^0$				
<i>Cellulosic Material</i>	$2.0 \times 10^1$	$1.9 \times 10^2$		$-1.7 \times 10^2$				
<i>Rubber Material</i>	$1.3 \times 10^1$	$3.0 \times 10^1$		$-1.7 \times 10^1$				
<i>Plastic Material</i>	$4.9 \times 10^1$	$6.0 \times 10^1$		$-1.1 \times 10^1$				
<i>Solidified Inorganic Material</i>	$9.4 \times 10^1$	$0.0 \times 10^0$		$9.4 \times 10^1$				
<i>Cement (Solidified)</i>	$4.8 \times 10^2$	$0.0 \times 10^0$		$4.8 \times 10^2$				
<i>Vitrified Material</i>	$0.0 \times 10^0$	$0.0 \times 10^0$		$0.0 \times 10^0$				
<i>Solidified Organic Material</i>	$1.2 \times 10^1$	$0.0 \times 10^0$		$1.2 \times 10^1$				
<i>Soil</i>	$8.8 \times 10^1$	$0.0 \times 10^0$		$8.8 \times 10^1$				

<sup>1</sup> See Page 6, 27, and 28 for discussion.

3

1 **Table DATA-F-B-5. WIPP CH-TRU Waste Profile Differences Between TWBIR Rev. 2 and**  
 2 **2003 Update — Filter Material<sup>1</sup>**

Final Waste Form: Filter Material

<i>TRU Waste Site Volumes (m<sup>3</sup>)</i>								
<i>Site</i>	<i>Emplaced Waste Volume</i>	<i>2003 Stored</i>	<i>Rev. 2 Stored</i>	<i>2003 Proj.</i>	<i>Rev. 2 Proj.</i>	<i>2003 Total</i>	<i>Rev. 2 Total</i>	<i>Total Diff.</i>
<i>Hanford (Richland-RL)</i>	$0.0 \times 10^0$	$2.2 \times 10^1$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$2.2 \times 10^1$	$0.0 \times 10^0$	$2.2 \times 10^1$
<i>Idaho National Engineering and Environmental Laboratory</i>	$2.9 \times 10^2$	$0.0 \times 10^0$	$1.3 \times 10^2$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$1.3 \times 10^2$	$-1.3 \times 10^2$
<i>Lawrence Livermore National Laboratory</i>	$0.0 \times 10^0$	$1.9 \times 10^2$	$1.6 \times 10^1$	$4.5 \times 10^2$	$3.2 \times 10^1$	$6.4 \times 10^2$	$4.8 \times 10^1$	$6.0 \times 10^2$
<i>Los Alamos National Laboratory</i>	$0.0 \times 10^0$	$3.3 \times 10^2$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$3.3 \times 10^2$	$0.0 \times 10^0$	$3.3 \times 10^2$
<i>Mound Plant</i>	$0.0 \times 10^0$	$0.0 \times 10^0$	$8.3 \times 10^{-1}$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$8.3 \times 10^{-1}$	$-8.3 \times 10^{-1}$
<i>Rocky Flats Environmental Technology Site</i>	$5.6 \times 10^1$	$4.5 \times 10^2$	$7.2 \times 10^1$	$1.4 \times 10^2$	$4.8 \times 10^2$	$5.8 \times 10^2$	$5.5 \times 10^2$	$3.4 \times 10^1$
<i>TRU Waste Site Total</i>	$3.4 \times 10^2$	$9.9 \times 10^2$	$2.2 \times 10^2$	$5.9 \times 10^2$	$5.1 \times 10^2$	$1.6 \times 10^3$	$7.3 \times 10^2$	$8.5 \times 10^2$
<i>Waste Material Parameters</i>	<i>2003 Update Average Density (kg/m<sup>3</sup>)</i>		<i>TWBIR Rev. 2 Average Density (kg/m<sup>3</sup>)</i>		<i>Difference (kg/m<sup>3</sup>)</i>			
<i>Fe-Base Metal/Alloys</i>	$4.5 \times 10^1$		$5.3 \times 10^0$		$4.0 \times 10^1$			
<i>Al-Base Metal/Alloys</i>	$1.8 \times 10^1$		$1.3 \times 10^1$		$5.3 \times 10^0$			
<i>Other Metal/Alloys</i>	$5.7 \times 10^0$		$8.0 \times 10^{-1}$		$4.9 \times 10^0$			
<i>Other Inorganic Material</i>	$1.6 \times 10^1$		$1.5 \times 10^1$		$8.9 \times 10^{-1}$			
<i>Cellulosic Material</i>	$4.6 \times 10^1$		$5.6 \times 10^1$		$-9.8 \times 10^0$			
<i>Rubber Material</i>	$6.2 \times 10^0$		$3.3 \times 10^0$		$2.9 \times 10^0$			
<i>Plastic Material</i>	$1.6 \times 10^1$		$4.6 \times 10^0$		$1.1 \times 10^1$			
<i>Solidified Inorganic Material</i>	$6.0 \times 10^{-1}$		$0.0 \times 10^0$		$6.0 \times 10^{-1}$			
<i>Cement (Solidified)</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$			
<i>Vitrified Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$			
<i>Solidified Organic Material</i>	$3.5 \times 10^{-1}$		$0.0 \times 10^0$		$3.5 \times 10^{-1}$			
<i>Soil</i>	$4.8 \times 10^0$		$0.0 \times 10^0$		$4.8 \times 10^0$			

3 <sup>1</sup> See Page 6, 27, and 28 for discussion.

1 **Table DATA-F-B-6. WIPP CH-TRU Waste Profile Differences Between TWBIR Rev. 2 and**  
 2 **2003 Update — Graphite<sup>1</sup>**

*Final Waste Form:* Graphite

<i>TRU Waste Site Volumes (m<sup>3</sup>)</i>							
<i>Site</i>	<i>2003 Stored</i>	<i>Rev. 2 Stored</i>	<i>2003 Proj.</i>	<i>Rev. 2 Proj.</i>	<i>2003 Total</i>	<i>Rev. 2 Total</i>	<i>Total Diff.</i>
<i>Idaho National Engineering and Environmental Laboratory</i>	$0.0 \times 10^0$	$5.0 \times 10^2$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$5.0 \times 10^2$	$-5.0 \times 10^2$
<i>Rocky Flats Environmental Technology Site</i>	$1.2 \times 10^2$	$1.4 \times 10^1$	$1.3 \times 10^0$	$4.8 \times 10^1$	$1.3 \times 10^2$	$6.1 \times 10^1$	$6.4 \times 10^1$
<i>TRU Waste Site Total</i>	$1.2 \times 10^2$	$5.1 \times 10^2$	$1.3 \times 10^0$	$4.8 \times 10^1$	$1.3 \times 10^2$	$5.6 \times 10^2$	$-4.3 \times 10^2$
<i>Waste Material Parameters</i>	<i>2003 Update Average Density (kg/m<sup>3</sup>)</i>		<i>TWBIR Rev. 2 Average Density (kg/m<sup>3</sup>)</i>		<i>Difference (kg/m<sup>3</sup>)</i>		
<i>Fe-Base Metal/Alloys</i>	$1.9 \times 10^1$		$1.4 \times 10^0$		$1.8 \times 10^1$		
<i>Al-Base Metal/Alloys</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Other Metal/Alloys</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Other Inorganic Material</i>	$1.7 \times 10^2$		$3.0 \times 10^2$		$-1.3 \times 10^2$		
<i>Cellulosic Material</i>	$8.6 \times 10^1$		$4.8 \times 10^0$		$8.2 \times 10^1$		
<i>Rubber Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Plastic Material</i>	$2.3 \times 10^1$		$5.6 \times 10^0$		$1.8 \times 10^1$		
<i>Solidified Inorganic Material</i>	$7.1 \times 10^0$		$0.0 \times 10^0$		$7.1 \times 10^0$		
<i>Cement (Solidified)</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Vitrified Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Solidified Organic Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Soil</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		

3 <sup>1</sup> See Page 6, 27, and 28 for discussion.

1 **Table DATA-F-B-7. WIPP CH-TRU Waste Profile Differences Between TWBIR Rev. 2 and**  
 2 **2003 Update — Heterogeneous Debris<sup>1</sup>**

Final Waste Form: *Heterogeneous Debris*

<i>TRU Waste Site Volumes (m<sup>3</sup>)</i>								
<i>Site</i>	<i>Emplaced Waste Volume</i>	<i>2003 Stored</i>	<i>Rev. 2 Stored</i>	<i>2003 Proj.</i>	<i>Rev. 2 Proj.</i>	<i>2003 Total</i>	<i>Rev. 2 Total</i>	<i>Total Diff.</i>
<i>Argonne National Laboratory - West</i>	$0.0 \times 10^0$	$6.2 \times 10^1$	$6.5 \times 10^0$	$3.4 \times 10^1$	$3.5 \times 10^2$	$3.4 \times 10^1$	$3.5 \times 10^2$	$-3.2 \times 10^2$
<i>Bettis Atomic Power Laboratory</i>	$0.0 \times 10^0$	$1.9 \times 10^1$	$0.0 \times 10^0$	$0.0 \times 10^0$	$1.2 \times 10^2$	$1.9 \times 10^1$	$1.2 \times 10^2$	$-1.0 \times 10^2$
<i>Energy Technology Engineering Center</i>	$0.0 \times 10^0$	$1.5 \times 10^0$	$1.7 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$1.5 \times 10^0$	$1.7 \times 10^0$	$-2.2 \times 10^{-1}$
<i>Framatome</i>	$0.0 \times 10^0$	$7.3 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$7.3 \times 10^0$	$0.0 \times 10^0$	$7.3 \times 10^0$
<i>Hanford (Richland-RL)</i>	$9.8 \times 10^1$	$1.2 \times 10^4$	$1.1 \times 10^4$	$2.1 \times 10^3$	$6.3 \times 10^3$	$1.4 \times 10^4$	$1.7 \times 10^4$	$-3.3 \times 10^3$
<i>Idaho National Engineering and Environmental Laboratory</i>	$0.0 \times 10^0$	$2.0 \times 10^4$	$1.1 \times 10^4$	$2.3 \times 10^1$	$0.0 \times 10^0$	$2.0 \times 10^4$	$1.7 \times 10^0$	$2.0 \times 10^4$
<i>Knolls Atomic Power Laboratory - Nuclear Fuel Services</i>	$0.0 \times 10^0$	$5.5 \times 10^1$	$0.0 \times 10^0$	$1.7 \times 10^2$	$0.0 \times 10^0$	$2.3 \times 10^2$	$0.0 \times 10^0$	$2.3 \times 10^2$
<i>Lawrence Livermore National Laboratory</i>	$0.0 \times 10^0$	$1.3 \times 10^2$	$2.0 \times 10^2$	$1.4 \times 10^3$	$6.6 \times 10^2$	$1.6 \times 10^3$	$8.6 \times 10^2$	$7.1 \times 10^2$
<i>Los Alamos National Laboratory</i>	$2.7 \times 10^2$	$2.1 \times 10^3$	$1.6 \times 10^1$	$1.4 \times 10^3$	$2.9 \times 10^1$	$3.5 \times 10^3$	$4.5 \times 10^1$	$3.5 \times 10^3$
<i>Mound Plant</i>	$0.0 \times 10^0$	$0.0 \times 10^0$	$6.2 \times 10^{-1}$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$6.2 \times 10^{-1}$	$-6.2 \times 10^{-1}$
<i>Nevada Test Site</i>	$0.0 \times 10^0$	$6.1 \times 10^2$	$6.1 \times 10^2$	$4.6 \times 10^2$	$9.0 \times 10^0$	$1.1 \times 10^3$	$6.2 \times 10^2$	$4.5 \times 10^2$
<i>Oak Ridge National Laboratory</i>	$0.0 \times 10^0$	$0.0 \times 10^0$	$1.3 \times 10^3$	$4.5 \times 10^2$	$2.6 \times 10^2$	$4.5 \times 10^2$	$1.6 \times 10^3$	$-1.1 \times 10^3$
<i>Pantex Plant</i>	$0.0 \times 10^0$	$0.0 \times 10^0$	$6.2 \times 10^{-1}$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$6.2 \times 10^{-1}$	$-6.2 \times 10^{-1}$
<i>Rocky Flats Environmental Technology Site</i>	$6.8 \times 10^1$	$1.0 \times 10^3$	$3.9 \times 10^0$	$1.2 \times 10^3$	$0.0 \times 10^0$	$2.2 \times 10^3$	$3.9 \times 10^0$	$2.2 \times 10^3$
<i>Sandia National Laboratories - Albuquerque</i>	$0.0 \times 10^0$	$2.4 \times 10^1$	$6.7 \times 10^0$	$0.0 \times 10^0$	$7.5 \times 10^0$	$2.4 \times 10^1$	$1.4 \times 10^1$	$9.4 \times 10^0$
<i>Savannah River Site</i>	$1.4 \times 10^2$	$1.3 \times 10^4$	$2.6 \times 10^3$	$2.4 \times 10^3$	$5.5 \times 10^3$	$1.5 \times 10^4$	$8.1 \times 10^3$	$7.3 \times 10^3$
<i>U.S. Army Material Command</i>	$0.0 \times 10^0$	$2.5 \times 10^0$	$2.5 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$2.5 \times 10^0$	$2.5 \times 10^0$	$-4.0 \times 10^{-3}$
<i>University of Missouri Research Reactor</i>	$0.0 \times 10^0$	$1.5 \times 10^0$	$2.1 \times 10^{-1}$	$0.0 \times 10^0$	$8.3 \times 10^{-1}$	$1.5 \times 10^0$	$1.0 \times 10^0$	$4.2 \times 10^{-1}$
<i>TRU Waste Site Total</i>	$5.7 \times 10^2$	$4.9 \times 10^4$	$2.7 \times 10^4$	$9.7 \times 10^3$	$1.3 \times 10^4$	$5.9 \times 10^4$	$2.9 \times 10^4$	$2.9 \times 10^4$

  

<i>Waste Material Parameters</i>	<i>2003 Update Average Density (kg/m<sup>3</sup>)</i>	<i>TWBIR Rev. 2 Average Density (kg/m<sup>3</sup>)</i>	<i>Difference (kg/m<sup>3</sup>)</i>
<i>Fe-Base Metal/Alloys</i>	$2.4 \times 10^2$	$2.5 \times 10^2$	$-2.9 \times 10^0$
<i>Al-Base Metal/Alloys</i>	$3.3 \times 10^1$	$4.6 \times 10^1$	$-1.3 \times 10^1$
<i>Other Metal/Alloys</i>	$5.7 \times 10^1$	$5.7 \times 10^0$	$5.1 \times 10^1$
<i>Other Inorganic Material</i>	$5.6 \times 10^1$	$2.6 \times 10^1$	$2.9 \times 10^1$
<i>Cellulosic Material</i>	$1.2 \times 10^2$	$8.6 \times 10^1$	$3.5 \times 10^1$
<i>Rubber Material</i>	$3.2 \times 10^1$	$1.9 \times 10^1$	$1.3 \times 10^1$
<i>Plastic Material</i>	$9.0 \times 10^1$	$7.2 \times 10^1$	$1.8 \times 10^1$
<i>Solidified Inorganic Material</i>	$3.6 \times 10^0$	$3.8 \times 10^0$	$-2.0 \times 10^{-1}$
<i>Cement (Solidified)</i>	$1.8 \times 10^{-2}$	$0.0 \times 10^0$	$1.8 \times 10^{-2}$
<i>Vitrified Material</i>	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$
<i>Solidified Organic Material</i>	$1.8 \times 10^0$	$4.0 \times 10^{-1}$	$1.4 \times 10^0$
<i>Soil</i>	$4.2 \times 10^0$	$2.9 \times 10^0$	$1.3 \times 10^0$

3 <sup>1</sup> See Page 6, 27, and 28 for discussion.

1 **Table DATA-F-B-8. WIPP CH-TRU Waste Profile Differences Between TWBIR Rev. 2 and**  
 2 **2003 Update — Inorganic Non-Metal<sup>1</sup>**

*Final Waste Form: Inorganic Non-Metal*

<i>TRU Waste Site Volumes (m<sup>3</sup>)</i>								
<i>Site</i>	<i>Emplaced Waste Volume</i>	<i>2003 Stored</i>	<i>Rev. 2 Stored</i>	<i>2003 Proj.</i>	<i>Rev. 2 Proj.</i>	<i>2003 Total</i>	<i>Rev. 2 Total</i>	<i>Total Diff.</i>
<i>Hanford (Richland-RL)</i>	$0.0 \times 10^0$	$1.1 \times 10^1$	$3.5 \times 10^1$	$3.0 \times 10^1$	$6.9 \times 10^1$	$4.2 \times 10^1$	$1.0 \times 10^2$	$-6.2 \times 10^1$
<i>Idaho National Engineering and Environmental Laboratory</i>	$4.3 \times 10^2$	$1.1 \times 10^4$	$3.0 \times 10^3$	$0.0 \times 10^0$	$0.0 \times 10^0$	$1.1 \times 10^4$	$3.0 \times 10^3$	$7.5 \times 10^3$
<i>Paducah Gaseous Diffusion Plant</i>	$0.0 \times 10^0$	$5.7 \times 10^0$	$0.0 \times 10^0$	$5.7 \times 10^0$	$1.9 \times 10^0$	$1.1 \times 10^1$	$1.9 \times 10^0$	$9.5 \times 10^0$
<i>Rocky Flats Environmental Technology Site</i>	$5.4 \times 10^2$	$6.5 \times 10^2$	$5.8 \times 10^1$	$3.2 \times 10^1$	$8.7 \times 10^2$	$6.8 \times 10^2$	$9.3 \times 10^2$	$-2.5 \times 10^2$
<i>Teledyne Brown Engineering</i>	$0.0 \times 10^0$	$0.0 \times 10^0$	$2.1 \times 10^1$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$2.1 \times 10^1$	$-2.1 \times 10^1$
<i>TRU Waste Site Total</i>	$9.7 \times 10^2$	$1.1 \times 10^4$	$3.1 \times 10^3$	$6.8 \times 10^1$	$9.4 \times 10^2$	$1.1 \times 10^4$	$4.1 \times 10^3$	$7.2 \times 10^3$
<i>Waste Material Parameters</i>	<i>2003 Update Average Density (kg/m<sup>3</sup>)</i>		<i>TWBIR Rev. 2 Average Density (kg/m<sup>3</sup>)</i>		<i>Difference (kg/m<sup>3</sup>)</i>			
<i>Fe-Base Metal/Alloys</i>	$4.2 \times 10^0$		$2.8 \times 10^0$		$1.4 \times 10^0$			
<i>Al-Base Metal/Alloys</i>	$1.2 \times 10^{-2}$		$0.0 \times 10^0$		$1.2 \times 10^{-2}$			
<i>Other Metal/Alloys</i>	$5.0 \times 10^0$		$2.0 \times 10^{-1}$		$4.8 \times 10^0$			
<i>Other Inorganic Material</i>	$5.5 \times 10^1$		$1.0 \times 10^2$		$-4.5 \times 10^1$			
<i>Cellulosic Material</i>	$1.9 \times 10^1$		$1.6 \times 10^1$		$3.2 \times 10^0$			
<i>Rubber Material</i>	$1.1 \times 10^{-1}$		$4.0 \times 10^{-1}$		$-2.9 \times 10^{-1}$			
<i>Plastic Material</i>	$2.7 \times 10^0$		$6.7 \times 10^0$		$-4.0 \times 10^0$			
<i>Solidified Inorganic Material</i>	$9.0 \times 10^{-1}$		$1.4 \times 10^0$		$-5.0 \times 10^{-1}$			
<i>Cement (Solidified)</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$			
<i>Vitrified Material</i>	$7.1 \times 10^1$		$1.4 \times 10^3$		$-1.3 \times 10^3$			
<i>Solidified Organic Material</i>	$2.7 \times 10^{-5}$		$0.0 \times 10^0$		$2.7 \times 10^{-5}$			
<i>Soil</i>	$1.8 \times 10^{-3}$		$0.0 \times 10^0$		$1.8 \times 10^{-3}$			

3 <sup>1</sup> See Page 6, 27, and 28 for discussion.

1 **Table DATA-F-B-9. WIPP CH-TRU Waste Profile Differences Between TWBIR Rev. 2 and**  
 2 **2003 Update — Lead/Cadmium Metal<sup>1</sup>**

Final Waste Form: *Lead/Cadmium Metal*

<i>TRU Waste Site Volumes (m<sup>3</sup>)</i>								
<i>Site</i>	<i>Emplaced Waste Volume</i>	<i>2003 Stored</i>	<i>Rev. 2 Stored</i>	<i>2003 Proj.</i>	<i>Rev. 2 Proj.</i>	<i>2003 Total</i>	<i>Rev. 2 Total</i>	<i>Total Diff.</i>
<i>Argonne National Laboratory - East</i>	$0.0 \times 10^0$	$0.0 \times 10^0$	$1.1 \times 10^0$	$0.0 \times 10^0$	$1.3 \times 10^0$	$0.0 \times 10^0$	$2.4 \times 10^0$	$-2.4 \times 10^0$
<i>Hanford (Richland-RL)</i>	$0.0 \times 10^0$	$1.7 \times 10^1$	$1.4 \times 10^1$	$1.4 \times 10^1$	$3.5 \times 10^1$	$3.1 \times 10^1$	$4.9 \times 10^1$	$-1.8 \times 10^1$
<i>Idaho National Engineering and Environmental Laboratory</i>	$8.1 \times 10^1$	$0.0 \times 10^0$	$1.4 \times 10^1$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$1.4 \times 10^1$	$-1.4 \times 10^1$
<i>Los Alamos National Laboratory</i>	$0.0 \times 10^0$	$3.7 \times 10^0$	$1.9 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$3.7 \times 10^0$	$1.9 \times 10^0$	$1.9 \times 10^0$
<i>Rocky Flats Environmental Technology Site</i>	$0.0 \times 10^0$	$1.2 \times 10^2$	$4.0 \times 10^0$	$1.8 \times 10^1$	$3.0 \times 10^2$	$1.4 \times 10^2$	$3.0 \times 10^2$	$-1.6 \times 10^2$
<i>TRU Waste Site Total</i>	$8.1 \times 10^1$	$1.4 \times 10^2$	$3.5 \times 10^1$	$3.2 \times 10^1$	$3.3 \times 10^2$	$1.8 \times 10^2$	$3.7 \times 10^2$	$-1.9 \times 10^2$
<i>Waste Material Parameters</i>	<i>2003 Update Average Density (kg/m<sup>3</sup>)</i>		<i>TWBIR Rev. 2 Average Density (kg/m<sup>3</sup>)</i>		<i>Difference (kg/m<sup>3</sup>)</i>			
<i>Fe-Base Metal/Alloys</i>	$9.2 \times 10^2$		$1.3 \times 10^2$		$7.9 \times 10^2$			
<i>Al-Base Metal/Alloys</i>	$1.8 \times 10^1$		$1.7 \times 10^1$		$1.5 \times 10^0$			
<i>Other Metal/Alloys</i>	$1.5 \times 10^2$		$5.2 \times 10^1$		$1.0 \times 10^2$			
<i>Other Inorganic Material</i>	$1.8 \times 10^1$		$1.2 \times 10^1$		$6.2 \times 10^0$			
<i>Cellulosic Material</i>	$5.0 \times 10^0$		$4.0 \times 10^0$		$1.0 \times 10^0$			
<i>Rubber Material</i>	$3.3 \times 10^0$		$1.6 \times 10^1$		$-1.2 \times 10^1$			
<i>Plastic Material</i>	$9.3 \times 10^0$		$2.2 \times 10^1$		$-1.3 \times 10^1$			
<i>Solidified Inorganic Material</i>	$8.2 \times 10^{-1}$		$0.0 \times 10^0$		$8.2 \times 10^{-1}$			
<i>Cement (Solidified)</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$			
<i>Vitrified Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$			
<i>Solidified Organic Material</i>	$1.1 \times 10^{-2}$		$0.0 \times 10^0$		$1.1 \times 10^{-2}$			
<i>Soil</i>	$1.6 \times 10^{-1}$		$0.0 \times 10^0$		$1.6 \times 10^{-1}$			

3 <sup>1</sup> See Page 6, 27, and 28 for discussion.



1 **Table DATA-F-B-10. WIPP CH-TRU Waste Profile Differences Between TWBIR Rev. 2 and**  
 2 **2003 Update — Salt<sup>1</sup>**

Final Waste Form: Salt

<i>TRU Waste Site Volumes (m<sup>3</sup>)</i>								
<i>Site</i>	<i>Emplaced Waste Volume</i>	<i>2003 Stored</i>	<i>Rev. 2 Stored</i>	<i>2003 Proj.</i>	<i>Rev. 2 Proj.</i>	<i>2003 Total</i>	<i>Rev. 2 Total</i>	<i>Total Diff.</i>
<i>Idaho National Engineering and Environmental Laboratory</i>	$0.0 \times 10^0$	$0.0 \times 10^0$	$2.1 \times 10^1$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$2.1 \times 10^1$	$-2.1 \times 10^1$
<i>Lawrence Livermore National Laboratory</i>	$0.0 \times 10^0$	$1.2 \times 10^0$	$6.2 \times 10^1$	$1.5 \times 10^1$	$3.0 \times 10^0$	$1.6 \times 10^1$	$3.6 \times 10^0$	$1.2 \times 10^1$
<i>Los Alamos National Laboratory</i>	$0.0 \times 10^0$	$1.3 \times 10^2$	$0.0 \times 10^0$	$1.7 \times 10^2$	$0.0 \times 10^0$	$3.0 \times 10^2$	$0.0 \times 10^0$	$3.0 \times 10^2$
<i>Rocky Flats Environmental Technology Site</i>	$1.5 \times 10^3$	$2.5 \times 10^1$	$0.0 \times 10^0$	$0.0 \times 10^0$	$3.3 \times 10^2$	$2.5 \times 10^1$	$3.3 \times 10^2$	$-3.0 \times 10^2$
<i>TRU Waste Site Total</i>	$1.5 \times 10^3$	$1.5 \times 10^2$	$2.1 \times 10^1$	$1.9 \times 10^2$	$3.3 \times 10^2$	$3.4 \times 10^2$	$3.5 \times 10^2$	$-1.2 \times 10^1$
<i>Waste Material Parameters</i>	<i>2003 Update Average Density (kg/m<sup>3</sup>)</i>		<i>TWBIR Rev. 2 Average Density (kg/m<sup>3</sup>)</i>		<i>Difference (kg/m<sup>3</sup>)</i>			
<i>Fe-Base Metal/Alloys</i>	$9.3 \times 10^0$		$1.8 \times 10^2$		$-1.7 \times 10^2$			
<i>Al-Base Metal/Alloys</i>	$5.7 \times 10^{-2}$		$1.0 \times 10^{-1}$		$-4.3 \times 10^{-2}$			
<i>Other Metal/Alloys</i>	$3.1 \times 10^0$		$2.3 \times 10^0$		$8.1 \times 10^{-1}$			
<i>Other Inorganic Material</i>	$2.1 \times 10^2$		$1.7 \times 10^2$		$4.1 \times 10^1$			
<i>Cellulosic Material</i>	$1.4 \times 10^2$		$1.6 \times 10^2$		$-2.6 \times 10^1$			
<i>Rubber Material</i>	$4.1 \times 10^{-2}$		$0.0 \times 10^0$		$4.1 \times 10^{-2}$			
<i>Plastic Material</i>	$8.9 \times 10^{-1}$		$6.0 \times 10^{-1}$		$2.9 \times 10^{-1}$			
<i>Solidified Inorganic Material</i>	$1.3 \times 10^1$		$0.0 \times 10^0$		$1.3 \times 10^1$			
<i>Cement (Solidified)</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$			
<i>Vitrified Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$			
<i>Solidified Organic Material</i>	$1.2 \times 10^1$		$0.0 \times 10^0$		$1.2 \times 10^1$			
<i>Soil</i>	$1.5 \times 10^0$		$0.0 \times 10^0$		$1.5 \times 10^0$			

3 <sup>1</sup> See Page 6, 27, and 28 for discussion.

1 **Table DATA-F-B-11. WIPP CH-TRU Waste Profile Differences Between TWBIR Rev. 2 and**  
 2 **2003 Update — Soil<sup>1</sup>**

Final Waste Form: Soil

<i>TRU Waste Site Volumes (m<sup>3</sup>)</i>							
<i>Site</i>	<i>2003 Stored</i>	<i>Rev. 2 Stored</i>	<i>2003 Proj.</i>	<i>Rev. 2 Proj.</i>	<i>2003 Total</i>	<i>Rev. 2 Total</i>	<i>Total Diff.</i>
<i>Hanford (Richland-RL)</i>	$1.1 \times 10^2$	$1.2 \times 10^2$	$5.9 \times 10^3$	$6.0 \times 10^3$	$6.0 \times 10^3$	$6.1 \times 10^3$	$-3.5 \times 10^1$
<i>Idaho National Engineering and Environmental Laboratory</i>	$0.0 \times 10^0$	$0.0 \times 10^0$	$9.7 \times 10^1$	$0.0 \times 10^0$	$9.7 \times 10^1$	$0.0 \times 10^0$	$9.7 \times 10^1$
<i>Los Alamos National Laboratory</i>	$1.9 \times 10^2$	$1.1 \times 10^2$	$0.0 \times 10^0$	$2.9 \times 10^1$	$1.9 \times 10^2$	$1.4 \times 10^2$	$4.8 \times 10^1$
<i>Mound Plant</i>	$0.0 \times 10^0$	$1.8 \times 10^2$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$1.8 \times 10^2$	$-1.8 \times 10^2$
<i>TRU Waste Site Total</i>	$3.0 \times 10^2$	$4.1 \times 10^2$	$6.0 \times 10^3$	$6.0 \times 10^3$	$6.3 \times 10^3$	$6.4 \times 10^3$	$-6.7 \times 10^1$
<i>Waste Material Parameters</i>	<i>2003 Update Average Density (kg/m<sup>3</sup>)</i>		<i>TWBIR Rev. 2 Average Density (kg/m<sup>3</sup>)</i>		<i>Difference (kg/m<sup>3</sup>)</i>		
<i>Fe-Base Metal/Alloys</i>	$2.4 \times 10^{-2}$		$1.7 \times 10^0$		$-1.7 \times 10^0$		
<i>Al-Base Metal/Alloys</i>	$9.1 \times 10^{-3}$		$0.0 \times 10^0$		$9.1 \times 10^{-3}$		
<i>Other Metal/Alloys</i>	$6.4 \times 10^{-2}$		$0.0 \times 10^0$		$6.4 \times 10^{-2}$		
<i>Other Inorganic Material</i>	$9.1 \times 10^{-1}$		$1.0 \times 10^0$		$-8.6 \times 10^{-2}$		
<i>Cellulosic Material</i>	$1.5 \times 10^{-1}$		$3.7 \times 10^0$		$-3.5 \times 10^0$		
<i>Rubber Material</i>	$2.7 \times 10^{-2}$		$1.7 \times 10^0$		$-1.7 \times 10^0$		
<i>Plastic Material</i>	$1.4 \times 10^{-1}$		$3.2 \times 10^0$		$-3.1 \times 10^0$		
<i>Solidified Inorganic Material</i>	$1.8 \times 10^0$		$0.0 \times 10^0$		$1.8 \times 10^0$		
<i>Cement (Solidified)</i>	$1.8 \times 10^0$		$0.0 \times 10^0$		$1.8 \times 10^0$		
<i>Vitrified Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Solidified Organic Material</i>	$5.0 \times 10^0$		$1.0 \times 10^{-1}$		$4.9 \times 10^0$		
<i>Soil</i>	$3.2 \times 10^2$		$7.6 \times 10^2$		$-4.3 \times 10^2$		

3 <sup>1</sup> See Page 6, 27, and 28 for discussion.

1 **Table DATA-F-B-12. WIPP CH-TRU Waste Profile Differences Between TWBIR Rev. 2 and**  
 2 **2003 Update — Solidified Inorganic Material<sup>1</sup>**

*Final Waste Form: Solidified Inorganic Material*

<i>TRU Waste Site Volumes (m<sup>3</sup>)</i>								
<i>Site</i>	<i>Emplaced Waste Volume</i>	<i>2003 Stored</i>	<i>Rev. 2 Stored</i>	<i>2003 Proj.</i>	<i>Rev. 2 Proj.</i>	<i>2003 Total</i>	<i>Rev. 2 Total</i>	<i>Total Diff.</i>
<i>Ames Laboratory - Iowa State University</i>	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$4.2 \times 10^{-1}$	$0.0 \times 10^0$	$4.2 \times 10^{-1}$	$-4.2 \times 10^{-1}$
<i>Argonne National Laboratory - East</i>	$0.0 \times 10^0$	$2.4 \times 10^1$	$5.2 \times 10^0$	$1.3 \times 10^1$	$0.0 \times 10^0$	$3.7 \times 10^1$	$5.2 \times 10^0$	$3.2 \times 10^1$
<i>Hanford (Richland-RL)</i>	$0.0 \times 10^0$	$1.9 \times 10^2$	$1.3 \times 10^1$	$3.0 \times 10^1$	$7.1 \times 10^0$	$2.2 \times 10^2$	$2.0 \times 10^1$	$2.0 \times 10^2$
<i>Hanford (River Protection-RP)</i>	$0.0 \times 10^0$	$3.9 \times 10^3$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$3.9 \times 10^3$	$0.0 \times 10^0$	$3.9 \times 10^3$
<i>Idaho National Engineering and Environmental Laboratory</i>	$2.0 \times 10^3$	$2.9 \times 10^4$	$4.3 \times 10^3$	$0.0 \times 10^0$	$0.0 \times 10^0$	$2.9 \times 10^4$	$4.3 \times 10^3$	$2.5 \times 10^4$
<i>Lawrence Livermore National Laboratory</i>	$0.0 \times 10^0$	$1.4 \times 10^1$	$1.4 \times 10^1$	$1.8 \times 10^2$	$5.8 \times 10^0$	$1.9 \times 10^2$	$2.0 \times 10^1$	$1.7 \times 10^2$
<i>Los Alamos National Laboratory</i>	$0.0 \times 10^0$	$6.5 \times 10^2$	$4.9 \times 10^3$	$2.4 \times 10^2$	$2.0 \times 10^3$	$8.9 \times 10^2$	$6.9 \times 10^3$	$-6.0 \times 10^3$
<i>Mound Plant</i>	$0.0 \times 10^0$	$0.0 \times 10^0$	$6.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$6.0 \times 10^0$	$-6.0 \times 10^0$
<i>Nevada Test Site</i>	$0.0 \times 10^0$	$5.7 \times 10^0$	$5.7 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$5.7 \times 10^0$	$5.7 \times 10^0$	$7.6 \times 10^{-8}$
<i>Rocky Flats Environmental Technology Site</i>	$1.3 \times 10^3$	$8.1 \times 10^2$	$1.7 \times 10^2$	$2.7 \times 10^2$	$1.3 \times 10^3$	$1.1 \times 10^3$	$1.4 \times 10^3$	$-3.5 \times 10^2$
<i>Savannah River Site</i>	$0.0 \times 10^0$	$2.4 \times 10^1$	$2.0 \times 10^2$	$0.0 \times 10^0$	$1.2 \times 10^3$	$2.4 \times 10^1$	$1.4 \times 10^3$	$-1.3 \times 10^3$
<i>TRU Waste Site Total</i>	$3.3 \times 10^3$	$3.5 \times 10^4$	$9.6 \times 10^3$	$7.3 \times 10^2$	$4.5 \times 10^3$	$3.6 \times 10^4$	$1.4 \times 10^4$	$2.2 \times 10^4$
<i>Waste Material Parameters</i>	<i>2003 Update Average Density (kg/m<sup>3</sup>)</i>		<i>TWBIR Rev. 2 Average Density (kg/m<sup>3</sup>)</i>		<i>Difference (kg/m<sup>3</sup>)</i>			
<i>Fe-Base Metal/Alloys</i>	$9.5 \times 10^{-1}$		$1.8 \times 10^2$		$-1.8 \times 10^2$			
<i>Al-Base Metal/Alloys</i>	$2.9 \times 10^{-2}$		$0.0 \times 10^0$		$2.9 \times 10^{-2}$			
<i>Other Metal/Alloys</i>	$1.4 \times 10^0$		$8.0 \times 10^{-1}$		$6.2 \times 10^{-1}$			
<i>Other Inorganic Material</i>	$3.3 \times 10^1$		$8.1 \times 10^1$		$-4.8 \times 10^1$			
<i>Cellulosic Material</i>	$7.6 \times 10^0$		$4.0 \times 10^1$		$7.2 \times 10^0$			
<i>Rubber Material</i>	$1.3 \times 10^{-2}$		$0.0 \times 10^0$		$1.3 \times 10^{-2}$			
<i>Plastic Material</i>	$3.8 \times 10^0$		$2.2 \times 10^0$		$1.6 \times 10^0$			
<i>Solidified Inorganic Material</i>	$2.5 \times 10^2$		$4.2 \times 10^2$		$-1.6 \times 10^2$			
<i>Cement (Solidified)</i>	$9.8 \times 10^1$		$3.9 \times 10^2$		$-2.9 \times 10^2$			
<i>Vitrified Material</i>	$4.6 \times 10^{-2}$		$3.2 \times 10^1$		$-3.2 \times 10^1$			
<i>Solidified Organic Material</i>	$2.7 \times 10^0$		$1.0 \times 10^1$		$2.6 \times 10^0$			
<i>Soil</i>	$4.2 \times 10^0$		$6.0 \times 10^{-1}$		$3.6 \times 10^0$			

3 <sup>1</sup> See Page 6, 27, and 28 for discussion.

1 **Table DATA-F-B-13. WIPP CH-TRU Waste Profile Differences Between TWBIR Rev. 2 and**  
 2 **2003 Update — Solidified Organic Material<sup>1</sup>**

*Final Waste Form: Solidified Organic Material*

<i>TRU Waste Site Volumes (m<sup>3</sup>)</i>							
<i>Site</i>	<i>2003 Stored</i>	<i>Rev. 2 Stored</i>	<i>2003 Proj.</i>	<i>Rev. 2 Proj.</i>	<i>2003 Total</i>	<i>Rev. 2 Total</i>	<i>Total Diff.</i>
<i>Argonne National Laboratory - East</i>	$0.0 \times 10^0$	$2.1 \times 10^{-1}$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$2.1 \times 10^{-1}$	$-2.1 \times 10^{-1}$
<i>Energy Technology Engineering Center</i>	$8.4 \times 10^{-1}$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$8.4 \times 10^{-1}$	$0.0 \times 10^0$	$8.4 \times 10^{-1}$
<i>Hanford (Richland-RL)</i>	$2.3 \times 10^0$	$7.4 \times 10^0$	$3.4 \times 10^2$	$9.4 \times 10^0$	$3.4 \times 10^2$	$1.7 \times 10^1$	$3.2 \times 10^2$
<i>Idaho National Engineering and Environmental Laboratory</i>	$1.1 \times 10^3$	$7.9 \times 10^2$	$0.0 \times 10^0$	$0.0 \times 10^0$	$1.1 \times 10^3$	$7.9 \times 10^2$	$3.6 \times 10^2$
<i>Lawrence Livermore National Laboratory</i>	$8.1 \times 10^0$	$1.0 \times 10^0$	$4.8 \times 10^0$	$5.8 \times 10^0$	$1.3 \times 10^1$	$6.9 \times 10^0$	$6.0 \times 10^0$
<i>Los Alamos National Laboratory</i>	$3.9 \times 10^3$	$1.5 \times 10^0$	$2.7 \times 10^1$	$2.9 \times 10^1$	$3.9 \times 10^3$	$3.1 \times 10^1$	$3.9 \times 10^3$
<i>Rocky Flats Environmental Technology Site</i>	$1.4 \times 10^2$	$1.1 \times 10^2$	$4.4 \times 10^0$	$3.1 \times 10^1$	$1.4 \times 10^2$	$1.4 \times 10^2$	$3.9 \times 10^0$
<i>TRU Waste Site Total</i>	$5.2 \times 10^3$	$9.1 \times 10^2$	$3.8 \times 10^2$	$7.5 \times 10^1$	$5.5 \times 10^3$	$9.8 \times 10^2$	$4.6 \times 10^3$
<i>Waste Material Parameters</i>							
<i>Waste Material Parameters</i>	<i>2003 Update Average Density (kg/m<sup>3</sup>)</i>		<i>TWBIR Rev. 2 Average Density (kg/m<sup>3</sup>)</i>		<i>Difference (kg/m<sup>3</sup>)</i>		
<i>Fe-Base Metal/Alloys</i>	$3.9 \times 10^{-1}$		$3.0 \times 10^{-1}$		$9.0 \times 10^{-2}$		
<i>Al-Base Metal/Alloys</i>	$1.9 \times 10^{-1}$		$0.0 \times 10^0$		$1.9 \times 10^{-1}$		
<i>Other Metal/Alloys</i>	$2.8 \times 10^{-1}$		$0.0 \times 10^0$		$2.8 \times 10^{-1}$		
<i>Other Inorganic Material</i>	$2.7 \times 10^1$		$1.2 \times 10^2$		$-8.8 \times 10^1$		
<i>Cellulosic Material</i>	$3.7 \times 10^{-1}$		$3.0 \times 10^{-1}$		$7.0 \times 10^{-2}$		
<i>Rubber Material</i>	$2.5 \times 10^{-1}$		$0.0 \times 10^0$		$2.5 \times 10^{-1}$		
<i>Plastic Material</i>	$7.1 \times 10^0$		$6.7 \times 10^0$		$3.6 \times 10^{-1}$		
<i>Solidified Inorganic Material</i>	$1.4 \times 10^2$		$2.1 \times 10^1$		$1.2 \times 10^2$		
<i>Cement (Solidified)</i>	$3.8 \times 10^1$		$1.3 \times 10^2$		$-9.2 \times 10^1$		
<i>Vitrified Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Solidified Organic Material</i>	$3.3 \times 10^2$		$6.1 \times 10^2$		$-2.8 \times 10^2$		
<i>Soil</i>	$3.6 \times 10^1$		$2.0 \times 10^1$		$3.6 \times 10^1$		

3 <sup>1</sup> See Page 6, 27, and 28 for discussion.

1 **Table DATA-F-B-14. WIPP CH-TRU Waste Profile Differences Between TWBIR Rev. 2 and**  
 2 **2003 Update — Uncategorized Metal<sup>1</sup>**

Final Waste Form: *Uncategorized Metal*

<i>TRU Waste Site Volumes (m<sup>3</sup>)</i>								
<i>Site</i>	<i>Emplaced Waste Volume</i>	<i>2003 Stored</i>	<i>Rev. 2 Stored</i>	<i>2003 Proj.</i>	<i>Rev. 2 Proj.</i>	<i>2003 Total</i>	<i>Rev. 2 Total</i>	<i>Total Diff.</i>
<i>Argonne National Laboratory – East</i>	$0.0 \times 10^0$	$0.0 \times 10^0$	$5.0 \times 10^0$	$0.0 \times 10^0$	$1.3 \times 10^2$	$0.0 \times 10^0$	$1.3 \times 10^2$	$-1.3 \times 10^2$
<i>Argonne National Laboratory - West</i>	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$2.9 \times 10^2$	$0.0 \times 10^0$	$2.9 \times 10^2$	$-2.9 \times 10^2$
<i>Hanford (Richland-RL)</i>	$0.0 \times 10^0$	$1.1 \times 10^2$	$4.4 \times 10^2$	$4.4 \times 10^3$	$2.0 \times 10^4$	$4.5 \times 10^3$	$2.0 \times 10^4$	$-1.6 \times 10^4$
<i>Idaho National Engineering and Environmental Laboratory</i>	$1.1 \times 10^1$	$9.4 \times 10^0$	$5.9 \times 10^3$	$0.0 \times 10^0$	$0.0 \times 10^0$	$9.4 \times 10^0$	$5.9 \times 10^3$	$-5.9 \times 10^3$
<i>Los Alamos National Laboratory</i>	$0.0 \times 10^0$	$1.5 \times 10^3$	$4.2 \times 10^3$	$3.2 \times 10^1$	$2.9 \times 10^3$	$1.5 \times 10^3$	$7.1 \times 10^3$	$-5.5 \times 10^3$
<i>Mound Plant</i>	$0.0 \times 10^0$	$0.0 \times 10^0$	$8.2 \times 10^1$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$8.2 \times 10^1$	$-8.2 \times 10^1$
<i>Rocky Flats Environmental Technology Site</i>	$3.5 \times 10^2$	$7.9 \times 10^2$	$9.3 \times 10^1$	$6.7 \times 10^2$	$2.4 \times 10^2$	$1.5 \times 10^3$	$3.3 \times 10^2$	$1.1 \times 10^3$
<i>Savannah River Site</i>	$0.0 \times 10^0$	$0.0 \times 10^0$	$7.0 \times 10^1$	$0.0 \times 10^0$	$1.2 \times 10^2$	$0.0 \times 10^0$	$1.9 \times 10^2$	$-1.9 \times 10^2$
<i>TRU Waste Site Total</i>	$3.6 \times 10^2$	$2.4 \times 10^3$	$1.1 \times 10^4$	$5.1 \times 10^3$	$2.3 \times 10^4$	$7.5 \times 10^3$	$3.4 \times 10^4$	$-2.7 \times 10^4$
<i>Waste Material Parameters</i>	<i>2003 Update Average Density (kg/m<sup>3</sup>)</i>		<i>TWBIR Rev. 2 Average Density (kg/m<sup>3</sup>)</i>		<i>Difference (kg/m<sup>3</sup>)</i>			
<i>Fe-Base Metal/Alloys</i>	$8.8 \times 10^1$		$1.5 \times 10^2$		$-6.5 \times 10^1$			
<i>Al-Base Metal/Alloys</i>	$5.3 \times 10^0$		$3.5 \times 10^0$		$1.8 \times 10^0$			
<i>Other Metal/Alloys</i>	$8.5 \times 10^1$		$2.1 \times 10^2$		$-1.3 \times 10^2$			
<i>Other Inorganic Material</i>	$1.2 \times 10^0$		$1.4 \times 10^1$		$-1.3 \times 10^1$			
<i>Cellulosic Material</i>	$2.3 \times 10^0$		$1.2 \times 10^1$		$-9.9 \times 10^0$			
<i>Rubber Material</i>	$1.5 \times 10^0$		$7.0 \times 10^{-1}$		$8.3 \times 10^{-1}$			
<i>Plastic Material</i>	$7.5 \times 10^0$		$7.9 \times 10^0$		$-3.7 \times 10^{-1}$			
<i>Solidified Inorganic Material</i>	$7.7 \times 10^0$		$0.0 \times 10^0$		$7.7 \times 10^0$			
<i>Cement (Solidified)</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$			
<i>Vitrified Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$			
<i>Solidified Organic Material</i>	$6.7 \times 10^{-1}$		$0.0 \times 10^0$		$6.7 \times 10^{-1}$			
<i>Soil</i>	$6.1 \times 10^{-2}$		$0.0 \times 10^0$		$6.1 \times 10^{-2}$			

3 <sup>1</sup> See Page 6, 27, and 28 for discussion.

1 **Table DATA-F-B-15. WIPP RH-TRU Waste Profile Differences Between TWBIR Rev. 2 and**  
 2 **2003 Update — Combustible Material<sup>1</sup>**

*Final Waste Form: Combustible Material*

<i>TRU Waste Site Volumes (m<sup>3</sup>)</i>							
<i>Site</i>	<i>2003 Stored</i>	<i>Rev. 2 Stored</i>	<i>2003 Proj.</i>	<i>Rev. 2 Proj.</i>	<i>2003 Total</i>	<i>Rev. 2 Total</i>	<i>Total Diff.</i>
<i>Battelle Columbus Laboratories</i>	$1.7 \times 10^1$	$0.0 \times 10^0$	$8.9 \times 10^{-1}$	$0.0 \times 10^0$	$1.8 \times 10^1$	$0.0 \times 10^0$	$1.8 \times 10^1$
<i>Hanford (Richland-RL)</i>	$8.9 \times 10^{-1}$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$8.9 \times 10^{-1}$	$0.0 \times 10^0$	$8.9 \times 10^{-1}$
<i>Idaho National Engineering and Environmental Laboratory</i>	$0.0 \times 10^0$	$2.1 \times 10^1$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$2.1 \times 10^1$	$-2.1 \times 10^1$
<i>Los Alamos National Laboratory</i>	$0.0 \times 10^0$	$1.5 \times 10^1$	$0.0 \times 10^0$	$4.9 \times 10^1$	$0.0 \times 10^0$	$6.4 \times 10^1$	$-6.4 \times 10^1$
<i>TRU Waste Site Total</i>	$1.8 \times 10^1$	$3.6 \times 10^1$	$8.9 \times 10^{-1}$	$4.9 \times 10^1$	$1.9 \times 10^1$	$8.5 \times 10^1$	$-6.7 \times 10^1$
<i>Waste Material Parameters</i>	<i>2003 Update Average Density (kg/m<sup>3</sup>)</i>		<i>TWBIR Rev. 2 Average Density (kg/m<sup>3</sup>)</i>		<i>Difference (kg/m<sup>3</sup>)</i>		
<i>Fe-Base Metal/Alloys</i>	$8.7 \times 10^0$		$1.9 \times 10^2$		$-1.8 \times 10^2$		
<i>Al-Base Metal/Alloys</i>	$7.6 \times 10^0$		$3.0 \times 10^{-1}$		$7.3 \times 10^0$		
<i>Other Metal/Alloys</i>	$6.3 \times 10^0$		$1.7 \times 10^1$		$-1.0 \times 10^1$		
<i>Other Inorganic Material</i>	$9.2 \times 10^0$		$8.6 \times 10^0$		$5.7 \times 10^{-1}$		
<i>Cellulosic Material</i>	$3.9 \times 10^1$		$4.9 \times 10^1$		$-1.0 \times 10^1$		
<i>Rubber Material</i>	$2.3 \times 10^1$		$6.4 \times 10^1$		$-4.1 \times 10^1$		
<i>Plastic Material</i>	$9.2 \times 10^1$		$7.0 \times 10^0$		$8.5 \times 10^1$		
<i>Solidified Inorganic Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Cement (Solidified)</i>	$1.7 \times 10^1$		$0.0 \times 10^0$		$1.7 \times 10^1$		
<i>Vitrified Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Solidified Organic Material</i>	$1.5 \times 10^0$		$0.0 \times 10^0$		$1.5 \times 10^0$		
<i>Soil</i>	$1.4 \times 10^0$		$0.0 \times 10^0$		$1.4 \times 10^0$		

<sup>1</sup> See Pages 28 and 29 for discussion.

3

1 **Table DATA-F-B-16. WIPP RH-TRU Waste Profile Differences Between TWBIR Rev. 2 and**  
 2 **2003 Update — Filter Material<sup>1</sup>**

*Final Waste Form:* **Filter Material**

<i>TRU Waste Site Volumes (m<sup>3</sup>)</i>							
<i>Site</i>	<i>2003 Stored</i>	<i>Rev. 2 Stored</i>	<i>2003 Proj.</i>	<i>Rev. 2 Proj.</i>	<i>2003 Total</i>	<i>Rev. 2 Total</i>	<i>Total Diff.</i>
<i>Argonne National Laboratory - West</i>	$1.8 \times 10^0$	$0.0 \times 10^0$	$8.9 \times 10^0$	$0.0 \times 10^0$	$1.1 \times 10^1$	$0.0 \times 10^0$	$1.1 \times 10^1$
<i>Battelle Columbus Laboratories</i>	$5.3 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$5.3 \times 10^0$	$0.0 \times 10^0$	$5.3 \times 10^0$
<i>Hanford (Richland-RL)</i>	$1.8 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$1.8 \times 10^0$	$0.0 \times 10^0$	$1.8 \times 10^0$
<i>TRU Waste Site Total</i>	$8.9 \times 10^0$	$0.0 \times 10^0$	$8.9 \times 10^0$	$0.0 \times 10^0$	$1.8 \times 10^1$	$0.0 \times 10^0$	$1.8 \times 10^1$
<i>Waste Material Parameters</i>	<i>2003 Update Average Density (kg/m<sup>3</sup>)</i>		<i>TWBIR Rev. 2 Average Density (kg/m<sup>3</sup>)</i>		<i>Difference (kg/m<sup>3</sup>)</i>		
<i>Fe-Base Metal/Alloys</i>	$3.3 \times 10^1$		$0.0 \times 10^0$		$3.3 \times 10^1$		
<i>Al-Base Metal/Alloys</i>	$1.7 \times 10^1$		$0.0 \times 10^0$		$1.7 \times 10^1$		
<i>Other Metal/Alloys</i>	$4.3 \times 10^1$		$0.0 \times 10^0$		$4.3 \times 10^1$		
<i>Other Inorganic Material</i>	$1.1 \times 10^2$		$0.0 \times 10^0$		$1.1 \times 10^2$		
<i>Cellulosic Material</i>	$7.3 \times 10^1$		$0.0 \times 10^0$		$7.3 \times 10^1$		
<i>Rubber Material</i>	$1.9 \times 10^1$		$0.0 \times 10^0$		$1.9 \times 10^1$		
<i>Plastic Material</i>	$6.3 \times 10^0$		$0.0 \times 10^0$		$6.3 \times 10^0$		
<i>Solidified Inorganic Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Cement (Solidified)</i>	$7.7 \times 10^0$		$0.0 \times 10^0$		$7.7 \times 10^0$		
<i>Vitrified Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Solidified Organic Material</i>	$1.2 \times 10^1$		$0.0 \times 10^0$		$1.2 \times 10^1$		
<i>Soil</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		

3 <sup>1</sup> See Pages 28 and 29 for discussion.

1 **Table DATA-F-B-17. WIPP RH-TRU Waste Profile Differences Between TWBIR Rev. 2 and**  
 2 **2003 Update — Heterogeneous Debris<sup>1</sup>**

*Final Waste Form:* **Heterogeneous Debris**

<i>TRU Waste Site Volumes (m<sup>3</sup>)</i>							
<i>Site</i>	<i>2003 Stored</i>	<i>Rev. 2 Stored</i>	<i>2003 Proj.</i>	<i>Rev. 2 Proj.</i>	<i>2003 Total</i>	<i>Rev. 2 Total</i>	<i>Total Diff.</i>
<i>Argonne National Laboratory - East</i>	$1.5 \times 10^1$	$0.0 \times 10^0$	$1.0 \times 10^2$	$0.0 \times 10^0$	$1.2 \times 10^2$	$0.0 \times 10^0$	$1.2 \times 10^2$
<i>Argonne National Laboratory - West</i>	$6.2 \times 10^0$	$0.0 \times 10^0$	$3.6 \times 10^1$	$1.2 \times 10^3$	$4.3 \times 10^1$	$1.2 \times 10^3$	$-1.2 \times 10^3$
<i>Battelle Columbus Laboratories</i>	$0.0 \times 10^0$	$5.8 \times 10^2$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$5.8 \times 10^2$	$-5.8 \times 10^2$
<i>Bettis Atomic Power Laboratory</i>	$2.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$6.7 \times 10^0$	$2.0 \times 10^0$	$6.7 \times 10^0$	$-4.7 \times 10^0$
<i>Energy Technology Engineering Center</i>	$8.9 \times 10^{-1}$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$8.9 \times 10^{-1}$	$0.0 \times 10^0$	$8.9 \times 10^{-1}$
<i>Hanford (Richland-RL)</i>	$2.6 \times 10^2$	$2.0 \times 10^2$	$3.2 \times 10^3$	$4.1 \times 10^3$	$3.5 \times 10^3$	$4.3 \times 10^3$	$-7.9 \times 10^2$
<i>Idaho National Engineering and Environmental Laboratory</i>	$2.0 \times 10^2$	$5.0 \times 10^1$	$0.0 \times 10^0$	$0.0 \times 10^0$	$2.0 \times 10^2$	$5.0 \times 10^1$	$1.5 \times 10^2$
<i>Knolls Atomic Power Laboratory - Schenectady</i>	$0.0 \times 10^0$	$0.0 \times 10^0$	$1.4 \times 10^2$	$0.0 \times 10^0$	$1.4 \times 10^2$	$0.0 \times 10^0$	$1.4 \times 10^2$
<i>Los Alamos National Laboratory</i>	$1.2 \times 10^2$	$1.2 \times 10^1$	$0.0 \times 10^0$	$0.0 \times 10^0$	$1.2 \times 10^2$	$1.2 \times 10^1$	$1.1 \times 10^2$
<i>Oak Ridge National Laboratory</i>	$0.0 \times 10^0$	$1.4 \times 10^3$	$2.7 \times 10^2$	$2.4 \times 10^2$	$2.7 \times 10^2$	$1.7 \times 10^3$	$-1.4 \times 10^3$
<i>Sandia National Laboratories - Albuquerque</i>	$4.6 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$4.6 \times 10^0$	$0.0 \times 10^0$	$4.6 \times 10^0$
<i>Savannah River Site</i>	$0.0 \times 10^0$	$0.0 \times 10^0$	$2.3 \times 10^1$	$0.0 \times 10^0$	$2.3 \times 10^1$	$0.0 \times 10^0$	$2.3 \times 10^1$
<i>TRU Waste Site Total</i>	$6.1 \times 10^2$	$2.3 \times 10^3$	$3.8 \times 10^3$	$5.5 \times 10^3$	$4.4 \times 10^3$	$7.8 \times 10^3$	$-3.4 \times 10^3$
<hr/>							
<i>Waste Material Parameters</i>	<i>2003 Update Average Density (kg/m<sup>3</sup>)</i>		<i>TWBIR Rev. 2 Average Density (kg/m<sup>3</sup>)</i>		<i>Difference (kg/m<sup>3</sup>)</i>		
<i>Fe-Base Metal/Alloys</i>	$1.2 \times 10^2$		$1.8 \times 10^2$		$-5.9 \times 10^1$		
<i>Al-Base Metal/Alloys</i>	$8.0 \times 10^0$		$2.4 \times 10^1$		$-1.6 \times 10^1$		
<i>Other Metal/Alloys</i>	$3.5 \times 10^1$		$1.4 \times 10^1$		$2.1 \times 10^1$		
<i>Other Inorganic Material</i>	$4.7 \times 10^1$		$1.9 \times 10^2$		$-1.4 \times 10^2$		
<i>Cellulosic Material</i>	$1.6 \times 10^1$		$5.7 \times 10^1$		$-4.2 \times 10^1$		
<i>Rubber Material</i>	$1.1 \times 10^1$		$1.0 \times 10^1$		$3.6 \times 10^{-1}$		
<i>Plastic Material</i>	$1.6 \times 10^1$		$4.9 \times 10^1$		$-3.3 \times 10^1$		
<i>Solidified Inorganic Material</i>	$3.6 \times 10^1$		$9.0 \times 10^0$		$2.7 \times 10^1$		
<i>Cement (Solidified)</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Vitrified Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Solidified Organic Material</i>	$1.4 \times 10^1$		$2.9 \times 10^0$		$1.1 \times 10^1$		
<i>Soil</i>	$3.5 \times 10^1$		$3.5 \times 10^0$		$3.1 \times 10^1$		

3 <sup>1</sup> See Pages 28 and 29 for discussion.



1 **Table DATA-F-B-18. WIPP RH-TRU Waste Profile Differences Between TWBIR Rev. 2 and**  
 2 **2003 Update — Inorganic Non-Metal<sup>1</sup>**

*Final Waste Form:* **Inorganic Non-Metal**

<i>TRU Waste Site Volumes (m<sup>3</sup>)</i>							
<i>Site</i>	<i>2003 Stored</i>	<i>Rev. 2 Stored</i>	<i>2003 Proj.</i>	<i>Rev. 2 Proj.</i>	<i>2003 Total</i>	<i>Rev. 2 Total</i>	<i>Total Diff.</i>
<i>Argonne National Laboratory - West</i>	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$2.1 \times 10^1$	$0.0 \times 10^0$	$2.1 \times 10^1$	$-2.1 \times 10^1$
<i>Battelle Columbus Laboratories</i>	$1.4 \times 10^1$	$0.0 \times 10^0$	$8.9 \times 10^{-1}$	$0.0 \times 10^0$	$1.5 \times 10^1$	$0.0 \times 10^0$	$1.5 \times 10^1$
<i>Hanford (Richland-RL)</i>	$2.8 \times 10^1$	$0.0 \times 10^0$	$4.3 \times 10^1$	$0.0 \times 10^0$	$7.1 \times 10^1$	$0.0 \times 10^0$	$7.1 \times 10^1$
<i>Idaho National Engineering and Environmental Laboratory</i>	$0.0 \times 10^0$	$4.6 \times 10^1$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$4.6 \times 10^1$	$-4.6 \times 10^1$
<i>TRU Waste Site Total</i>	$4.3 \times 10^1$	$4.6 \times 10^1$	$4.4 \times 10^1$	$2.1 \times 10^1$	$8.6 \times 10^1$	$6.8 \times 10^1$	$1.9 \times 10^1$
<i>Waste Material Parameters</i>	<i>2003 Update Average Density (kg/m<sup>3</sup>)</i>		<i>TWBIR Rev. 2 Average Density (kg/m<sup>3</sup>)</i>		<i>Difference (kg/m<sup>3</sup>)</i>		
<i>Fe-Base Metal/Alloys</i>	$1.6 \times 10^2$		$9.0 \times 10^{-1}$		$1.6 \times 10^2$		
<i>Al-Base Metal/Alloys</i>	$2.1 \times 10^1$		$0.0 \times 10^0$		$2.1 \times 10^1$		
<i>Other Metal/Alloys</i>	$4.8 \times 10^1$		$1.0 \times 10^{-1}$		$4.8 \times 10^1$		
<i>Other Inorganic Material</i>	$9.9 \times 10^2$		$5.6 \times 10^1$		$9.3 \times 10^2$		
<i>Cellulosic Material</i>	$3.9 \times 10^0$		$6.1 \times 10^0$		$-2.2 \times 10^0$		
<i>Rubber Material</i>	$1.8 \times 10^0$		$2.0 \times 10^{-1}$		$1.6 \times 10^0$		
<i>Plastic Material</i>	$2.4 \times 10^1$		$3.8 \times 10^0$		$2.0 \times 10^1$		
<i>Solidified Inorganic Material</i>	$1.5 \times 10^1$		$4.0 \times 10^{-1}$		$1.4 \times 10^1$		
<i>Cement (Solidified)</i>	$3.1 \times 10^0$		$0.0 \times 10^0$		$3.1 \times 10^0$		
<i>Vitrified Material</i>	$0.0 \times 10^0$		$1.9 \times 10^3$		$-1.9 \times 10^3$		
<i>Solidified Organic Material</i>	$2.8 \times 10^{-1}$		$0.0 \times 10^0$		$2.8 \times 10^{-1}$		
<i>Soil</i>	$7.1 \times 10^0$		$0.0 \times 10^0$		$7.1 \times 10^0$		

3 <sup>1</sup> See Pages 28 and 29 for discussion.

1 **Table DATA-F-B-19. WIPP RH-TRU Waste Profile Differences Between TWBIR Rev. 2 and**  
 2 **2003 Update — Lead/Cadmium Metal<sup>1</sup>**

*Final Waste Form: Lead/Cadmium Metal*

<i>TRU Waste Site Volumes (m<sup>3</sup>)</i>							
<i>Site</i>	<i>2003 Stored</i>	<i>Rev. 2 Stored</i>	<i>2003 Proj.</i>	<i>Rev. 2 Proj.</i>	<i>2003 Total</i>	<i>Rev. 2 Total</i>	<i>Total Diff.</i>
<i>Argonne National Laboratory - West</i>	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$6.2 \times 10^0$	$0.0 \times 10^0$	$6.2 \times 10^0$	$-6.2 \times 10^0$
<i>Energy Technology Engineering Center</i>	$0.0 \times 10^0$	$8.9 \times 10^{-1}$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$8.9 \times 10^{-1}$	$-8.9 \times 10^{-1}$
<i>Hanford (Richland-RL)</i>	$1.2 \times 10^1$	$2.7 \times 10^0$	$7.1 \times 10^0$	$6.1 \times 10^1$	$1.9 \times 10^1$	$6.3 \times 10^1$	$-4.4 \times 10^1$
<i>Idaho National Engineering and Environmental Laboratory</i>	$0.0 \times 10^0$	$3.6 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$3.6 \times 10^0$	$-3.6 \times 10^0$
<i>TRU Waste Site Total</i>	$1.2 \times 10^1$	$7.1 \times 10^0$	$7.1 \times 10^0$	$6.7 \times 10^1$	$1.9 \times 10^1$	$7.4 \times 10^1$	$-5.5 \times 10^1$
<i>Waste Material Parameters</i>	<i>2003 Update Average Density (kg/m<sup>3</sup>)</i>		<i>TWBIR Rev. 2 Average Density (kg/m<sup>3</sup>)</i>		<i>Difference (kg/m<sup>3</sup>)</i>		
<i>Fe-Base Metal/Alloys</i>	$5.4 \times 10^3$		$2.4 \times 10^1$		$5.4 \times 10^3$		
<i>Al-Base Metal/Alloys</i>	$0.0 \times 10^0$		$2.1 \times 10^0$		$-2.1 \times 10^0$		
<i>Other Metal/Alloys</i>	$7.4 \times 10^1$		$5.1 \times 10^2$		$-4.4 \times 10^2$		
<i>Other Inorganic Material</i>	$0.0 \times 10^0$		$1.4 \times 10^0$		$-1.4 \times 10^0$		
<i>Cellulosic Material</i>	$0.0 \times 10^0$		$5.0 \times 10^{-1}$		$-5.0 \times 10^{-1}$		
<i>Rubber Material</i>	$0.0 \times 10^0$		$1.9 \times 10^0$		$-1.9 \times 10^0$		
<i>Plastic Material</i>	$0.0 \times 10^0$		$2.8 \times 10^0$		$-2.8 \times 10^0$		
<i>Solidified Inorganic Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Cement (Solidified)</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Vitrified Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Solidified Organic Material</i>	$0.0 \times 10^0$		$5.0 \times 10^0$		$-5.0 \times 10^0$		
<i>Soil</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		

3 <sup>1</sup> See Pages 28 and 29 for discussion.

1 **Table DATA-F-B-20. WIPP RH-TRU Waste Profile Differences Between TWBIR Rev. 2 and**  
 2 **2003 Update — Soil<sup>1</sup>**

Final Waste Form: Soil

<i>TRU Waste Site Volumes (m<sup>3</sup>)</i>							
<i>Site</i>	<i>2003 Stored</i>	<i>Rev. 2 Stored</i>	<i>2003 Proj.</i>	<i>Rev. 2 Proj.</i>	<i>2003 Total</i>	<i>Rev. 2 Total</i>	<i>Total Diff.</i>
<i>Oak Ridge National Laboratory</i>	$0.0 \times 10^0$	$0.0 \times 10^0$	$2.0 \times 10^2$	$0.0 \times 10^0$	$2.0 \times 10^2$	$0.0 \times 10^0$	$2.0 \times 10^2$
<i>TRU Waste Site Total</i>	$0.0 \times 10^0$	$0.0 \times 10^0$	$2.0 \times 10^2$	$0.0 \times 10^0$	$2.0 \times 10^2$	$0.0 \times 10^0$	$2.0 \times 10^2$
<i>Waste Material Parameters</i>	<i>2003 Update Average Density (kg/m<sup>3</sup>)</i>		<i>TWBIR Rev. 2 Average Density (kg/m<sup>3</sup>)</i>		<i>Difference (kg/m<sup>3</sup>)</i>		
<i>Fe-Base Metal/Alloys</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Al-Base Metal/Alloys</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Other Metal/Alloys</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Other Inorganic Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Cellulosic Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Rubber Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Plastic Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Solidified Inorganic Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Cement (Solidified)</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Vitrified Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Solidified Organic Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Soil</i>	$1.3 \times 10^3$		$0.0 \times 10^0$		$1.3 \times 10^3$		

3 <sup>1</sup> See Pages 28 and 29 for discussion.

1 **Table DATA-F-B-21. WIPP RH-TRU Waste Profile Differences Between TWBIR Rev. 2 and**  
 2 **2003 Update — Solidified Inorganic Material<sup>1</sup>**

*Final Waste Form: Solidified Inorganic Material*

<i>TRU Waste Site Volumes (m<sup>3</sup>)</i>							
<i>Site</i>	<i>2003 Stored</i>	<i>Rev. 2 Stored</i>	<i>2003 Proj.</i>	<i>Rev. 2 Proj.</i>	<i>2003 Total</i>	<i>Rev. 2 Total</i>	<i>Total Diff.</i>
<i>Argonne National Laboratory - West</i>	$1.6 \times 10^1$	$1.8 \times 10^0$	$2.3 \times 10^1$	$2.8 \times 10^1$	$3.9 \times 10^1$	$3.0 \times 10^1$	$8.9 \times 10^0$
<i>Battelle Columbus Laboratories</i>	$1.8 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$1.8 \times 10^0$	$0.0 \times 10^0$	$1.8 \times 10^0$
<i>Hanford (Richland-RL)</i>	$1.5 \times 10^1$	$0.0 \times 10^0$	$1.2 \times 10^2$	$0.0 \times 10^0$	$1.3 \times 10^2$	$0.0 \times 10^0$	$1.3 \times 10^2$
<i>Hanford (River Protection-RP)</i>	$4.5 \times 10^3$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$4.5 \times 10^3$	$0.0 \times 10^0$	$4.5 \times 10^3$
<i>Idaho National Engineering and Environmental Laboratory</i>	$8.9 \times 10^{-1}$	$6.5 \times 10^1$	$0.0 \times 10^0$	$0.0 \times 10^0$	$8.9 \times 10^{-1}$	$6.5 \times 10^1$	$-6.4 \times 10^1$
<i>Oak Ridge National Laboratory</i>	$0.0 \times 10^0$	$1.0 \times 10^3$	$1.9 \times 10^2$	$2.1 \times 10^2$	$1.9 \times 10^2$	$1.2 \times 10^3$	$-1.1 \times 10^3$
<i>TRU Waste Site Total</i>	$4.5 \times 10^3$	$1.1 \times 10^3$	$3.3 \times 10^2$	$2.3 \times 10^2$	$4.8 \times 10^3$	$1.3 \times 10^3$	$3.5 \times 10^3$
<i>Waste Material Parameters</i>	<i>2003 Update Average Density (kg/m<sup>3</sup>)</i>		<i>TWBIR Rev. 2 Average Density (kg/m<sup>3</sup>)</i>		<i>Difference (kg/m<sup>3</sup>)</i>		
<i>Fe-Base Metal/Alloys</i>	$6.8 \times 10^0$		$3.8 \times 10^0$		$3.0 \times 10^0$		
<i>Al-Base Metal/Alloys</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Other Metal/Alloys</i>	$3.4 \times 10^{-2}$		$1.0 \times 10^{-1}$		$-6.6 \times 10^{-2}$		
<i>Other Inorganic Material</i>	$6.9 \times 10^{-1}$		$2.7 \times 10^0$		$-2.0 \times 10^0$		
<i>Cellulosic Material</i>	$3.5 \times 10^{-3}$		$0.0 \times 10^0$		$3.5 \times 10^{-3}$		
<i>Rubber Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Plastic Material</i>	$1.6 \times 10^{-2}$		$3.0 \times 10^{-1}$		$-2.8 \times 10^{-1}$		
<i>Solidified Inorganic Material</i>	$9.2 \times 10^1$		$3.9 \times 10^2$		$-3.0 \times 10^2$		
<i>Cement (Solidified)</i>	$2.4 \times 10^0$		$3.9 \times 10^2$		$-3.8 \times 10^2$		
<i>Vitrified Material</i>	$1.8 \times 10^{-1}$		$7.0 \times 10^{-1}$		$-5.2 \times 10^{-1}$		
<i>Solidified Organic Material</i>	$3.1 \times 10^{-2}$		$0.0 \times 10^0$		$3.1 \times 10^{-2}$		
<i>Soil</i>	$4.1 \times 10^{-3}$		$0.0 \times 10^0$		$4.1 \times 10^{-3}$		

3 <sup>1</sup> See Pages 28 and 29 for discussion.

1 **Table DATA-F-B-22. WIPP RH-TRU Waste Profile Differences Between TWBIR Rev. 2 and**  
 2 **2003 Update — Solidified Organic Material<sup>1</sup>**

*Final Waste Form: Solidified Organic Material*

<i>TRU Waste Site Volumes (m<sup>3</sup>)</i>							
<i>Site</i>	<i>2003 Stored</i>	<i>Rev. 2 Stored</i>	<i>2003 Proj.</i>	<i>Rev. 2 Proj.</i>	<i>2003 Total</i>	<i>Rev. 2 Total</i>	<i>Total Diff.</i>
<i>Battelle Columbus Laboratories</i>	$5.3 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$5.3 \times 10^0$	$0.0 \times 10^0$	$5.3 \times 10^0$
<i>Energy Technology Engineering Center</i>	$4.1 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$4.1 \times 10^0$	$0.0 \times 10^0$	$4.1 \times 10^0$
<i>Idaho National Engineering and Environmental Laboratory</i>	$0.0 \times 10^0$	$3.6 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$3.6 \times 10^0$	$-3.6 \times 10^0$
<i>TRU Waste Site Total</i>	$9.5 \times 10^0$	$3.6 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$9.5 \times 10^0$	$3.6 \times 10^0$	$5.9 \times 10^0$
<i>Waste Material Parameters</i>	<i>2003 Update Average Density (kg/m<sup>3</sup>)</i>		<i>TWBIR Rev. 2 Average Density (kg/m<sup>3</sup>)</i>		<i>Difference (kg/m<sup>3</sup>)</i>		
<i>Fe-Base Metal/Alloys</i>	$4.9 \times 10^1$		$3.0 \times 10^1$		$4.9 \times 10^1$		
<i>Al-Base Metal/Alloys</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Other Metal/Alloys</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Other Inorganic Material</i>	$1.2 \times 10^1$		$1.2 \times 10^2$		$-1.0 \times 10^2$		
<i>Cellulosic Material</i>	$2.0 \times 10^1$		$3.0 \times 10^1$		$2.0 \times 10^1$		
<i>Rubber Material</i>	$4.2 \times 10^0$		$0.0 \times 10^0$		$4.2 \times 10^0$		
<i>Plastic Material</i>	$2.0 \times 10^1$		$6.7 \times 10^0$		$1.3 \times 10^1$		
<i>Solidified Inorganic Material</i>	$0.0 \times 10^0$		$2.1 \times 10^1$		$-2.1 \times 10^1$		
<i>Cement (Solidified)</i>	$1.4 \times 10^2$		$1.3 \times 10^2$		$6.4 \times 10^0$		
<i>Vitrified Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Solidified Organic Material</i>	$1.7 \times 10^2$		$6.1 \times 10^2$		$-4.4 \times 10^2$		
<i>Soil</i>	$0.0 \times 10^0$		$2.0 \times 10^1$		$-2.0 \times 10^1$		

3 <sup>1</sup> See Pages 28 and 29 for discussion.

1 **Table DATA-F-B-23. WIPP RH-TRU Waste Profile Differences Between TWBIR Rev. 2 and**  
 2 **2003 Update — Uncategorized Metal<sup>1</sup>**

*Final Waste Form:* **Uncategorized Metal**

<i>TRU Waste Site Volumes (m<sup>3</sup>)</i>							
<i>Site</i>	<i>2003 Stored</i>	<i>Rev. 2 Stored</i>	<i>2003 Proj.</i>	<i>Rev. 2 Proj.</i>	<i>2003 Total</i>	<i>Rev. 2 Total</i>	<i>Total Diff.</i>
<i>Argonne National Laboratory - West</i>	$0.0 \times 10^0$	$1.8 \times 10^1$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$1.8 \times 10^1$	$-1.8 \times 10^1$
<i>Battelle Columbus Laboratories</i>	$8.9 \times 10^{-1}$	$0.0 \times 10^0$	$0.0 \times 10^0$	$0.0 \times 10^0$	$8.9 \times 10^{-1}$	$0.0 \times 10^0$	$8.9 \times 10^{-1}$
<i>Hanford (Richland-RL)</i>	$6.1 \times 10^1$	$0.0 \times 10^0$	$6.1 \times 10^3$	$1.7 \times 10^4$	$6.1 \times 10^3$	$1.7 \times 10^4$	$-1.1 \times 10^4$
<i>Idaho National Engineering and Environmental Laboratory</i>	$2.2 \times 10^1$	$3.1 \times 10^1$	$0.0 \times 10^0$	$0.0 \times 10^0$	$2.2 \times 10^1$	$3.1 \times 10^1$	$-9.3 \times 10^0$
<i>Los Alamos National Laboratory</i>	$0.0 \times 10^0$	$6.8 \times 10^1$	$0.0 \times 10^0$	$5.0 \times 10^1$	$0.0 \times 10^0$	$1.2 \times 10^2$	$-1.2 \times 10^2$
<i>TRU Waste Site Total</i>	$8.4 \times 10^1$	$1.2 \times 10^2$	$6.1 \times 10^3$	$1.7 \times 10^4$	$6.1 \times 10^3$	$1.8 \times 10^4$	$-1.1 \times 10^4$
<i>Waste Material Parameters</i>	<i>2003 Update Average Density (kg/m<sup>3</sup>)</i>		<i>TWBIR Rev. 2 Average Density (kg/m<sup>3</sup>)</i>		<i>Difference (kg/m<sup>3</sup>)</i>		
<i>Fe-Base Metal/Alloys</i>	$1.8 \times 10^2$		$7.5 \times 10^1$		$1.1 \times 10^2$		
<i>Al-Base Metal/Alloys</i>	$4.5 \times 10^{-1}$		$4.0 \times 10^{-1}$		$5.4 \times 10^{-2}$		
<i>Other Metal/Alloys</i>	$5.6 \times 10^1$		$3.8 \times 10^2$		$-3.2 \times 10^2$		
<i>Other Inorganic Material</i>	$4.0 \times 10^1$		$1.5 \times 10^1$		$2.5 \times 10^1$		
<i>Cellulosic Material</i>	$7.5 \times 10^{-2}$		$8.0 \times 10^{-1}$		$-7.3 \times 10^{-1}$		
<i>Rubber Material</i>	$5.2 \times 10^{-2}$		$0.0 \times 10^0$		$5.2 \times 10^{-2}$		
<i>Plastic Material</i>	$7.8 \times 10^{-2}$		$5.0 \times 10^{-1}$		$-4.2 \times 10^{-1}$		
<i>Solidified Inorganic Material</i>	$3.1 \times 10^{-3}$		$0.0 \times 10^0$		$3.1 \times 10^{-3}$		
<i>Cement (Solidified)</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Vitrified Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Solidified Organic Material</i>	$0.0 \times 10^0$		$0.0 \times 10^0$		$0.0 \times 10^0$		
<i>Soil</i>	$6.2 \times 10^{-2}$		$0.0 \times 10^0$		$6.2 \times 10^{-2}$		

3 <sup>1</sup> See Pages 28 and 29 for discussion.

4 **The largest increase,  $2.9 \times 10^4$  m<sup>3</sup> for heterogeneous debris, is due to contributions from**  
 5 **several sites (see Table DATA-F-B-7). Those with the largest increase in volumes are INEEL**  
 6 **with  $2.0 \times 10^4$  m<sup>3</sup>, SRS with  $7.3 \times 10^3$  m<sup>3</sup>, LANL with  $3.5 \times 10^3$  m<sup>3</sup>, RFETS with  $2.2 \times 10^3$  m<sup>3</sup>,**  
 7 **and Lawrence Livermore National Laboratory (LLNL) with  $7.1 \times 10^2$  m<sup>3</sup>. The increased**  
 8 **volume of heterogeneous debris from INEEL is due to the anticipated start-up of the**  
 9 **Advanced Mixed Waste Treatment Facility (AMWTF). INEEL combined many waste streams**  
 10 **into one new waste stream called IN-BN-510. The final waste form of this waste stream is**  
 11 **heterogeneous debris. This new waste stream will be compacted so that an average of four 55-**  
 12 **gallon drums will fit into one 100-gallon drum. This process has had an impact on the WMPs,**  
 13 **as well. The remaining sites listed in Table DATA-F-B-7 with positive overall changes**  
 14 **contributed additional volumes of less than  $5.0 \times 10^2$  m<sup>3</sup> each. The large volume of**

1 *heterogeneous debris waste from SRS originates from the “FB” and “HB” process lines (CCP*  
2 *2003a, 2003b, 2003c, and 2003d). The LANL waste streams that contribute to the increased*  
3 *heterogeneous debris waste volume originate primarily from waste generated during facility*  
4 *and equipment operations and maintenance. RFETS added heterogeneous debris waste*  
5 *consisting of construction rubble, blacktop, concrete, dirt, and sand due primarily to*  
6 *decontamination and decommissioning operations. The emplaced volume for heterogeneous*  
7 *debris was  $5.7 \times 10^2 \text{ m}^3$  as of the inventory date. The sites that subtracted significant*  
8 *heterogeneous debris volume are Hanford RL with a difference of  $3.3 \times 10^3 \text{ m}^3$  and Oak Ridge*  
9 *National Laboratory (ORNL) with a difference of  $1.1 \times 10^3 \text{ m}^3$ .*

10 *The overall increase in volume for solidified inorganic material is  $2.2 \times 10^4 \text{ m}^3$ . Some sites*  
11 *added volume and some removed volume (see Table DATA-F-B-12). The sites that added*  
12 *solidified inorganic material volume are INEEL ( $2.5 \times 10^4 \text{ m}^3$ ) and Hanford RP ( $3.9 \times 10^3$*   
13  *$\text{m}^3$ ). The increased volume of solidified inorganic material from INEEL is due primarily to*  
14 *solidified sludges from treatment plants and other processes, such as ion exchange. The*  
15 *increased volume of solidified inorganic material from Hanford RP is due to the addition of*  
16 *tank sludges to the inventory for the first time. The sites that removed significant solidified*  
17 *inorganics volume are LANL ( $6.0 \times 10^3 \text{ m}^3$ ) and SRS ( $1.3 \times 10^3 \text{ m}^3$ ). The emplaced volume for*  
18 *this solidified inorganic material was  $3.3 \times 10^3 \text{ m}^3$  as of the inventory date, September 30,*  
19 *2002.*

20 *The overall increase in volume for solidified organic material is  $4.6 \times 10^3 \text{ m}^3$ . LANL added*  
21 *significant solidified organic material volume, with  $3.9 \times 10^3 \text{ m}^3$  (see Table DATA-F-B-13).*  
22 *This increased volume is primarily due to waste streams containing solidified waste from*  
23 *facility and equipment operations and maintenance. There was no emplaced volume for*  
24 *solidified organic material as of the inventory date.*

25 *The overall increase in volume for inorganic non-metal is  $7.2 \times 10^3 \text{ m}^3$ . The site that added*  
26 *significant inorganic non-metal volume is INEEL, with  $7.5 \times 10^3 \text{ m}^3$  (see Table DATA-F-B-8).*  
27 *The emplaced volume for inorganic non-metal was  $9.7 \times 10^2 \text{ m}^3$  as of the inventory date.*

28 *The overall increase in volume for filter material is  $8.5 \times 10^2 \text{ m}^3$ . The site adding significant*  
29 *filter material volume is LLNL, with  $6.0 \times 10^2 \text{ m}^3$  (see Table DATA-F-B-5). The emplaced*  
30 *volume for filter material was  $3.4 \times 10^2 \text{ m}^3$  as of the inventory date.*

31 *The overall decrease in volume for salt is  $-1.2 \times 10^1 \text{ m}^3$ . RFETS removed significant salt*  
32 *volume, with  $3.0 \times 10^2 \text{ m}^3$  (see Table DATA-F-B-10). The emplaced volume for salt was  $1.5 \times$*   
33  *$10^3 \text{ m}^3$  as of the inventory date.*

34 *The overall decrease in volume for uncategorized metal is  $2.7 \times 10^4 \text{ m}^3$ . The sites that*  
35 *removed significant uncategorized metal volume were Hanford RL with  $1.6 \times 10^4 \text{ m}^3$ , LANL*  
36 *with  $5.5 \times 10^3 \text{ m}^3$ , and INEEL with  $5.9 \times 10^3 \text{ m}^3$  (see Table DATA-F-B-14). The emplaced*  
37 *volume for uncategorized metal was  $3.6 \times 10^2 \text{ m}^3$  as of the inventory date.*

38 *The overall decrease in volume for combustible material is  $4.2 \times 10^3 \text{ m}^3$ . The sites that*  
39 *removed significant volume were Hanford RL with  $1.6 \times 10^3 \text{ m}^3$ , and INEEL with  $3.3 \times 10^3 \text{ m}^3$*

1 *(see Table DATA-F-B-4). The emplaced volume for combustible material was  $6.1 \times 10^2 \text{ m}^3$  as*  
2 *of the inventory date.*

### 3 *DATA-F-B-1.5 Analysis of RH-TRU Waste Volume Differences by Site*

4 *Table DATA-F-B-2 compares the stored, projected, and anticipated RH-TRU waste volumes*  
5 *between the 2003 Update Report and TWBIR Revision 2 inventories by site and gives the total*  
6 *RH-TRU waste volumes.*

7 *The total difference in stored RH-TRU waste at the sites is  $1.70 \times 10^3 \text{ m}^3$ , or a 47 percent*  
8 *increase from the TWBIR Revision 2 inventory. The bulk of this additional stored volume*  
9 *came from Hanford RP ( $4.50 \times 10^3 \text{ m}^3$ ) and Hanford RL ( $1.80 \times 10^2 \text{ m}^3$ ). As with CH-TRU*  
10 *waste, the sites adjusted their existing inventory data for RH-TRU waste volumes based on*  
11 *new information (since the TWBIR Revision 2 inventory) about the waste and/or increased*  
12 *accessibility to the waste. Again, the Hanford RP waste is a new addition and was not*  
13 *addressed in the TWBIR Revision 2 inventory. Argonne National Laboratory - East,*  
14 *(ANL-E), BAPL, and Sandia National Laboratories (SNL) have added small volumes of stored*  
15 *RH-TRU waste to the inventory that were not previously reported. ORNL removed all RH-*  
16 *TRU waste stored volume and put it in projected waste volume because they plan to process*  
17 *the waste using segregation, compaction, size reduction, and evaporative drying for sludge*  
18 *(see Appendix DATA, Attachment F, Annex C).*

19 *The total projected RH-TRU waste volume has decreased by  $1.35 \times 10^4 \text{ m}^3$ , or a 56 percent*  
20 *decrease from the TWBIR Revision 2 inventory. The largest decrease in projected RH-TRU*  
21 *waste volume is  $1.26 \times 10^4 \text{ m}^3$  reported by Hanford RL. This change is based on the site*  
22 *gaining better knowledge of the waste streams and thus managing the waste differently.*

23 *The anticipated RH-TRU waste is simply the sum of the stored and projected wastes. It*  
24 *follows that the overall change is a decrease of  $1.15 \times 10^4 \text{ m}^3$ , or a 42 percent decrease for the*  
25 *anticipated volumes. There was no emplaced waste volume as of the inventory date*  
26 *(September 30, 2002).*

### 27 *DATA-F-B-1.6 RH-TRU Waste Volumes by Final Waste Form by Site*

28 *Five of the nine RH-TRU waste final waste form total volumes increased (filter material,*  
29 *inorganic non-metal, soil, solidified inorganic material, and solidified organic material). Of*  
30 *these, the solidified inorganic material volume had the largest increase of  $3.5 \times 10^3 \text{ m}^3$ . The*  
31 *filter material, soil, and solidified organic material increased by  $2.0 \times 10^2 \text{ m}^3$  or less.*

32 *Four of the nine RH-TRU waste final waste form total volumes decreased (heterogeneous*  
33 *debris, combustible material, lead/cadmium metal, and uncategorized metal). These decreases*  
34 *ranged from  $6.7 \times 10^1 \text{ m}^3$  or less for combustible material and lead/cadmium metal to  $1.1 \times 10^4$*   
35  *$\text{m}^3$  for uncategorized metal.*

36 *The overall increase in volume for RH-TRU waste solidified inorganic material is  $3.5 \times 10^3$*   
37  *$\text{m}^3$ . Some sites added volume and some removed volume (see Table DATA-F-B-21). The sites*



1 *that added significant volume were Hanford RP ( $4.5 \times 10^3 \text{ m}^3$ ) and Hanford RL ( $1.3 \times 10^2 \text{ m}^3$ ).*  
2 *The site that removed significant volume was ORNL ( $1.1 \times 10^3 \text{ m}^3$ ).*

3 *The overall decrease in volume for RH-TRU waste uncategorized metal is  $1.1 \times 10^4 \text{ m}^3$ . The*  
4 *site that removed significant uncategorized metal volume is Hanford RL with  $1.1 \times 10^4 \text{ m}^3$  (see*  
5 *Table DATA-F-B-23). The decreased volume from Hanford RL is primarily due to*  
6 *reassignment of the waste to more appropriate final waste forms based on new*  
7 *characterization information.*

#### 8 *DATA-F-B-2.0 WASTE MATERIAL PARAMETERS AND CONTAINER MATERIALS*

9 *Tables DATA-F-B-24 and DATA-F-B-25 compare WMP data for the WIPP roll-ups from the*  
10 *TWBIR Revision 2 (DOE 1995) with the 2003 Update Report data from TWBID Revision 2.1*  
11 *(LANL 2003) for CH-TRU and RH-TRU waste, respectively. These tables also show, in the*  
12 *last column, the result of subtracting the 2003 Update Report value from the TWBIR Revision*  
13 *2 value. These tables, unlike Tables DATA-F-B-4 through DATA-F-B-23, contain the rolled-*  
14 *up values for the container (also referred to as packaging) materials. One of the container*  
15 *materials given in Table DATA-F-B-25 is "Steel Plug." The term "N/A," indicating "not*  
16 *applicable," has been entered for the 2003 Update container material value and the difference*  
17 *value. The steel plugs are added by WIPP Waste Handling Operations at the WIPP facility*  
18 *and are addressed in Appendix DATA, Attachment F, Section DATA-F-3.5.*

19 *A detailed comparison of the 2003 Update Report and TWBIR Revision 2 volume data is*  
20 *provided in Section DATA-F-B-1.0. However, because volume is a factor in the comparison*  
21 *of 2003 Update Report and TWBIR Revision 2 WMP average densities, it is also considered*  
22 *here.*

23 *The 2003 Update Report and TWBIR Revision 2 data in Tables DATA-F-B-4 through DATA-*  
24 *F-B-23 and Tables DATA-F-B-24 and DATA-F-B-25 were analyzed for differences in volume*  
25 *and WMP average densities, as applicable. The volume data for each final waste form for*  
26 *CH-TRU waste (Tables DATA-F-B-4 through DATA-F-B-14) and the volume data for each*  
27 *final waste form for RH-TRU waste (from Tables DATA-F-B-15 through DATA-F-B-23) are*  
28 *discussed in Section DATA-F-B-1.0. The WMP data for each final waste form and for the*  
29 *WIPP roll-up (Tables DATA-F-B-24 and DATA-F-B-25) are discussed here. Finally, the*  
30 *differences in the waste container material average densities are addressed.*

31 *The Fe-base metal/alloys, cellulosic, rubber, and plastic (CPR) materials, and cement*  
32 *(solidified) WMPs impact gas generation within the WIPP. The EPA Compliance*  
33 *Certification Decision (EPA 1998) therefore sets limits for these WMPs. The collective limit*  
34 *for CPR materials in the WIPP is a maximum of 20,000,000 kg. Because of the maximum*  
35 *limit on the CPR materials, particular attention is paid to the increases in these WMPs. The*  
36 *total CPR materials average density for the TWBIR Revision 2 inventory was  $98 \text{ kg/m}^3$  (DOE*  
37 *1995) and the 2003 Update Report total is  $114 \text{ kg/m}^3$ . It is therefore important to understand*  
38 *the basis of these increases. These are discussed in Section DATA-F-B-2.1 for CH-TRU waste*  
39 *and in Section DATA-F-B-2.2 for RH-TRU waste.*

1 *The repository limit for the ferrous metals and non-ferrous metals is a minimum: 20,000,000*  
2 *kg for ferrous metals and 2,000 kg for nonferrous metals. According to the Contact Handled*  
3 *Transuranic Acceptance Criteria for the Waste Isolation Pilot Plant (DOE 2002), these*  
4 *minimum limits are met in the total repository inventory by the metals that constitute the*  
5 *payload containers. Container materials are discussed in Sections DATA-F-B-2.3 and DATA-*  
6 *F-B-2.4.*

#### 7 *DATA-F-B-2.1 Analysis of CH-TRU Waste Material Parameter Differences*

8 *Analysis of the TWBIR Revision 2 and 2003 Update Report for CH-TRU waste data show that*  
9 *half of the WMP average densities increased (see Table DATA-F-B-24). There are 12 WMPs,*  
10 *and 6 of them decreased in average density. Decreases were noted in Fe-base metal/alloys, Al-*  
11 *base metal/alloys, other metal/alloys, cement (solidified), vitrified material, and soil. The*  
12 *average densities of the other inorganic materials, CPR materials, solidified inorganic*  
13 *material, and solidified organic material all increased.*

14 *Of particular interest are the increases in the average densities of CPR materials of 4.1 kg/m<sup>3</sup>*  
15 *for cellulosic material, 8.4 kg/m<sup>3</sup> for plastic material, and 4.4 kg/m<sup>3</sup> for rubber material. An*  
16 *analysis of the CPR materials in the roll-ups by final waste form (Tables DATA-F-B-4*  
17 *through DATA-F-B-14) show that there are increases in the average densities of CPR*  
18 *materials for heterogeneous debris (35, 18, and 13 kg/m<sup>3</sup>, respectively). In addition, the*  
19 *average density of plastic material increased by 11.0 kg/m<sup>3</sup> for filter material. Finally, the*  
20 *average density of cellulosic material increased by 82 kg/m<sup>3</sup> and the average density of plastic*  
21 *material increased by 18 kg/m<sup>3</sup> for graphite. There are other increases in the average*  
22 *densities of the CPR materials, but these increases are all less than 10 kg/m<sup>3</sup>, and will not be*  
23 *specifically addressed here.*

24 *Heterogeneous debris had the largest increases in the CPR materials average densities. The*  
25 *primary cause of these increases is the new waste stream at the INEEL, IN-BN-510,*  
26 *Supercompacted Debris Waste. The average densities for the CPR materials WMPs are 303,*  
27 *205, and 80 kg/m<sup>3</sup> respectively for this waste stream (LANL 2003). The densities of CPR*  
28 *materials are high because of the nature of the treatment of this waste stream, and because*  
29 *INEEL combined approximately 200 debris waste streams to produce this single waste stream*  
30 *(see the waste stream crosswalk in Appendix DATA, Attachment F, Annex C). The INEEL is*  
31 *treating the waste at the AMWTF and has the capability of supercompacting 55-gallon drums*  
32 *containing CH-TRU waste. The compacted drums are then placed in one 100-gallon drum for*  
33 *shipment to the WIPP.*

34 *Graphite had the next largest increases in cellulosic and plastic material average densities (82*  
35 *and 18 kg/m<sup>3</sup>, respectively). The average density of rubber did not change for heterogeneous*  
36 *debris. The only new contributions to graphite came from RFETS. The RFETS reported six*  
37 *waste streams with graphite. The RFETS estimated approximately 166 kg/m<sup>3</sup> of cellulosic*  
38 *material in two of these waste streams, and approximately 22 kg/m<sup>3</sup> of plastic material in four*  
39 *of these waste streams (LANL 2003). The waste streams with high reported cellulosic material*  
40 *originated from the disposal of graphite molds and mechanical cleaning of the graphite molds.*

**Table DATA-F-B-24. Differences in Waste Material Parameter Average Densities (kg/m<sup>3</sup>) for CH-TRU Waste Between TWBIR Rev. 2 and 2003 Update Report<sup>1</sup>**

<i>Waste Material Parameters</i>	<i>2003 Update (kg/m<sup>3</sup>)</i>	<i>TWBIR Rev. 2 (kg/m<sup>3</sup>)</i>	<i>Difference (kg/m<sup>3</sup>)</i>
<i>Fe-Base Metal/Alloys</i>	$1.1 \times 10^2$	$1.7 \times 10^2$	$-5.9 \times 10^1$
<i>Al-Base Metal/Alloys</i>	$1.4 \times 10^1$	$1.8 \times 10^1$	$-3.7 \times 10^0$
<i>Other Metal/Alloys</i>	$3.0 \times 10^1$	$6.7 \times 10^1$	$-3.7 \times 10^1$
<i>Other Inorganic Material</i>	$4.2 \times 10^1$	$3.1 \times 10^1$	$1.1 \times 10^1$
<i>Cellulosic Material</i>	$5.8 \times 10^1$	$5.4 \times 10^1$	$4.1 \times 10^0$
<i>Rubber Material</i>	$1.4 \times 10^1$	$1.0 \times 10^1$	$4.4 \times 10^0$
<i>Plastic Material</i>	$4.2 \times 10^1$	$3.4 \times 10^1$	$8.4 \times 10^0$
<i>Solidified Inorganic Material</i>	$7.7 \times 10^1$	$5.4 \times 10^1$	$2.3 \times 10^1$
<i>Cement (Solidified)</i>	$2.9 \times 10^1$	$5.0 \times 10^1$	$-2.1 \times 10^1$
<i>Vitrified</i>	$6.2 \times 10^0$	$5.5 \times 10^1$	$-4.9 \times 10^1$
<i>Solidified Organic Material</i>	$1.6 \times 10^1$	$5.6 \times 10^0$	$1.0 \times 10^1$
<i>Soil</i>	$1.9 \times 10^1$	$4.4 \times 10^1$	$-2.5 \times 10^1$
<i>Container Materials</i>			
<i>Steel</i>	$1.7 \times 10^2$	$1.4 \times 10^2$	$3.2 \times 10^1$
<i>Plastic</i>	$1.6 \times 10^1$	$2.6 \times 10^1$	$-1.0 \times 10^1$
<i>Lead</i>	$1.4 \times 10^2$	N/A	N/A

<sup>1</sup> See Pages 29 and 30 for discussion.

1 **DATA-F-B-2.2 Analysis of RH-TRU Waste Material Parameter Differences**

2 *Analysis of the TWBIR Revision 2 and 2003 Update Report RH-TRU waste data show that*  
3 *most of the WMP average densities decreased (see Table DATA-F-B-25). There are 12*  
4 *WMPs, and 8 of them decreased in average density. Decreases were noted in the Al-base*  
5 *metal/alloys, other metal/alloys, other inorganic materials, CPR materials, cement (solidified),*  
6 *and vitrified. The average densities of the Fe-base metal/alloys, solidified inorganic material,*  
7 *solidified organic material, and soil increased.*

8 *The largest WMP increases were for soil (25 kg/m<sup>3</sup>), solidified inorganic material (17 kg/m<sup>3</sup>),*  
9 *and Fe -base metal/alloys (12 kg/m<sup>3</sup>). The average density of solidified organic material*  
10 *increased by only 3.0 kg/m<sup>3</sup>.*

11 *Although the average densities of RH-TRU waste CPR materials decreased overall (Table*  
12 *DATA-F-B-25), an analysis of the CPR materials in the roll-ups by final waste form (Tables*  
13 *DATA-F-B-15 through DATA-F-B-23) show that there are increases in the average densities*  
14 *of CPR materials in some of the final waste forms. The average densities of cellulosic*  
15 *material increased in the filter material and solidified organic material (by 73 and 20 kg/m<sup>3</sup>,*  
16 *respectively). There is an increase in the rubber material for filter material (19 kg/m<sup>3</sup>).*

1 **Table DATA-F-B-25. Difference on Waste Material Parameter Average Densities (kg/m<sup>3</sup>) for**  
 2 **RH-TRU Waste Between TWBIR Rev. 2 and 2003 Update Report<sup>1</sup>**

Waste Material Parameters	2003 Update (kg/m <sup>3</sup> )	TWBIR Rev. 2 (kg/m <sup>3</sup> )	Difference (kg/m <sup>3</sup> )
<i>Fe-Base Metal/Alloys</i>	$1.1 \times 10^2$	$1.0 \times 10^2$	$1.2 \times 10^1$
<i>Al-Base Metal/Alloys</i>	$2.5 \times 10^0$	$7.1 \times 10^0$	$-4.6 \times 10^0$
<i>Other Metal/Alloys</i>	$3.2 \times 10^1$	$2.5 \times 10^2$	$-2.2 \times 10^2$
<i>Other Inorganic Material</i>	$3.5 \times 10^1$	$6.4 \times 10^1$	$-2.9 \times 10^1$
<i>Cellulosic Material</i>	$4.5 \times 10^0$	$1.7 \times 10^1$	$-1.2 \times 10^1$
<i>Rubber Material</i>	$3.1 \times 10^0$	$3.3 \times 10^0$	$-2.1 \times 10^{-1}$
<i>Plastic Material</i>	$4.9 \times 10^0$	$1.5 \times 10^1$	$-1.0 \times 10^1$
<i>Solidified, Inorganic Material</i>	$3.9 \times 10^1$	$2.2 \times 10^1$	$1.7 \times 10^1$
<i>Cement (Solidified)</i>	$8.7 \times 10^{-1}$	$1.9 \times 10^1$	$-1.8 \times 10^1$
<i>Vitrified</i>	$5.7 \times 10^{-2}$	$4.7 \times 10^0$	$-4.6 \times 10^0$
<i>Solidified, Organic Material</i>	$4.0 \times 10^0$	$9.3 \times 10^{-1}$	$3.0 \times 10^0$
<i>Soil</i>	$2.6 \times 10^1$	$1.0 \times 10^0$	$2.5 \times 10^1$
<i>Container Materials</i>			
<i>Steel</i>	$4.8 \times 10^2$	$4.5 \times 10^2$	$3.7 \times 10^1$
<i>Plastic</i>	$1.4 \times 10^0$	$3.1 \times 10^0$	$-1.7 \times 10^0$
<i>Lead</i>	$4.4 \times 10^2$	$4.7 \times 10^2$	$-2.2 \times 10^1$
<i>Steel Plug</i>	N/A	$2.1 \times 10^3$	N/A

<sup>1</sup> See Pages 31 and 32 for discussion.

3 *Finally, the average density of plastic increased in the combustible material, inorganic non-*  
 4 *metal, and solidified organic material (by 85, 20, and 13 kg/m<sup>3</sup>, respectively). The remaining*  
 5 *increases in the average densities of the CPR materials are less than 10 kg/m<sup>3</sup> each.*

6 **DATA-F-B-2.3 Analysis of CH-TRU Waste Container Materials**

7 *The container materials for CH-TRU waste are steel, plastic, and lead. Table DATA-F-B-24*  
 8 *indicates that the average density of steel increased from 140 kg/m<sup>3</sup> to 170 kg/m<sup>3</sup> and the*  
 9 *average density of plastic decreased from 26 kg/m<sup>3</sup> to 16 kg/m<sup>3</sup>.*

10 *Two significant changes in the inventory contributed to the increase in the average density of*  
 11 *steel container materials. First, a review of the TWBIR Rev. 2 database (DOE 1995) reveals*  
 12 *that the sites did not intend to use pipe overpack components (POCs) at that time, and hence*  
 13 *none were reported in the database. The supporting database for the 2003 Update Report, the*  
 14 *TWBID Revision 2.1 (LANL 2003), indicates that LANL, RFETS, and Hanford RL will use*  
 15 *the POC. In fact, RFETS has shipped waste from seven waste streams using POCs, and these*  
 16 *are now emplaced in the WIPP. The difference in the average density of steel between the 55-*  
 17 *gallon drum (131 kg/m<sup>3</sup>; Attachment F, Table DATA-F-32) and the POCs (525 kg/m<sup>3</sup>, as*  
 18 *reported by RFETS) is approximately 394 kg/m<sup>3</sup>. There are currently 56 waste streams for*  
 19 *which the sites have indicated POCs will be used. These are shown below in Table DATA-F-*

1 *B-26 along with seven waste streams that have already been shipped to and emplaced in the*  
2 *WIPP.*

3 *Second, the INEEL super-compacted debris waste stream (IN-BN-510) discussed above will*  
4 *have an average of four compacted 55-gallon drums in each 100-gallon drum. The steel*  
5 *comprising the 55-gallon drums falls into the Fe-base metal/alloys WMP and the steel*  
6 *comprising the 100-gallon drums is steel container material for this waste stream. The typical*  
7 *value for a 55-gallon drum is 131 kg/m<sup>3</sup>, and the typical value for a 100-gallon drum is 114*  
8 *kg/m<sup>3</sup>, as provided in Attachment F, Table DATA-F-32. The container/packaging materials*  
9 *for this waste stream are discussed in Appendix DATA, Attachment F, Annex D, Section*  
10 *DATA-F-D-3.3.1.*

11 *The values for lead are marked “N/A” for “not applicable,” because lead is typically not a*  
12 *component of CH-TRU waste containment.*

#### 13 *DATA-F-B-2.4 Analysis of RH-TRU Waste Container Materials*

14 *The RH-TRU waste container materials are steel, plastic, lead, and steel plug. The steel waste*  
15 *container material increased by 37 kg/m<sup>3</sup>. The plastic and lead waste container materials*  
16 *decreased (by approximately 2 and 22 kg/m<sup>3</sup>, respectively). The steel plug is actually supplied*  
17 *by the Waste Handling Operations group at the WIPP and is not reported by the sites in the*  
18 *current inventory, as it is not part of the shipped package. The average density for the steel*  
19 *plug was, however, reported in the TWBIR Revision 2 inventory.*

#### 20 *DATA-F-B-3.0 RADIONUCLIDES*

21 *A comparison of Table 3-1 from TWBIR Revision 3 (DOE 1996) to the data reported in*  
22 *Attachment F, Table DATA-F-37 is contained in Table DATA-F-B-27 for CH-TRU waste and*  
23 *Table DATA-F-B-28 for RH-TRU waste. The radionuclide values from TWBIR Revision 3*  
24 *were decayed through 1995 as the base year and have not been further decayed, but are*  
25 *reported as they were in Revision 3. The values for short-lived radionuclides would have*  
26 *decreased over the six-year interval if no change in the inventory occurred since the CCA.*  
27 *The values from TWBID Revision 2.1 (LANL 2003) are decayed through 2001. A review of*  
28 *the results for CH-TRU waste indicates that although there is a substantial change in some*  
29 *radionuclides from 1995 to 2001, with the exception of <sup>239</sup>Pu and <sup>240</sup>Pu, the activities for the*  
30 *dominant five radionuclides have changed very little and the overall activity for all*  
31 *radionuclides has decreased by 17 percent. The results for RH-TRU waste are not as*  
32 *consistent, with substantial variations in individual radionuclide activity, and an overall*  
33 *increase in activity of 30 percent. Based on total curies, the five most abundant CH-TRU*  
34 *waste isotopes in the TWBIR Revision 3, <sup>241</sup>Am, <sup>238</sup>Pu, <sup>239</sup>Pu, <sup>240</sup>Pu, and <sup>241</sup>Pu, are the most*  
35 *abundant in the 2003 Update Report (see bottom of Table DATA-F-B-27). For RH-TRU*  
36 *waste, the five most abundant isotopes in the TWBIR Revision 3, <sup>137m</sup>Ba, <sup>137</sup>Cs, <sup>241</sup>Pu, <sup>90</sup>Sr, and*  
37 *<sup>90</sup>Y, are still the most abundant in the 2003 report (see bottom of Table DATA-F-B-28).*

**Table DATA-F-B-26. Waste Streams Shipped and to be Shipped in POCs to the WIPP**

<i>Site</i>	<i>Waste Stream</i>	<i>Site</i>	<i>Waste Stream</i>	<i>Site</i>	<i>Waste Stream</i>
<i>LANL</i>	<i>LA-OS-00-01</i>	<i>RFETS</i>	<i>RF-MT0532E</i>	<i>RFETS</i>	<i>RF-TT391P</i>
<i>RFETS</i>	<i>RF-MT0090</i>	<i>RFETS</i>	<i>RF-MT0532F</i>	<i>RFETS</i>	<i>RF-TT391P</i>
<i>RFETS</i>	<i>RF-MT0091</i>	<i>RFETS</i>	<i>RF-MT0541</i>	<i>RFETS</i>	<i>RF-TT392P</i>
<i>RFETS</i>	<i>RF-MT0092</i>	<i>RFETS</i>	<i>RF-MT0H61</i>	<i>RFETS</i>	<i>RF-TT393R</i>
<i>RFETS</i>	<i>RF-MT0093</i>	<i>RFETS</i>	<i>RF-MT3011</i>	<i>RFETS</i>	<i>RF-TT394P</i>
<i>RFETS</i>	<i>RF-MT0097</i>	<i>RFETS</i>	<i>RF-MT420P</i>	<i>RFETS</i>	<i>RF-TT395P</i>
<i>RFETS</i>	<i>RF-MT0290</i>	<i>RFETS</i>	<i>RF-MT532A</i>	<i>RFETS</i>	<i>RF-TT398P</i>
<i>RFETS</i>	<i>RF-MT-0292</i>	<i>RFETS</i>	<i>RF-MT532B</i>	<i>RFETS</i>	<i>RF-TT398R</i>
<i>RFETS</i>	<i>RF-MT0299</i>	<i>RFETS</i>	<i>RF-MT532C</i>	<i>RFETS</i>	<i>RF-TT411R</i>
<i>RFETS</i>	<i>RF-MT0320</i>	<i>RFETS</i>	<i>RF-MT532D</i>	<i>RFETS</i>	<i>RF-TT429R</i>
<i>RFETS</i>	<i>RF-MT0371</i>	<i>RFETS</i>	<i>RF-TT0300</i>	<i>RFETS</i>	<i>RF-TT433x</i>
<i>RFETS</i>	<i>RF-MT0373</i>	<i>RFETS</i>	<i>RF-TT0310</i>	<i>RFETS</i>	<i>RF-TT436R</i>
<i>RFETS</i>	<i>RF-MT0377</i>	<i>RFETS</i>	<i>RF-TT0312</i>	<i>RFETS</i>	<i>RF-TT454x</i>
<i>RFETS</i>	<i>RF-MT0419</i>	<i>RFETS</i>	<i>RF-TT0340</i>	<i>Hanford RL</i>	<i>RL-W756</i>
<i>RFETS</i>	<i>RF-MT0423</i>	<i>RFETS</i>	<i>RF-TT0368</i>	<i>WIPP</i>	<i>WP-RF003.01</i>
<i>RFETS</i>	<i>RF-MT0444</i>	<i>RFETS</i>	<i>RF-TT0370</i>	<i>WIPP</i>	<i>WP-RF005.01</i>
<i>RFETS</i>	<i>RF-MT0523A</i>	<i>RFETS</i>	<i>RF-TT0440</i>	<i>WIPP</i>	<i>WP-RF005.02</i>
<i>RFETS</i>	<i>RF-MT0523B</i>	<i>RFETS</i>	<i>RF-TT0442</i>	<i>WIPP</i>	<i>WP-RF006.01</i>
<i>RFETS</i>	<i>RF-MT0523C</i>	<i>RFETS</i>	<i>RF-TT0601</i>	<i>WIPP</i>	<i>WP-RF008.01</i>
<i>RFETS</i>	<i>RF-MT0523D</i>	<i>RFETS</i>	<i>RF-TT310P</i>	<i>WIPP</i>	<i>WP-RF009.01</i>
<i>RFETS</i>	<i>RF-MT0523E</i>	<i>RFETS</i>	<i>RF-TT390P</i>	<i>WIPP</i>	<i>WP-RF118.01</i>

1

**Table DATA-F-B-27. WIPP Disposal Radionuclide Inventory Comparison, 1995 to 2001, CH-TRU Waste<sup>1</sup>**

<i>Radionuclide</i>	<i>CH-TRU Waste Curies, Decayed through 2001</i>	<i>CH-TRU Waste Curies, Decayed through 1995</i>	<i>Delta (Ci)</i>	<i>Percent Change</i>
<sup>225</sup> Ac	$1.55 \times 10^0$	$2.88 \times 10^0$	$-1.33 \times 10^0$	$-4.62 \times 10^1$
<sup>227</sup> Ac	$5.06 \times 10^{-1}$	$6.08 \times 10^{-1}$	$-1.02 \times 10^{-1}$	$-1.68 \times 10^1$
<sup>228</sup> Ac	$4.79 \times 10^0$	$7.47 \times 10^{-1}$	$4.04 \times 10^0$	$5.41 \times 10^2$
<sup>109m</sup> Ag	$1.26 \times 10^{-4}$	$1.57 \times 10^1$	$-1.57 \times 10^1$	$-1.00 \times 10^2$
<sup>110</sup> Ag	$4.40 \times 10^{-11}$	$7.07 \times 10^{-9}$	$-7.03 \times 10^{-9}$	$-9.94 \times 10^1$
<sup>110m</sup> Ag	$3.34 \times 10^{-9}$	$5.31 \times 10^{-7}$	$-5.28 \times 10^{-7}$	$-9.94 \times 10^1$
<sup>241</sup> Am	$4.01 \times 10^5$	$4.42 \times 10^5$	$-4.10 \times 10^4$	$-9.28 \times 10^0$
<sup>242</sup> Am	$4.70 \times 10^{-2}$	$1.75 \times 10^0$	$-1.70 \times 10^0$	$-9.73 \times 10^1$
<sup>242m</sup> Am	$4.78 \times 10^{-2}$	$1.75 \times 10^0$	$-1.70 \times 10^0$	$-9.73 \times 10^1$
<sup>243</sup> Am	$2.10 \times 10^1$	$3.26 \times 10^1$	$-1.16 \times 10^1$	$-3.56 \times 10^1$
<sup>245</sup> Am	$1.31 \times 10^{-10}$	$1.33 \times 10^{-9}$	$-1.20 \times 10^{-9}$	$-9.02 \times 10^1$
<sup>217</sup> At	$1.55 \times 10^0$	$2.88 \times 10^0$	$-1.33 \times 10^0$	$-4.62 \times 10^1$
<sup>137m</sup> Ba	$9.06 \times 10^3$	$7.63 \times 10^3$	$1.43 \times 10^3$	$1.87 \times 10^1$
<sup>210</sup> Bi	$2.58 \times 10^0$	$2.55 \times 10^0$	$3.00 \times 10^{-2}$	$1.18 \times 10^0$
<sup>211</sup> Bi	$5.00 \times 10^{-1}$	$6.09 \times 10^{-1}$	$-1.09 \times 10^{-1}$	$-1.79 \times 10^1$
<sup>212</sup> Bi	$5.84 \times 10^0$	$2.71 \times 10^1$	$-2.13 \times 10^1$	$-7.85 \times 10^1$
<sup>213</sup> Bi	$1.55 \times 10^0$	$2.88 \times 10^0$	$-1.33 \times 10^0$	$-4.62 \times 10^1$
<sup>214</sup> Bi	$6.29 \times 10^0$	$1.16 \times 10^1$	$-5.31 \times 10^0$	$-4.58 \times 10^1$
<sup>249</sup> Bk	$9.07 \times 10^{-6}$	$9.16 \times 10^{-5}$	$-8.25 \times 10^{-5}$	$-9.01 \times 10^1$
<sup>250</sup> Bk	$3.65 \times 10^{-12}$	$4.37 \times 10^{-11}$	$-4.01 \times 10^{-11}$	$-9.16 \times 10^1$
<sup>14</sup> C	$1.21 \times 10^0$	$1.08 \times 10^1$	$-9.59 \times 10^0$	$-8.88 \times 10^1$
<sup>109</sup> Cd	$1.28 \times 10^{-4}$	$1.57 \times 10^1$	$-1.57 \times 10^1$	$-1.00 \times 10^2$
<sup>113m</sup> Cd	NR	$1.82 \times 10^{-6}$	$-1.82 \times 10^{-6}$	$-1.00 \times 10^2$
<sup>141</sup> Ce	NR	NR	$0.00 \times 10^0$	$0.00 \times 10^0$
<sup>144</sup> Ce	$3.56 \times 10^{-4}$	$6.26 \times 10^{-2}$	$-6.22 \times 10^{-2}$	$-9.94 \times 10^1$
<sup>249</sup> Cf	$7.64 \times 10^{-2}$	$6.42 \times 10^{-2}$	$1.22 \times 10^{-2}$	$1.90 \times 10^1$
<sup>250</sup> Cf	$1.83 \times 10^{-1}$	$3.30 \times 10^{-1}$	$-1.47 \times 10^{-1}$	$-4.45 \times 10^1$
<sup>251</sup> Cf	$3.64 \times 10^{-4}$	$3.78 \times 10^{-3}$	$-3.42 \times 10^{-3}$	$-9.04 \times 10^1$
<sup>252</sup> Cf	$2.08 \times 10^{-1}$	$2.43 \times 10^0$	$-2.22 \times 10^0$	$-9.14 \times 10^1$
<sup>242</sup> Cm	$3.94 \times 10^{-2}$	$1.14 \times 10^0$	$-1.10 \times 10^0$	$-9.65 \times 10^1$
<sup>243</sup> Cm	$3.97 \times 10^{-1}$	$2.72 \times 10^0$	$-2.32 \times 10^0$	$-8.54 \times 10^1$
<sup>244</sup> Cm	$1.16 \times 10^4$	$3.15 \times 10^4$	$-1.99 \times 10^4$	$-6.32 \times 10^1$
<sup>245</sup> Cm	$8.42 \times 10^{-3}$	$1.15 \times 10^{-2}$	$-3.08 \times 10^{-3}$	$-2.68 \times 10^1$
<sup>246</sup> Cm	$1.55 \times 10^0$	$1.02 \times 10^{-1}$	$1.45 \times 10^0$	$1.42 \times 10^3$
<sup>247</sup> Cm	$2.77 \times 10^{-10}$	$3.21 \times 10^{-9}$	$-2.93 \times 10^{-9}$	$-9.14 \times 10^1$
<sup>248</sup> Cm	$9.14 \times 10^{-2}$	$3.69 \times 10^{-2}$	$5.45 \times 10^{-2}$	$1.48 \times 10^2$
<sup>250</sup> Cm	$6.64 \times 10^{-11}$	NR	$6.64 \times 10^{-11}$	$0.00 \times 10^0$

**Table DATA-F-B-27. WIPP Disposal Radionuclide Inventory Comparison, 1995 to 2001, CH-TRU Waste<sup>1</sup>**

<i>Radionuclide</i>	<i>CH-TRU Waste Curies, Decayed through 2001</i>	<i>CH-TRU Waste Curies, Decayed through 1995</i>	<i>Delta (Ci)</i>	<i>Percent Change</i>
<sup>58</sup> Co	NR	$3.05 \times 10^{-13}$	$-3.05 \times 10^{-13}$	$-1.00 \times 10^2$



1

**Table DATA-F-B-27. WIPP Disposal Radionuclide Inventory Comparison, 1995 to 2001, CH-TRU Waste — Continued<sup>1</sup>**

Radionuclide	CH-TRU Waste Curies, Decayed through 2001	CH-TRU Waste Curies, Decayed through 1995	Delta (Ci)	Percent Change
<sup>60</sup> Co	$9.85 \times 10^1$	$6.46 \times 10^1$	$-6.36 \times 10^1$	$-9.85 \times 10^1$
<sup>51</sup> Cr	NR	NR	$0.00 \times 10^0$	$0.00 \times 10^0$
<sup>134</sup> Cs	$2.05 \times 10^{-2}$	$1.34 \times 10^{-2}$	$7.10 \times 10^{-3}$	$5.30 \times 10^1$
<sup>135</sup> Cs	NR	$5.02 \times 10^{-4}$	$-5.02 \times 10^{-4}$	$-1.00 \times 10^2$
<sup>137</sup> Cs	$9.65 \times 10^3$	$8.06 \times 10^3$	$1.59 \times 10^3$	$1.97 \times 10^1$
<sup>254</sup> Es	NR	$4.24 \times 10^{-11}$	$-4.24 \times 10^{-11}$	$-1.00 \times 10^2$
<sup>150</sup> Eu	NR	$3.51 \times 10^{-5}$	$-3.51 \times 10^{-5}$	$-1.00 \times 10^2$
<sup>152</sup> Eu	$1.95 \times 10^0$	$1.26 \times 10^0$	$6.90 \times 10^1$	$5.48 \times 10^1$
<sup>154</sup> Eu	$1.65 \times 10^0$	$1.15 \times 10^0$	$5.00 \times 10^1$	$4.35 \times 10^1$
<sup>155</sup> Eu	$6.73 \times 10^{-2}$	$9.46 \times 10^{-1}$	$-8.79 \times 10^{-1}$	$-9.29 \times 10^1$
<sup>55</sup> Fe	NR	$1.91 \times 10^{-5}$	$-1.91 \times 10^{-5}$	$-1.00 \times 10^2$
<sup>59</sup> Fe	NR	$2.64 \times 10^{-7}$	$-2.64 \times 10^{-7}$	$-1.00 \times 10^2$
<sup>221</sup> Fr	$1.55 \times 10^0$	$2.88 \times 10^0$	$-1.33 \times 10^0$	$-4.62 \times 10^1$
<sup>223</sup> Fr	$6.91 \times 10^{-3}$	$8.39 \times 10^{-3}$	$-1.48 \times 10^{-3}$	$-1.76 \times 10^1$
<sup>152</sup> Gd	$4.40 \times 10^{-14}$	NR	$4.40 \times 10^{-14}$	$0.00 \times 10^0$
<sup>3</sup> H	$2.17 \times 10^2$	$8.69 \times 10^{-1}$	$2.16 \times 10^2$	$2.49 \times 10^4$
<sup>129</sup> I	$5.12 \times 10^{-4}$	$7.05 \times 10^{-7}$	$5.11 \times 10^{-4}$	$7.25 \times 10^4$
<sup>85</sup> Kr	$4.62 \times 10^{-1}$	$2.02 \times 10^{-1}$	$2.60 \times 10^{-1}$	$1.29 \times 10^2$
<sup>54</sup> Mn	NR	$8.51 \times 10^{-4}$	$-8.51 \times 10^{-4}$	$-1.00 \times 10^2$
<sup>22</sup> Na	$3.91 \times 10^{-7}$	NR	$3.91 \times 10^{-7}$	$0.00 \times 10^0$
<sup>93m</sup> Nb	NR	NR	$0.00 \times 10^0$	$0.00 \times 10^0$
<sup>95</sup> Nb	NR	$2.54 \times 10^{-9}$	$-2.54 \times 10^{-9}$	$-1.00 \times 10^2$
<sup>95m</sup> Nb	NR	$8.50 \times 10^{-12}$	$-8.50 \times 10^{-12}$	$-1.00 \times 10^2$
<sup>59</sup> Ni	$7.64 \times 10^{-2}$	$7.52 \times 10^{-3}$	$6.89 \times 10^{-2}$	$9.16 \times 10^2$
<sup>63</sup> Ni	$3.72 \times 10^0$	$9.19 \times 10^{-1}$	$2.80 \times 10^0$	$3.05 \times 10^2$
<sup>237</sup> Np	$4.80 \times 10^0$	$5.61 \times 10^1$	$-5.13 \times 10^1$	$-9.14 \times 10^1$
<sup>238</sup> Np	$2.36 \times 10^{-4}$	$8.77 \times 10^{-3}$	$-8.53 \times 10^{-3}$	$-9.73 \times 10^1$
<sup>239</sup> Np	$2.08 \times 10^1$	$3.26 \times 10^1$	$-1.18 \times 10^1$	$-3.62 \times 10^1$
<sup>240m</sup> Np	$1.31 \times 10^{-6}$	$1.50 \times 10^{-6}$	$-1.90 \times 10^{-7}$	$-1.27 \times 10^1$
<sup>231</sup> Pa	$1.21 \times 10^0$	$4.51 \times 10^{-1}$	$7.59 \times 10^{-1}$	$1.68 \times 10^2$
<sup>233</sup> Pa	$4.75 \times 10^0$	$5.61 \times 10^1$	$-5.14 \times 10^1$	$-9.15 \times 10^1$
<sup>234</sup> Pa	$9.25 \times 10^{-3}$	$5.14 \times 10^{-2}$	$-4.22 \times 10^{-2}$	$-8.20 \times 10^1$
<sup>234m</sup> Pa	$7.11 \times 10^0$	$3.96 \times 10^1$	$-3.25 \times 10^1$	$-8.20 \times 10^1$
<sup>209</sup> Pb	$1.55 \times 10^0$	$2.88 \times 10^0$	$-1.33 \times 10^0$	$-4.62 \times 10^1$
<sup>210</sup> Pb	$2.61 \times 10^0$	$2.55 \times 10^0$	$6.00 \times 10^{-2}$	$2.35 \times 10^0$
<sup>211</sup> Pb	$5.01 \times 10^{-1}$	$6.09 \times 10^{-1}$	$-1.08 \times 10^{-1}$	$-1.77 \times 10^1$
<sup>212</sup> Pb	$5.82 \times 10^0$	$2.71 \times 10^1$	$-2.13 \times 10^1$	$-7.85 \times 10^1$

**Table DATA-F-B-27. WIPP Disposal Radionuclide Inventory Comparison, 1995 to 2001, CH-TRU Waste — Continued<sup>1</sup>**

<i>Radionuclide</i>	<i>CH-TRU Waste Curies, Decayed through 2001</i>	<i>CH-TRU Waste Curies, Decayed through 1995</i>	<i>Delta (Ci)</i>	<i>Percent Change</i>
<sup>214</sup> Pb	$6.30 \times 10^0$	$1.16 \times 10^1$	$-5.30 \times 10^0$	$-4.57 \times 10^1$
<sup>107</sup> Pd	NR	$7.41 \times 10^{-5}$	$-7.41 \times 10^{-5}$	$-1.00 \times 10^2$
<sup>147</sup> Pm	$1.82 \times 10^0$	$7.87 \times 10^0$	$-6.05 \times 10^0$	$-7.69 \times 10^1$
<sup>210</sup> Po	$2.61 \times 10^0$	$2.55 \times 10^0$	$6.00 \times 10^{-2}$	$2.35 \times 10^0$
<sup>211</sup> Po	$1.53 \times 10^{-3}$	$1.71 \times 10^{-3}$	$-1.80 \times 10^{-4}$	$-1.05 \times 10^1$
<sup>212</sup> Po	$3.72 \times 10^0$	$1.73 \times 10^1$	$-1.36 \times 10^1$	$-7.85 \times 10^1$
<sup>213</sup> Po	$1.52 \times 10^0$	$2.82 \times 10^0$	$-1.30 \times 10^0$	$-4.61 \times 10^1$
<sup>214</sup> Po	$6.30 \times 10^0$	$1.16 \times 10^1$	$-5.30 \times 10^0$	$-4.57 \times 10^1$
<sup>215</sup> Po	$5.00 \times 10^{-1}$	$6.09 \times 10^{-1}$	$-1.09 \times 10^{-1}$	$-1.79 \times 10^1$
<sup>216</sup> Po	$5.82 \times 10^0$	$2.71 \times 10^1$	$-2.13 \times 10^1$	$-7.85 \times 10^1$
<sup>218</sup> Po	$6.19 \times 10^0$	$1.16 \times 10^1$	$-5.41 \times 10^0$	$-4.66 \times 10^1$
<sup>144</sup> Pr	$3.49 \times 10^{-4}$	$6.18 \times 10^{-2}$	$-6.15 \times 10^{-2}$	$-9.94 \times 10^1$
<sup>236</sup> Pu	$4.38 \times 10^{-4}$	$1.04 \times 10^{-2}$	$-9.96 \times 10^{-3}$	$-9.58 \times 10^1$
<sup>238</sup> Pu	$1.61 \times 10^6$	$2.61 \times 10^6$	$-1.00 \times 10^6$	$-3.83 \times 10^1$
<sup>239</sup> Pu	$6.60 \times 10^5$	$7.85 \times 10^5$	$-1.25 \times 10^5$	$-1.59 \times 10^1$
<sup>240</sup> Pu	$1.07 \times 10^5$	$2.10 \times 10^5$	$-1.03 \times 10^5$	$-4.90 \times 10^1$
<sup>241</sup> Pu	$2.40 \times 10^6$	$2.31 \times 10^6$	$9.00 \times 10^4$	$3.90 \times 10^0$
<sup>242</sup> Pu	$2.67 \times 10^1$	$1.17 \times 10^3$	$-1.14 \times 10^3$	$-9.77 \times 10^1$
<sup>243</sup> Pu	$2.74 \times 10^{-10}$	$3.21 \times 10^{-9}$	$-2.94 \times 10^{-9}$	$-9.15 \times 10^1$
<sup>244</sup> Pu	$1.29 \times 10^{-6}$	$1.50 \times 10^{-6}$	$-2.10 \times 10^{-7}$	$-1.40 \times 10^1$
<sup>223</sup> Ra	$5.06 \times 10^{-1}$	$6.09 \times 10^{-1}$	$-1.03 \times 10^{-1}$	$-1.69 \times 10^1$
<sup>224</sup> Ra	$5.81 \times 10^0$	$2.71 \times 10^1$	$-2.13 \times 10^1$	$-7.86 \times 10^1$
<sup>225</sup> Ra	$1.55 \times 10^0$	$2.88 \times 10^0$	$-1.33 \times 10^0$	$-4.62 \times 10^1$
<sup>226</sup> Ra	$6.37 \times 10^0$	$1.16 \times 10^1$	$-5.23 \times 10^0$	$-4.51 \times 10^1$
<sup>228</sup> Ra	$5.66 \times 10^0$	$7.47 \times 10^{-1}$	$4.91 \times 10^0$	$6.58 \times 10^2$
<sup>106</sup> Rh	$1.58 \times 10^{-4}$	$2.90 \times 10^{-2}$	$-2.88 \times 10^{-2}$	$-9.95 \times 10^1$
<sup>219</sup> Rn	$5.00 \times 10^{-1}$	$6.09 \times 10^{-1}$	$-1.09 \times 10^{-1}$	$-1.79 \times 10^1$
<sup>220</sup> Rn	$5.82 \times 10^0$	$2.71 \times 10^1$	$-2.13 \times 10^1$	$-7.85 \times 10^1$
<sup>222</sup> Rn	$6.31 \times 10^0$	$1.16 \times 10^1$	$-5.29 \times 10^0$	$-4.56 \times 10^1$
<sup>106</sup> Ru	$1.59 \times 10^{-4}$	$2.90 \times 10^{-2}$	$-2.88 \times 10^{-2}$	$-9.95 \times 10^1$
<sup>125</sup> Sb	$5.04 \times 10^{-3}$	$1.21 \times 10^{-1}$	$-1.16 \times 10^{-1}$	$-9.58 \times 10^1$
<sup>126</sup> Sb	NR	$1.35 \times 10^{-4}$	$-1.35 \times 10^{-4}$	$-1.00 \times 10^2$
<sup>126m</sup> Sb	NR	$9.65 \times 10^{-4}$	$-9.65 \times 10^{-4}$	$-1.00 \times 10^2$
<sup>79</sup> Se	$1.32 \times 10^{-4}$	$4.35 \times 10^{-4}$	$-3.03 \times 10^{-4}$	$-6.97 \times 10^1$
<sup>147</sup> Sm	$4.78 \times 10^{-10}$	NR	$4.78 \times 10^{-10}$	$0.00 \times 10^0$
<sup>151</sup> Sm	$5.68 \times 10^1$	$1.47 \times 10^0$	$5.53 \times 10^1$	$3.76 \times 10^3$
<sup>119m</sup> Sn	NR	$4.14 \times 10^{-6}$	$-4.14 \times 10^{-6}$	$-1.00 \times 10^2$

**Table DATA-F-B-27. WIPP Disposal Radionuclide Inventory Comparison, 1995 to 2001, CH-TRU Waste — Continued<sup>1</sup>**

Radionuclide	CH-TRU Waste Curies, Decayed through 2001	CH-TRU Waste Curies, Decayed through 1995	Delta (Ci)	Percent Change
<sup>121m</sup> Sn	NR	$2.66 \times 10^2$	$-2.66 \times 10^2$	$-1.00 \times 10^2$
<sup>126</sup> Sn	NR	$9.65 \times 10^4$	$-9.65 \times 10^4$	$-1.00 \times 10^2$
<sup>90</sup> Sr	$5.75 \times 10^4$	$6.85 \times 10^3$	$5.07 \times 10^4$	$7.39 \times 10^2$
<sup>182</sup> Ta	NR	NR	$0.00 \times 10^0$	$0.00 \times 10^0$
<sup>99</sup> Tc	$1.67 \times 10^2$	$2.52 \times 10^1$	$1.42 \times 10^2$	$5.63 \times 10^2$
<sup>123</sup> Te	$6.78 \times 10^{-5}$	NR	$6.78 \times 10^{-5}$	$0.00 \times 10^0$
<sup>123m</sup> Te	$4.98 \times 10^{-19}$	NR	$4.98 \times 10^{-19}$	$0.00 \times 10^0$
<sup>125m</sup> Te	$1.22 \times 10^{-3}$	$2.95 \times 10^{-2}$	$-2.83 \times 10^{-2}$	$-9.59 \times 10^1$
<sup>127</sup> Te	NR	$1.30 \times 10^{-7}$	$-1.30 \times 10^{-7}$	$-1.00 \times 10^2$
<sup>127m</sup> Te	NR	$1.33 \times 10^{-7}$	$-1.33 \times 10^{-7}$	$-1.00 \times 10^2$
<sup>227</sup> Th	$4.93 \times 10^{-1}$	$6.01 \times 10^{-1}$	$-1.08 \times 10^{-1}$	$-1.80 \times 10^1$
<sup>228</sup> Th	$5.89 \times 10^0$	$2.71 \times 10^1$	$-2.12 \times 10^1$	$-7.83 \times 10^1$
<sup>229</sup> Th	$1.55 \times 10^0$	$2.88 \times 10^0$	$-1.33 \times 10^0$	$-4.62 \times 10^1$
<sup>230</sup> Th	$1.01 \times 10^{-1}$	$8.06 \times 10^{-2}$	$2.04 \times 10^{-2}$	$2.53 \times 10^1$
<sup>231</sup> Th	$3.53 \times 10^{-1}$	$1.28 \times 10^1$	$-1.24 \times 10^1$	$-9.72 \times 10^1$
<sup>232</sup> Th	$6.61 \times 10^0$	$9.13 \times 10^{-1}$	$5.70 \times 10^0$	$6.24 \times 10^2$
<sup>234</sup> Th	$7.12 \times 10^0$	$3.96 \times 10^1$	$-3.25 \times 10^1$	$-8.20 \times 10^1$
<sup>207</sup> Tl	$4.98 \times 10^{-1}$	$6.07 \times 10^{-1}$	$-1.09 \times 10^{-1}$	$-1.80 \times 10^1$
<sup>208</sup> Tl	$2.09 \times 10^0$	$9.73 \times 10^0$	$-7.64 \times 10^0$	$-7.85 \times 10^1$
<sup>209</sup> Tl	$3.41 \times 10^{-2}$	$6.22 \times 10^{-2}$	$-2.81 \times 10^{-2}$	$-4.52 \times 10^1$
<sup>232</sup> U	$1.64 \times 10^0$	$2.58 \times 10^1$	$-2.42 \times 10^1$	$-9.36 \times 10^1$
<sup>233</sup> U	$1.24 \times 10^3$	$1.79 \times 10^3$	$-5.50 \times 10^2$	$-3.07 \times 10^1$
<sup>234</sup> U	$1.68 \times 10^2$	$4.65 \times 10^2$	$-2.97 \times 10^2$	$-6.39 \times 10^1$
<sup>235</sup> U	$1.32 \times 10^0$	$1.28 \times 10^1$	$-1.15 \times 10^1$	$-8.97 \times 10^1$
<sup>236</sup> U	$1.30 \times 10^{-1}$	$3.33 \times 10^{-1}$	$-2.03 \times 10^{-1}$	$-6.10 \times 10^1$
<sup>237</sup> U	$2.15 \times 10^1$	$5.66 \times 10^1$	$-3.51 \times 10^1$	$-6.20 \times 10^1$
<sup>238</sup> U	$2.44 \times 10^1$	$3.96 \times 10^1$	$-1.52 \times 10^1$	$-3.84 \times 10^1$
<sup>240</sup> U	$1.28 \times 10^{-6}$	$1.50 \times 10^{-6}$	$-2.20 \times 10^{-7}$	$-1.47 \times 10^1$
<sup>90</sup> Y	$5.74 \times 10^4$	$6.85 \times 10^3$	$5.06 \times 10^4$	$7.38 \times 10^2$
<sup>91</sup> Y	NR	NR	$0.00 \times 10^0$	$0.00 \times 10^0$
<sup>65</sup> Zn	$2.32 \times 10^{-10}$	NR	$2.32 \times 10^{-10}$	$0.00 \times 10^0$
<sup>93</sup> Zr	$1.13 \times 10^{-3}$	$5.63 \times 10^{-3}$	$-4.50 \times 10^{-3}$	$-7.99 \times 10^1$
<sup>95</sup> Zr	NR	$1.15 \times 10^{-9}$	$-1.15 \times 10^{-9}$	$-1.00 \times 10^2$
<b>Total:</b>	$5.33 \times 10^6$	$6.42 \times 10^6$	$-1.10 \times 10^6$	$-1.71 \times 10^1$

NR – Not Reported

-2001 – Decayed through 12/31/01

-1995 – Decayed through 12/31/95

<sup>1</sup>-Total curies estimated by assuming a volume of (168,485 m<sup>3</sup>) for CH-TRU waste and (7,079 m<sup>3</sup>) of RH-TRU waste

**Table DATA-F-B-27. WIPP Disposal Radionuclide Inventory Comparison, 1995 to 2001, CH-TRU Waste — Continued<sup>1</sup>**

<i>Radionuclide</i>	<i>CH-TRU Waste Curies, Decayed through 2001</i>	<i>CH-TRU Waste Curies, Decayed through 1995</i>	<i>Delta (Ci)</i>	<i>Percent Change</i>
<i>Most Abundant Radionuclides</i>	<i>CH-TRU Waste Activity (Ci)</i>			
<i><sup>241</sup>Am</i>	<i>4.01 × 10<sup>5</sup></i>			
<i><sup>238</sup>Pu</i>	<i>1.61 × 10<sup>6</sup></i>			
<i><sup>239</sup>Pu</i>	<i>6.60 × 10<sup>5</sup></i>			
<i><sup>240</sup>Pu</i>	<i>1.07 × 10<sup>5</sup></i>			
<i><sup>241</sup>Pu</i>	<i>2.40 × 10<sup>6</sup></i>			
<i>Total</i>	<i>5.18 × 10<sup>6</sup></i>			
<i>Percent of Total</i>	<i>9.72 × 10<sup>1</sup></i>			

<sup>1</sup> See Page 33 for discussion.

**Table DATA-F-B-28. WIPP Disposal Radionuclide Inventory Comparison, 1995 to 2001, RH-TRU Waste<sup>1</sup>**

<i>Radionuclide</i>	<i>RH-TRU Waste Curies, 2001</i>	<i>RH-TRU Waste Curies, 1995</i>	<i>delta</i>	<i>% change</i>
<sup>225</sup> Ac	$3.68 \times 10^{-2}$	$1.17 \times 10^{-1}$	$-8.02 \times 10^{-2}$	$-6.85 \times 10^1$
<sup>227</sup> Ac	$4.00 \times 10^{-6}$	$7.57 \times 10^{-4}$	$-7.53 \times 10^{-4}$	$-9.95 \times 10^1$
<sup>228</sup> Ac	$1.43 \times 10^{-1}$	$7.77 \times 10^{-2}$	$6.53 \times 10^{-2}$	$8.40 \times 10^1$
<sup>109m</sup> Ag	NR	NR	$0.00 \times 10^0$	$0.00 \times 10^0$
<sup>110</sup> Ag	$1.92 \times 10^{-11}$	$1.74 \times 10^{-9}$	$-1.72 \times 10^{-9}$	$-9.89 \times 10^1$
<sup>110m</sup> Ag	$1.46 \times 10^{-9}$	$1.31 \times 10^{-7}$	$-1.30 \times 10^{-7}$	$-9.89 \times 10^1$
<sup>241</sup> Am	$1.36 \times 10^4$	$5.96 \times 10^3$	$7.64 \times 10^3$	$1.28 \times 10^2$
<sup>242</sup> Am	$8.52 \times 10^{-4}$	NR	$8.52 \times 10^{-4}$	$0.00 \times 10^0$
<sup>242m</sup> Am	$1.96 \times 10^{-1}$	NR	$1.96 \times 10^{-1}$	$0.00 \times 10^0$
<sup>243</sup> Am	$7.15 \times 10^{-1}$	$2.28 \times 10^{-4}$	$7.15 \times 10^{-1}$	$3.13 \times 10^5$
<sup>225</sup> Ac	$3.68 \times 10^{-2}$	$1.17 \times 10^{-1}$	$-8.02 \times 10^{-2}$	$-6.85 \times 10^1$
<sup>227</sup> Ac	$4.00 \times 10^{-6}$	$7.57 \times 10^{-4}$	$-7.53 \times 10^{-4}$	$-9.95 \times 10^1$
<sup>228</sup> Ac	$1.43 \times 10^{-1}$	$7.77 \times 10^{-2}$	$6.53 \times 10^{-2}$	$8.40 \times 10^1$
<sup>109m</sup> Ag	NR	NR	$0.00 \times 10^0$	$0.00 \times 10^0$
<sup>110</sup> Ag	$1.92 \times 10^{-11}$	$1.74 \times 10^{-9}$	$-1.72 \times 10^{-9}$	$-9.89 \times 10^1$
<sup>110m</sup> Ag	$1.46 \times 10^{-9}$	$1.31 \times 10^{-7}$	$-1.30 \times 10^{-7}$	$-9.89 \times 10^1$
<sup>241</sup> Am	$1.36 \times 10^4$	$5.96 \times 10^3$	$7.64 \times 10^3$	$1.28 \times 10^2$
<sup>242</sup> Am	$8.52 \times 10^{-4}$	NR	$8.52 \times 10^{-4}$	$0.00 \times 10^0$
<sup>242m</sup> Am	$1.96 \times 10^{-1}$	NR	$1.96 \times 10^{-1}$	$0.00 \times 10^0$
<sup>243</sup> Am	$7.15 \times 10^{-1}$	$2.28 \times 10^{-4}$	$7.15 \times 10^{-1}$	$3.13 \times 10^5$
<sup>245</sup> Am	NR	$2.87 \times 10^{-16}$	$-2.87 \times 10^{-16}$	$-1.00 \times 10^2$
<sup>217</sup> At	$3.69 \times 10^{-2}$	$1.17 \times 10^{-1}$	$-8.01 \times 10^{-2}$	$-6.85 \times 10^1$
<sup>137m</sup> Ba	$3.36 \times 10^5$	$2.04 \times 10^5$	$1.32 \times 10^5$	$6.47 \times 10^1$
<sup>210</sup> Bi	$2.11 \times 10^{-7}$	$7.16 \times 10^{-6}$	$-6.95 \times 10^{-6}$	$-9.71 \times 10^1$
<sup>211</sup> Bi	$3.96 \times 10^{-6}$	$7.58 \times 10^{-4}$	$-7.54 \times 10^{-4}$	$-9.95 \times 10^1$
<sup>212</sup> Bi	$2.70 \times 10^0$	$7.36 \times 10^{-2}$	$2.63 \times 10^0$	$3.57 \times 10^3$
<sup>213</sup> Bi	$3.68 \times 10^{-2}$	$1.17 \times 10^{-1}$	$-8.02 \times 10^{-2}$	$-6.85 \times 10^1$
<sup>214</sup> Bi	$1.36 \times 10^{-6}$	$3.58 \times 10^{-5}$	$-3.44 \times 10^{-5}$	$-9.62 \times 10^1$
<sup>249</sup> Bk	NR	$1.98 \times 10^{-11}$	$-1.98 \times 10^{-11}$	$-1.00 \times 10^2$
<sup>250</sup> Bk	NR	NR	$0.00 \times 10^0$	$0.00 \times 10^0$
<sup>14</sup> C	$2.05 \times 10^0$	$2.05 \times 10^0$	$0.00 \times 10^0$	$0.00 \times 10^0$
<sup>109</sup> Cd	NR	NR	$0.00 \times 10^0$	$0.00 \times 10^0$
<sup>113m</sup> Cd	$1.64 \times 10^{-1}$	$5.46 \times 10^{-7}$	$1.64 \times 10^{-1}$	$3.00 \times 10^7$
<sup>141</sup> Ce	$3.77 \times 10^{-19}$	NR	$3.77 \times 10^{-19}$	$0.00 \times 10^0$
<sup>144</sup> Ce	$1.82 \times 10^0$	$5.13 \times 10^0$	$-3.31 \times 10^0$	$-6.45 \times 10^1$

1

**Table DATA-F-B-28. WIPP Disposal Radionuclide Inventory Comparison, 1995 to 2001, RH-TRU Waste — Continued<sup>1</sup>**

<i>Radionuclide</i>	<i>RH-TRU Waste Curies, 2001</i>	<i>RH-TRU Waste Curies, 1995</i>	<i>delta</i>	<i>% change</i>
<sup>249</sup> Cf	$8.37 \times 10^{-4}$	$4.47 \times 10^{-3}$	$-3.63 \times 10^{-3}$	$-8.13 \times 10^1$
<sup>250</sup> Cf	$1.50 \times 10^{-2}$	NR	$1.50 \times 10^{-2}$	$0.00 \times 10^0$
<sup>251</sup> Cf	$1.59 \times 10^{-4}$	NR	$1.59 \times 10^{-4}$	$0.00 \times 10^0$
<sup>252</sup> Cf	$1.77 \times 10^{-2}$	$1.29 \times 10^0$	$-1.27 \times 10^0$	$-9.86 \times 10^1$
<sup>242</sup> Cm	$7.15 \times 10^{-4}$	NR	$7.15 \times 10^{-4}$	$0.00 \times 10^0$
<sup>243</sup> Cm	$4.90 \times 10^{-1}$	$4.95 \times 10^1$	$-4.90 \times 10^1$	$-9.90 \times 10^1$
<sup>244</sup> Cm	$2.70 \times 10^2$	$3.15 \times 10^2$	$-4.50 \times 10^1$	$-1.43 \times 10^1$
<sup>245</sup> Cm	$1.06 \times 10^{-2}$	$1.46 \times 10^{-6}$	$1.06 \times 10^{-2}$	$7.26 \times 10^5$
<sup>246</sup> Cm	$6.74 \times 10^{-1}$	NR	$6.74 \times 10^{-1}$	$0.00 \times 10^0$
<sup>247</sup> Cm	$9.44 \times 10^0$	NR	$9.44 \times 10^0$	$0.00 \times 10^0$
<sup>248</sup> Cm	$1.83 \times 10^{-3}$	$2.05 \times 10^{-4}$	$1.63 \times 10^{-3}$	$7.93 \times 10^2$
<sup>250</sup> Cm	NR	NR	$0.00 \times 10^0$	$0.00 \times 10^0$
<sup>58</sup> Co	NR	$1.24 \times 10^{-11}$	$-1.24 \times 10^{-11}$	$-1.00 \times 10^2$
<sup>60</sup> Co	$1.68 \times 10^3$	$1.04 \times 10^4$	$-8.72 \times 10^3$	$-8.38 \times 10^1$
<sup>51</sup> Cr	NR	$3.04 \times 10^{-6}$	$-3.04 \times 10^{-6}$	$-1.00 \times 10^2$
<sup>134</sup> Cs	$3.36 \times 10^1$	$1.84 \times 10^1$	$1.52 \times 10^1$	$8.26 \times 10^1$
<sup>135</sup> Cs	$6.90 \times 10^{-5}$	$1.17 \times 10^{-4}$	$-4.80 \times 10^{-5}$	$-4.10 \times 10^1$
<sup>137</sup> Cs	$3.65 \times 10^5$	$2.16 \times 10^5$	$1.49 \times 10^5$	$6.90 \times 10^1$
<sup>254</sup> Es	NR	NR	$0.00 \times 10^0$	$0.00 \times 10^0$
<sup>150</sup> Eu	NR	NR	$0.00 \times 10^0$	$0.00 \times 10^0$
<sup>152</sup> Eu	$6.95 \times 10^2$	$1.22 \times 10^3$	$-5.25 \times 10^2$	$-4.30 \times 10^1$
<sup>154</sup> Eu	$4.23 \times 10^2$	$5.91 \times 10^2$	$-1.68 \times 10^2$	$-2.84 \times 10^1$
<sup>155</sup> Eu	$1.85 \times 10^1$	$1.18 \times 10^2$	$-9.95 \times 10^1$	$-8.43 \times 10^1$
<sup>55</sup> Fe	$4.20 \times 10^{-2}$	$1.69 \times 10^{-1}$	$-1.27 \times 10^{-1}$	$-7.51 \times 10^1$
<sup>59</sup> Fe	NR	NR	$0.00 \times 10^0$	$0.00 \times 10^0$
<sup>221</sup> Fr	$3.68 \times 10^{-2}$	$1.17 \times 10^{-1}$	$-8.02 \times 10^{-2}$	$-6.85 \times 10^1$
<sup>223</sup> Fr	$5.45 \times 10^{-8}$	$1.04 \times 10^{-5}$	$-1.03 \times 10^{-5}$	$-9.95 \times 10^1$
<sup>152</sup> Gd	$1.95 \times 10^{-11}$	NR	$1.95 \times 10^{-11}$	$0.00 \times 10^0$
<sup>3</sup> H	$1.15 \times 10^0$	$6.60 \times 10^{-2}$	$1.08 \times 10^0$	$1.64 \times 10^3$
<sup>129</sup> I	$8.20 \times 10^{-2}$	NR	$8.20 \times 10^{-2}$	$0.00 \times 10^0$
<sup>85</sup> Kr	$1.13 \times 10^{-1}$	$1.68 \times 10^0$	$-1.57 \times 10^0$	$-9.33 \times 10^1$
<sup>54</sup> Mn	$1.82 \times 10^0$	$2.35 \times 10^{-2}$	$1.80 \times 10^0$	$7.64 \times 10^3$
<sup>22</sup> Na	$2.95 \times 10^{-1}$	NR	$2.95 \times 10^{-1}$	$0.00 \times 10^0$
<sup>93m</sup> Nb	$2.75 \times 10^{-4}$	NR	$2.75 \times 10^{-4}$	$0.00 \times 10^0$
<sup>95</sup> Nb	$7.53 \times 10^{-14}$	$6.69 \times 10^{-1}$	$-6.69 \times 10^{-1}$	$-1.00 \times 10^2$
<sup>95m</sup> Nb	$2.52 \times 10^{-16}$	$2.24 \times 10^{-3}$	$-2.24 \times 10^{-3}$	$-1.00 \times 10^2$

**Table DATA-F-B-28. WIPP Disposal Radionuclide Inventory Comparison, 1995 to 2001, RH-TRU Waste — Continued<sup>1</sup>**

<i>Radionuclide</i>	<i>RH-TRU Waste Curies, 2001</i>	<i>RH-TRU Waste Curies, 1995</i>	<i>delta</i>	<i>% change</i>
<sup>59</sup> Ni	$2.30 \times 10^1$	NR	$2.30 \times 10^1$	$0.00 \times 10^0$
<sup>63</sup> Ni	$1.12 \times 10^3$	$9.88 \times 10^{-1}$	$1.12 \times 10^3$	$1.13 \times 10^5$
<sup>237</sup> Np	$6.66 \times 10^{-1}$	$2.85 \times 10^0$	$-2.18 \times 10^0$	$-7.66 \times 10^1$
<sup>238</sup> Np	$4.28 \times 10^{-6}$	NR	$4.28 \times 10^{-6}$	$0.00 \times 10^0$
<sup>239</sup> Np	$6.28 \times 10^{-2}$	$2.28 \times 10^{-4}$	$6.26 \times 10^{-2}$	$2.74 \times 10^4$
<sup>240m</sup> Np	$1.11 \times 10^{-3}$	$2.21 \times 10^{-11}$	$1.11 \times 10^{-3}$	$5.02 \times 10^9$
<sup>231</sup> Pa	$1.79 \times 10^{-5}$	$1.91 \times 10^{-3}$	$-1.89 \times 10^{-3}$	$-9.91 \times 10^1$
<sup>233</sup> Pa	$2.31 \times 10^{-3}$	$2.85 \times 10^0$	$-2.85 \times 10^0$	$-9.99 \times 10^1$
<sup>234</sup> Pa	$2.82 \times 10^{-3}$	$1.36 \times 10^{-2}$	$-1.08 \times 10^{-2}$	$-7.93 \times 10^1$
<sup>234m</sup> Pa	$2.17 \times 10^0$	$1.05 \times 10^1$	$-8.33 \times 10^0$	$-7.93 \times 10^1$
<sup>209</sup> Pb	$3.68 \times 10^{-2}$	$1.17 \times 10^{-1}$	$-8.02 \times 10^{-2}$	$-6.85 \times 10^1$
<sup>210</sup> Pb	$2.13 \times 10^{-7}$	$7.16 \times 10^{-6}$	$-6.95 \times 10^{-6}$	$-9.70 \times 10^1$
<sup>211</sup> Pb	$3.95 \times 10^{-6}$	$7.58 \times 10^{-4}$	$-7.54 \times 10^{-4}$	$-9.95 \times 10^1$
<sup>212</sup> Pb	$2.69 \times 10^0$	$7.36 \times 10^{-2}$	$2.62 \times 10^0$	$3.55 \times 10^3$
<sup>214</sup> Pb	$1.36 \times 10^{-6}$	$3.58 \times 10^{-5}$	$-3.44 \times 10^{-5}$	$-9.62 \times 10^1$
<sup>107</sup> Pd	$2.88 \times 10^{-6}$	$1.73 \times 10^{-5}$	$-1.44 \times 10^{-5}$	$-8.33 \times 10^1$
<sup>147</sup> Pm	$3.51 \times 10^2$	$1.07 \times 10^1$	$3.40 \times 10^2$	$3.18 \times 10^3$
<sup>210</sup> Po	$2.13 \times 10^{-7}$	$7.16 \times 10^{-6}$	$-6.95 \times 10^{-6}$	$-9.70 \times 10^1$
<sup>211</sup> Po	$1.20 \times 10^{-8}$	$2.12 \times 10^{-6}$	$-2.11 \times 10^{-6}$	$-9.94 \times 10^1$
<sup>212</sup> Po	$1.72 \times 10^0$	$4.72 \times 10^{-2}$	$1.67 \times 10^0$	$3.54 \times 10^3$
<sup>213</sup> Po	$3.60 \times 10^{-2}$	$1.15 \times 10^{-1}$	$-7.90 \times 10^{-2}$	$-6.87 \times 10^1$
<sup>214</sup> Po	$1.36 \times 10^{-6}$	$3.57 \times 10^{-5}$	$-3.43 \times 10^{-5}$	$-9.62 \times 10^1$
<sup>215</sup> Po	$3.95 \times 10^{-6}$	$7.58 \times 10^{-4}$	$-7.54 \times 10^{-4}$	$-9.95 \times 10^1$
<sup>216</sup> Po	$2.69 \times 10^0$	$7.36 \times 10^{-2}$	$2.62 \times 10^0$	$3.55 \times 10^3$
<sup>218</sup> Po	$1.34 \times 10^{-6}$	$3.58 \times 10^{-5}$	$-3.45 \times 10^{-5}$	$-9.63 \times 10^1$
<sup>144</sup> Pr	$1.78 \times 10^0$	$5.07 \times 10^0$	$-3.29 \times 10^0$	$-6.49 \times 10^1$
<sup>236</sup> Pu	NR	NR	$0.00 \times 10^0$	$0.00 \times 10^0$
<sup>238</sup> Pu	$3.61 \times 10^3$	$1.45 \times 10^3$	$2.16 \times 10^3$	$1.49 \times 10^2$
<sup>239</sup> Pu	$5.38 \times 10^3$	$1.03 \times 10^4$	$-4.92 \times 10^3$	$-4.78 \times 10^1$
<sup>240</sup> Pu	$1.68 \times 10^3$	$5.07 \times 10^3$	$-3.39 \times 10^3$	$-6.69 \times 10^1$
<sup>241</sup> Pu	$1.12 \times 10^5$	$1.42 \times 10^5$	$-3.00 \times 10^4$	$-2.11 \times 10^1$
<sup>242</sup> Pu	$4.74 \times 10^{-1}$	$1.50 \times 10^{-1}$	$3.24 \times 10^{-1}$	$2.16 \times 10^2$
<sup>243</sup> Pu	$9.33 \times 10^0$	NR	$9.33 \times 10^0$	$0.00 \times 10^0$
<sup>244</sup> Pu	$1.10 \times 10^{-3}$	$2.21 \times 10^{-11}$	$1.10 \times 10^{-3}$	$4.98 \times 10^9$
<sup>223</sup> Ra	$3.99 \times 10^{-6}$	$7.58 \times 10^{-4}$	$-7.54 \times 10^{-4}$	$-9.95 \times 10^1$
<sup>224</sup> Ra	$2.69 \times 10^0$	$7.36 \times 10^{-2}$	$2.62 \times 10^0$	$3.55 \times 10^3$

**Table DATA-F-B-28. WIPP Disposal Radionuclide Inventory Comparison, 1995 to 2001, RH-TRU Waste — Continued<sup>1</sup>**

<i>Radionuclide</i>	<i>RH-TRU Waste Curies, 2001</i>	<i>RH-TRU Waste Curies, 1995</i>	<i>delta</i>	<i>% change</i>
<sup>225</sup> Ra	$3.69 \times 10^{-2}$	$1.17 \times 10^{-1}$	$-8.01 \times 10^{-2}$	$-6.85 \times 10^1$
<sup>226</sup> Ra	$1.38 \times 10^{-6}$	$3.58 \times 10^{-5}$	$-3.44 \times 10^{-5}$	$-9.61 \times 10^1$
<sup>228</sup> Ra	$1.69 \times 10^{-1}$	$7.77 \times 10^{-2}$	$9.13 \times 10^{-2}$	$1.18 \times 10^2$
<sup>106</sup> Rh	$6.79 \times 10^{-2}$	$1.09 \times 10^1$	$-1.08 \times 10^1$	$-9.94 \times 10^1$
<sup>219</sup> Rn	$3.95 \times 10^{-6}$	$7.58 \times 10^{-4}$	$-7.54 \times 10^{-4}$	$-9.95 \times 10^1$
<sup>220</sup> Rn	$2.69 \times 10^0$	$7.36 \times 10^{-2}$	$2.62 \times 10^0$	$3.55 \times 10^3$
<sup>222</sup> Rn	$1.36 \times 10^{-6}$	$3.58 \times 10^{-5}$	$-3.44 \times 10^{-5}$	$-9.62 \times 10^1$
<sup>106</sup> Ru	$6.79 \times 10^{-2}$	$1.09 \times 10^1$	$-1.08 \times 10^1$	$-9.94 \times 10^1$
<sup>125</sup> Sb	$4.38 \times 10^0$	$1.89 \times 10^0$	$2.49 \times 10^0$	$1.32 \times 10^2$
<sup>126</sup> Sb	$4.17 \times 10^{-5}$	$3.16 \times 10^{-5}$	$1.01 \times 10^{-5}$	$3.20 \times 10^1$
<sup>126m</sup> Sb	$2.98 \times 10^{-4}$	$2.25 \times 10^{-4}$	$7.30 \times 10^{-5}$	$3.24 \times 10^1$
<sup>79</sup> Se	$4.46 \times 10^{-2}$	$1.02 \times 10^{-4}$	$4.45 \times 10^{-2}$	$4.36 \times 10^4$
<sup>147</sup> Sm	$6.89 \times 10^{-9}$	NR	$6.89 \times 10^{-9}$	$0.00 \times 10^0$
<sup>151</sup> Sm	$5.80 \times 10^2$	$3.57 \times 10^{-1}$	$5.80 \times 10^2$	$1.62 \times 10^5$
<sup>119m</sup> Sn	NR	$9.59 \times 10^{-7}$	$-9.59 \times 10^{-7}$	$-1.00 \times 10^2$
<sup>121m</sup> Sn	$5.15 \times 10^{-4}$	$6.69 \times 10^{-3}$	$-6.18 \times 10^{-3}$	$-9.23 \times 10^1$
<sup>126</sup> Sn	$2.98 \times 10^{-4}$	$2.25 \times 10^{-4}$	$7.30 \times 10^{-5}$	$3.24 \times 10^1$
<sup>90</sup> Sr	$2.46 \times 10^5$	$2.09 \times 10^5$	$3.70 \times 10^4$	$1.77 \times 10^1$
<sup>182</sup> Ta	NR	$4.21 \times 10^{-8}$	$-4.21 \times 10^{-8}$	$-1.00 \times 10^2$
<sup>99</sup> Tc	$1.59 \times 10^2$	$5.85 \times 10^{-3}$	$1.59 \times 10^2$	$2.72 \times 10^6$
<sup>123</sup> Te	NR	NR	$0.00 \times 10^0$	$0.00 \times 10^0$
<sup>123m</sup> Te	NR	NR	$0.00 \times 10^0$	$0.00 \times 10^0$
<sup>125m</sup> Te	$1.06 \times 10^0$	$4.65 \times 10^{-1}$	$5.95 \times 10^{-1}$	$1.28 \times 10^2$
<sup>127</sup> Te	NR	$1.71 \times 10^{-9}$	$-1.71 \times 10^{-9}$	$-1.00 \times 10^2$
<sup>127m</sup> Te	NR	$1.75 \times 10^{-9}$	$-1.75 \times 10^{-9}$	$-1.00 \times 10^2$
<sup>227</sup> Th	$3.89 \times 10^{-6}$	$7.47 \times 10^{-4}$	$-7.43 \times 10^{-4}$	$-9.95 \times 10^1$
<sup>228</sup> Th	$2.72 \times 10^0$	$7.36 \times 10^{-2}$	$2.65 \times 10^0$	$3.60 \times 10^3$
<sup>229</sup> Th	$3.69 \times 10^{-2}$	$1.17 \times 10^{-1}$	$-8.01 \times 10^{-2}$	$-6.85 \times 10^1$
<sup>230</sup> Th	$3.76 \times 10^{-4}$	$7.56 \times 10^{-3}$	$-7.18 \times 10^{-3}$	$-9.50 \times 10^1$
<sup>231</sup> Th	$5.23 \times 10^{-2}$	$4.63 \times 10^0$	$-4.58 \times 10^0$	$-9.89 \times 10^1$
<sup>232</sup> Th	$2.81 \times 10^{-1}$	$9.25 \times 10^{-2}$	$1.89 \times 10^{-1}$	$2.04 \times 10^2$
<sup>234</sup> Th	$2.17 \times 10^0$	$1.05 \times 10^1$	$-8.33 \times 10^0$	$-7.93 \times 10^1$
<sup>207</sup> Tl	$3.93 \times 10^{-6}$	$7.56 \times 10^{-4}$	$-7.52 \times 10^{-4}$	$-9.95 \times 10^1$
<sup>208</sup> Tl	$9.71 \times 10^{-1}$	$2.65 \times 10^{-2}$	$9.45 \times 10^{-1}$	$3.56 \times 10^3$
<sup>209</sup> Tl	$8.10 \times 10^{-4}$	$2.53 \times 10^{-3}$	$-1.72 \times 10^{-3}$	$-6.80 \times 10^1$
<sup>232</sup> U	$2.53 \times 10^0$	NR	$2.53 \times 10^0$	$0.00 \times 10^0$



**Table DATA-F-B-28. WIPP Disposal Radionuclide Inventory Comparison, 1995 to 2001, RH-TRU Waste — Continued<sup>1</sup>**

<i>Radionuclide</i>	<i>RH-TRU Waste Curies, 2001</i>	<i>RH-TRU Waste Curies, 1995</i>	<i>delta</i>	<i>% change</i>
<sup>233</sup> U	$3.41 \times 10^1$	$1.58 \times 10^2$	$-1.24 \times 10^2$	$-7.84 \times 10^1$
<sup>234</sup> U	$2.17 \times 10^1$	$4.27 \times 10^1$	$-2.10 \times 10^1$	$-4.92 \times 10^1$
<sup>235</sup> U	$9.42 \times 10^{-1}$	$4.63 \times 10^0$	$-3.69 \times 10^0$	$-7.97 \times 10^1$
<sup>236</sup> U	$1.42 \times 10^0$	$9.68 \times 10^{-2}$	$1.32 \times 10^0$	$1.37 \times 10^3$
<sup>237</sup> U	$1.75 \times 10^{-2}$	$3.48 \times 10^0$	$-3.46 \times 10^0$	$-9.95 \times 10^1$
<sup>238</sup> U	$1.30 \times 10^2$	$1.05 \times 10^1$	$1.20 \times 10^2$	$1.14 \times 10^3$
<sup>240</sup> U	$1.09 \times 10^{-3}$	$2.21 \times 10^{-11}$	$1.09 \times 10^{-3}$	$4.93 \times 10^9$
<sup>90</sup> Y	$2.43 \times 10^5$	$2.09 \times 10^5$	$3.40 \times 10^4$	$1.63 \times 10^1$
<sup>91</sup> Y	$8.11 \times 10^{-13}$	NR	$8.11 \times 10^{-13}$	$0.00 \times 10^0$
<sup>65</sup> Zn	NR	NR	$0.00 \times 10^0$	$0.00 \times 10^0$
<sup>93</sup> Zr	$3.39 \times 10^{-1}$	$1.32 \times 10^{-3}$	$3.38 \times 10^{-1}$	$2.56 \times 10^4$
<sup>95</sup> Zr	$3.43 \times 10^{-14}$	$3.02 \times 10^{-1}$	$-3.02 \times 10^{-1}$	$-1.00 \times 10^2$
<b>Total:</b>	$1.33 \times 10^6$	$1.02 \times 10^6$	$3.12 \times 10^5$	$3.06 \times 10^1$

-NR Not Reported

-2001 Decayed through 12/31/01

-1995 Decayed through 12/31/95

-Total curies estimated by assuming a volume of (168,485 m<sup>3</sup>) for CH-TRU waste and (7,079 m<sup>3</sup>) of RH-TRU waste

<i>Most Abundant Radionuclides</i>	<i>RH-TRU Waste Activity (Ci)</i>
<sup>137m</sup> Ba	$3.36 \times 10^5$
<sup>137</sup> Cs	$3.65 \times 10^5$
<sup>241</sup> Pu	$1.12 \times 10^5$
<sup>90</sup> Sr	$2.46 \times 10^5$
<sup>90</sup> Y	$2.43 \times 10^5$
<b>Total</b>	$1.30 \times 10^6$
<b>Percent of Total</b>	$9.76 \times 10^1$

<sup>1</sup> See Page 33 for discussion.

**REFERENCES**

- 1
- 2 *Central Characterization Project (CCP). 2003a. Central Characterization Project Acceptable*  
3 *Knowledge Summary Report for Savannah River Site Waste Steams: SRW027-221F-Het-A,*  
4 *Het-C-D, Het-E. CCP-AK-SRS-1, Revision 10, Carlsbad, New Mexico: Central*  
5 *Characterization Project Office.*
- 6 *Central Characterization Project (CCP). 2003b. Central Characterization Project Acceptable*  
7 *Knowledge Summary Report For Savannah River Site SR-W027-FB-Pre86-C. CCP-AK-SRS-*  
8 *2, Revision 4, Carlsbad, New Mexico: Central Characterization Project Office.*
- 9 *Central Characterization Project (CCP). 2003c. Central Characterization Project Acceptable*  
10 *Knowledge Summary Report for Savannah River Site Waste Steams: SR-W026-221F-Het-A,*  
11 *SR-W026-221F-Het, SR-W026-221F-HOM, SR-W026-221F-HEPA. CCP-AK-SRS-3,*  
12 *Revision 2, Carlsbad, New Mexico: Central Characterization Project Office.*
- 13 *Central Characterization Project (CCP). 2003d. Central Characterization Project Acceptable*  
14 *Knowledge Summary Report for Savannah River Site Waste Steams: SR-W027-221H-HET,*  
15 *SR-W026-221H-HET-A, SR-W026-221H-HET-B, SR-W027-221H-HEPA, SR-T001-221H-*  
16 *HEPA, SR-W027-HBL-Box. CCP-AK-SRS-4, Revision 2, Carlsbad, New Mexico: Central*  
17 *Characterization Project Office.*
- 18 *Department of Energy (DOE). 1995. Transuranic Waste Baseline Inventory Report, Revision*  
19 *2, DOE/CAO-95-1121, December 1995.*
- 20 *Department of Energy (DOE). 1996. Transuranic Waste Baseline Inventory Report, Revision*  
21 *3, DOE/CAO-95-1121, June 1996.*
- 22 *Department of Energy (DOE). 2002. Contact-Handled Transuranic Waste Acceptance Criteria*  
23 *for the Waste Isolation Pilot Plant, Revision 0, DOE/WIPP-02-3122, May 17, 2002.*
- 24 *Environmental Protection Agency (EPA). 1998. "Criteria for the Certification and*  
25 *Recertification of the Waste Isolation Pilot Plant's Compliance with the Disposal Regulations:*  
26 *Certification Decision: EPA Final Rule." Federal Register 63:27353-27406, May 18, 1998,*  
27 *Radiation Protection Division, Washington, D.C.*
- 28 *Los Alamos National Laboratory (LANL). 2003. Transuranic Waste Baseline Inventory*  
29 *Database, Revision 2.1, Version 3.12, Data Version 0.4.09, ERMS# 526293. Carlsbad, NM:*  
30 *Los Alamos National Laboratory.*

31