

**ATTACHMENT C**  
**WASTE ANALYSIS PLAN**

(This page intentionally blank)

**ATTACHMENT C**  
**WASTE ANALYSIS PLAN**

**TABLE OF CONTENTS**

C-0	Introduction and Attachment Highlights .....	1
C-0a	Waste Characterization .....	2
C-0b	AK Sufficiency Determination .....	5
C-0c	Waste Stream Profile Form Completion .....	7
C-0d	Waste Confirmation .....	7
C-1	Identification of TRU Mixed Waste to be Managed at the WIPP Facility .....	7
C-1a	Waste Stream Identification .....	7
C-1b	Waste Summary Category Groups and Hazardous Waste Accepted at the WIPP Facility .....	8
C-1c	Waste Prohibited at the WIPP Facility .....	8
C-1d	Control of Waste Acceptance .....	9
C-1e	Waste Generating Processes at the WIPP Facility .....	10
C-2	Waste Characterization Program Requirements and Waste Characterization Parameters .....	10
C-3	Generator Waste Characterization Methods .....	11
C-3a	Acceptable Knowledge .....	12
C-3b	Radiography and Visual Examination .....	12
C-4	Data Verification and Quality Assurance .....	13
C-4a	Data Generation and Project Level Verification Requirements .....	13
C-4a(1)	Data Quality Objectives .....	13
C-4a(2)	Quality Assurance Objectives .....	14
C-4a(3)	Data Generation .....	15
C-4a(4)	Data Verification .....	15
C-4a(5)	Data Transmittal .....	15
C-4a(6)	Records Management .....	15
C-5	Permittee Level Waste Screening and Verification of TRU Mixed Waste .....	16
C-5a	Phase I Waste Stream Screening and Verification .....	16
C-5a(1)	WWIS Description .....	18
C-5a(2)	Examination of the Waste Stream Profile Form and Container Data Checks .....	19
C-5a(3)	Audit and Surveillance Program .....	20
C-5b	Phase II Waste Shipment Screening and Verification .....	21
C-5b(1)	Examination of the EPA Uniform Hazardous Waste Manifest and Associated Waste Tracking Information .....	22
C-5b(2)	Examination of the Land Disposal Restriction (LDR) Notice .....	23
C-5b(3)	Verification .....	24
C-6	Permittees' Waste Shipment Screening QA/QC .....	24
C-7	Records Management and Reporting .....	24
C-7a	General Requirements .....	25
C-7b	Records Storage .....	26

C-8 Reporting.....26  
C-9 List of References .....27

## LIST OF TABLES

<b>Table</b>	<b>Title</b>
Table C-1	Summary of Parameters, Characterization Methods, and Rationale for Transuranic Mixed Waste
Table C-2	Required Program Records Maintained in Generator/Storage Site Project Files
Table C-3	WIPP Waste Information System Data Fields <sup>a</sup>
Table C-4	Waste Tanks Subject to Exclusion
Table C-5	Listing of Permitted Hazardous Waste Numbers

## LIST OF FIGURES

<b>Figure</b>	<b>Title</b>
Figure C-1	WIPP Waste Stream Profile Form (Example Only)
Figure C-2	Waste Characterization Process
Figure C-3	TRU Mixed Waste Screening and Verification

(This page intentionally blank)

## ATTACHMENT C

### WASTE ANALYSIS PLAN

#### C-0 Introduction and Attachment Highlights

This waste analysis plan (**WAP**) has been prepared for management, storage, or disposal activities to be conducted at the Waste Isolation Pilot Plant (**WIPP**) facility to meet requirements set forth in 20.4.1.500 NMAC (incorporating 40 CFR §264.13). Guidance in the most recent U.S. Environmental Protection Agency (**EPA**) manual on waste analysis has been incorporated into the preparation of this WAP (EPA, 1994). This WAP includes test methods and details of planned waste analysis for complying with the general waste analysis requirements of 20.4.1.500 NMAC (incorporating 40 CFR §264.13), a description of the waste shipment screening and verification process, and a description of the quality assurance (**QA**)/quality control (**QC**) program. Before the Permittees manage, store, or dispose transuranic (**TRU**) mixed waste from a generator/storage site (**site**), the Permittees shall require that site to implement the applicable requirements of this WAP.

TRU mixed waste that may be stored or disposed at WIPP are or were generated at U.S. Department of Energy (**DOE**) generator/storage sites by various specific processes and activities. Examples of the major types of operations that generate this waste include:

- **Production of Nuclear Products**—Production of nuclear products includes reactor operation, radionuclide separation/finishing, and weapons fabrication and manufacturing. The majority of the TRU mixed waste was generated by weapons fabrication and radionuclide separation/finishing processes. More specifically, wastes consist of residues from chemical processes, air and liquid filtration, casting, machining, cleaning, product quality sampling, analytical activities, and maintenance and refurbishment of equipment and facilities.
- **Plutonium Recovery**—Plutonium recovery wastes are residues from the recovery of plutonium-contaminated molds, metals, glass, plastics, rags, salts used in electrorefining, precipitates, firebrick, soot, and filters.
- **Research and Development (R&D)**—R&D projects include a variety of hot cell or glovebox activities that often simulate full-scale operations described above, producing similar TRU mixed wastes. Other types of R&D projects include metallurgical research, actinide separations, process demonstrations, and chemical and physical properties determinations.
- **Decontamination and Decommissioning**—Facilities and equipment that are no longer needed or usable are decontaminated and decommissioned, resulting in TRU mixed wastes consisting of scrap materials, cleaning agents, tools, piping, filters, Plexiglas™, gloveboxes, concrete rubble, asphalt, cinder blocks, and other building materials. These materials are expected to be the largest category by volume of TRU mixed waste to be generated in the future.

TRU mixed waste contains both TRU radioactive and hazardous components, as defined in Permit Section 1.5.7. It is designated and separately packaged as either contact-handled (**CH**)

1 or remote-handled (**RH**), based on the radiological dose rate at the surface of the waste  
2 container.

3 The hazardous components of the TRU mixed waste to be managed at the WIPP facility are  
4 designated in Table C-5. Some of the waste may also be identified by unique state hazardous  
5 waste codes or numbers. These wastes are acceptable at WIPP as long as the Treatment,  
6 Storage, and Disposal Facility Waste Acceptance Criteria (**TSDF-WAC**) in Part 2 are met. This  
7 WAP describes the measures that will be taken to ensure that the TRU mixed wastes received  
8 at the WIPP facility are within the scope of Table C-5 as established by 20.4.1.500 NMAC  
9 (incorporating 40 CFR §264), and that they comply with unit-specific requirements of 20.4.1.500  
10 NMAC (incorporating 40 CFR §264.600), Miscellaneous Units

11 Some TRU mixed waste is retrievably stored at the DOE generator/storage sites. Additional  
12 TRU mixed waste will be generated and packaged into containers at these generator/storage  
13 sites in the future. TRU mixed waste will be retrieved from storage areas at a DOE  
14 generator/storage site. Retrievably stored waste is defined as TRU mixed waste generated after  
15 1970 and before the New Mexico Environment Department (**NMED**) notifies the Permittees, by  
16 approval of the final audit report, that the characterization requirements of the WAP at a  
17 generator/storage site have been implemented. Newly generated waste is defined as TRU  
18 mixed waste generated after NMED approves the final audit report for a generator/storage site.  
19 Acceptable knowledge (**AK**) information is assembled for both retrievably stored and newly  
20 generated waste. Waste characterization of retrievably stored TRU mixed waste will be  
21 performed on an ongoing basis, as the waste is retrieved. Waste characterization of newly  
22 generated TRU mixed waste is typically performed as it is generated, although some  
23 characterization occurs post-generation.

24 Waste characterization is defined in Part 1 as the activities performed by the waste generator to  
25 satisfy the general waste analysis requirements of 20.4.1.500 NMAC (incorporating 40 CFR  
26 §264.13(a)) before waste containers have been certified for disposal at WIPP. The  
27 characterization process for WIPP waste is presented in Figure C-2. Generator site waste  
28 characterization programs are first audited by DOE, with NMED approving the final audit report.  
29 After this, generator sites determine whether AK alone is sufficient for characterization, or  
30 whether radiography or VE in conjunction with AK is necessary to adequately characterize  
31 wastes. If an AK Sufficiency Determination is sought, information is provided to the Permittees  
32 for their review and DOE's provisional approval; NMED determination of adequacy of the AK  
33 information is required before final approval by DOE. If the radiography or VE route is chosen,  
34 sites proceed to perform radiography or VE in conjunction with AK and in accordance with this  
35 WAP. Once an AK Sufficiency Determination is obtained, or when required radiography or VE  
36 data are obtained, sites would then prepare and submit the Waste Stream Profile Form for  
37 DOE's approval. Once the WSPF is approved, a site may ship waste to WIPP. The Permittees  
38 will perform waste confirmation prior to shipment of the waste from the generator/storage site to  
39 WIPP pursuant to Permit Attachment C7, by performing radiography or visual examination of a  
40 representative subpopulation of certified waste containers, to ensure that the wastes meet the  
41 applicable requirements of the TSDF-WAC.

#### 42 C-0a Waste Characterization

43 Characterization requirements for individual containers of TRU mixed waste are specified on a  
44 waste stream basis. A waste stream is defined as waste materials that have common physical  
45 form, that contain similar hazardous constituents, and that are generated from a single process



1 or activity. Waste streams are grouped by Waste Matrix Code Groups related to the physical  
2 and chemical properties of the waste. Generator/storage sites shall use the characterization  
3 techniques described in this WAP to assign appropriate Waste Matrix Code Groups to waste  
4 streams for WIPP disposal. The Waste Matrix Code Groups are solidified inorganics, solidified  
5 organics, salt waste, soils, lead/cadmium metal, inorganic nonmetal waste, combustible waste,  
6 graphite, filters, heterogeneous debris waste, and uncategorized metal. Waste Matrix Code  
7 Groups can be grouped into three Summary Category groups: Homogeneous Solids (Summary  
8 Category S3000), Soil/Gravel (Summary Category S4000), and Debris Waste (Summary  
9 Category S5000).

10 TRU mixed wastes are initially categorized into the three broad Summary Category Groups that  
11 are related to the final physical form of the wastes. This categorization is based on the  
12 Summary Category Group constituting the greatest volume of waste for a waste stream. Waste  
13 characterization requirements for these groups are specified in Section C-2 of this WAP. Each  
14 of the three groups is described below.

#### 15 S3000 - Homogeneous Solids

16 Homogeneous solids are defined as solid materials, excluding soil, that do not meet the  
17 NMED criteria for classification as debris (20.4.1.800 NMAC (incorporating 40 CFR  
18 §268.2[g] and [h])). Included in the series of homogeneous solids are inorganic process  
19 residues, inorganic sludges, salt waste, and pyrochemical salt waste. Other waste streams  
20 are included in this Summary Category Group based on the specific waste stream types  
21 and final waste form. This Summary Category Group is expected to contain toxic metals  
22 and spent solvents. This category includes wastes that are at least 50 percent by volume  
23 homogeneous solids.

#### 24 S4000 - Soils/Gravel

25 This Summary Category Group includes S4000 waste streams that are at least 50 percent  
26 by volume soil/gravel. This Summary Category Group is expected to contain toxic metals.

#### 27 S5000 - Debris Wastes

28 This Summary Category Group includes heterogeneous waste that is at least 50 percent  
29 by volume materials that meet the criteria specified in 20.4.1.800 NMAC (incorporating 40  
30 CFR §268.2 (g)). Debris means solid material exceeding a 2.36 inch (in.) (60 millimeter)  
31 particle size that is intended for disposal and that is:

- 32 1. a manufactured object, or
- 33 2. plant or animal matter, or
- 34 3. natural geologic material.

35 Particles smaller than 2.36 inches in size may be considered debris if the debris is a  
36 manufactured object and if it is not a particle of S3000 or S4000 material.

37 The most common hazardous constituents in the TRU mixed waste to be managed in the WIPP  
38 facility consist of the following:

#### 39 Metals

40 Some of the TRU mixed waste to be emplaced in the WIPP facility contains metals for  
41 which 20.4.1.200 NMAC (incorporating 40 CFR §261.24), toxicity characteristics were

1 established (EPA hazardous waste numbers D004 through D011). Cadmium, chromium,  
2 lead, mercury, selenium, and silver are present in discarded tools and equipment,  
3 solidified sludges, cemented laboratory liquids, and waste from decontamination and  
4 decommissioning activities. A large percentage of the waste consists of lead-lined  
5 gloveboxes, leaded rubber gloves and aprons, lead bricks and piping, lead tape, and other  
6 lead items. Lead, because of its radiation-shielding applications, is the most prevalent  
7 toxicity-characteristic metal present.

#### 8 Halogenated Volatile Organic Compounds

9 Some of the TRU mixed waste to be emplaced in the WIPP facility contains spent  
10 halogenated volatile organic compound (**VOC**) solvents identified in 20.4.1.200 NMAC  
11 (incorporating 40 CFR, §261.31) (EPA hazardous waste numbers F001 through F005).  
12 Tetrachloroethylene; trichloroethylene; methylene chloride; carbon tetrachloride; 1,1,1-  
13 trichloroethane; and 1,1,2-trichloro-1,2,2-trifluoroethane (EPA hazardous waste numbers  
14 F001 and F002) are the most prevalent halogenated organic compounds identified in TRU  
15 mixed waste that may be managed at the WIPP facility during the Disposal Phase. These  
16 compounds are commonly used to clean metal surfaces prior to plating, polishing, or  
17 fabrication; to dissolve other compounds; or as coolants. Because they are highly volatile,  
18 only small amounts typically remain on equipment after cleaning or, in the case of treated  
19 wastewaters, in the sludges after clarification and flocculation. Radiolysis may also  
20 generate halogenated volatile organic compounds.

#### 21 Nonhalogenated Volatile Organic Compounds

22 Xylene, methanol, and n-butanol are the most prevalent nonhalogenated VOCs in TRU  
23 mixed waste that may be managed at the WIPP facility during the Disposal Phase. Like  
24 the halogenated VOCs, they are used as degreasers and solvents and are similarly  
25 volatile. The same analytical methods that are used for halogenated VOCs are used to  
26 detect the presence of nonhalogenated VOCs. Radiolysis may also generate non-  
27 halogenated volatile organic compounds.

28 The generator/storage sites shall characterize their waste in accordance with this WAP and  
29 associated Permit Attachments, and ensure that waste proposed for storage and disposal at  
30 WIPP meets the applicable requirements of the TSDF-WAC in Part 2. The generator/storage  
31 site shall assemble the Acceptable Knowledge (**AK**) information into an auditable record<sup>1</sup> for the  
32 waste stream as described in Permit Attachment C4. For those waste streams with an approved  
33 AK Sufficiency Determination (see below), radiography or VE per the methods described in  
34 Permit Attachments C1 is not required.

35 All waste characterization activities specified in this WAP and associated Permit Attachments  
36 shall be carried out at generator/storage sites in accordance with this WAP. DOE will audit  
37 generator/storage site waste characterization programs and activities as described in Section C-  
38 3. Waste characterization activities at the generator/storage sites include the following, as  
39 discussed in Section C-3:

---

<sup>1</sup> "Auditable records" mean those records which allow the Permittees to conduct a systematic assessment, analysis, and evaluation of the Permittees' compliance with the WAP and this Permit.

- 1 • Radiography, which is an x-ray technique to determine physical contents of containers
- 2 • Visual examination of opened containers as an alternative way to determine their
- 3 physical contents
- 4 • Compilation of AK documentation into an auditable record

#### 5 C-0b AK Sufficiency Determination

6 Generator/storage sites may submit a request to the Permittees for an AK Sufficiency  
7 Determination (Determination Request) to be exempt from the requirement to perform  
8 radiography or visual examination (VE) based on AK. The contents of the Determination  
9 Request are specified in Permit Attachment C4, Section C4-3d.

10 The Permittees shall evaluate the Determination Request for completeness and technical  
11 adequacy. This evaluation shall include, but not be limited to whether the Determination  
12 Request is technically sufficient for the following:

13 The Determination Request must include all information specified in Permit Attachment  
14 C4, Section C4-3d

15 The AK Summary must identify relevant hazardous constituents, and must correctly  
16 identify all toxicity characteristic and listed hazardous waste numbers.

17 All hazardous waste number assignments must be substantiated by supporting data and, if  
18 not, whether this lack of substantiation compromises the interpretation.

19 Resolution of data discrepancies between different AK sources must be technically correct  
20 and documented.

21 The AK Summary must include all the identification of waste material parameter weights  
22 by percentage of the material in the waste stream, and determinations must be  
23 technically correct.

24 All prohibited items specified in the TSDf-WAC should be addressed, and conclusions  
25 drawn must be technically adequate and substantiated by supporting information.

26 If the AK record includes process control information specified in Permit Attachment C4,  
27 Section C4-3b, the information should include procedures, waste manifests, or other  
28 documentation demonstrating that the controls were adequate and sufficient.

- 29 • The site must provide the supporting information necessary to substantiate technical  
30 conclusions within the Determination Request, and this information must be correctly  
31 interpreted.

32 The Permittees will review the Determination Request for technical adequacy and compliance  
33 with the requirements of the Permit, using trained and qualified individuals in accordance with  
34 standard operating procedures that shall, at a minimum, address all of the technical and  
35 procedural requirements listed above. The Permittees shall resolve comments with the  
36 generator/storage site.

1 If DOE determines that the AK is sufficient, it shall inform the public of the Determination  
2 Request, the Permittees' evaluation of it, and the date and time of a public meeting to provide  
3 information to and solicit comments from interested members of the public regarding the  
4 Determination Request. Notice of the meeting and comment period shall be provided by the  
5 following methods:

- 6 1. Written notice to all individuals on the facility mailing list;
- 7 2. Public notice in area newspapers, including the Carlsbad Current-Argus,  
8 Albuquerque Journal, and Santa Fe New Mexican
- 9 3. Notice on the WIPP Home Page;
- 10 4. E-mail notification as specified in Permit Section 1.11.

11 DOE shall take written comment on the Determination Request for at least 30 days following the  
12 public meeting. DOE shall compile all such comments, including any disagreement between the  
13 DOE and commenters.

14 If DOE provisionally approves the Determination Request, it may forward it along with all  
15 relevant information submitted with the Determination Request to NMED for an evaluation that  
16 the provisional approval made by DOE is adequate. DOE shall also provide to NMED, as a  
17 separate appendix to the Determination Request, the compilation of all comments and DOE's  
18 response to each comment. After submitting a Determination Request to NMED, the Permittees  
19 will post a link to the transmittal letter to NMED on the WIPP Home Page and inform those on  
20 the e-mail notification list as specified in Permit Section 1.11. Based on the results of NMED's  
21 evaluation, the Permittees will notify the generator/storage sites whether the AK information is  
22 sufficient and the Determination Request is approved. DOE will not approve a Determination  
23 Request that NMED has determined to be inadequate unless the generator/storage site  
24 resolves the inadequacies and provides the resolution to NMED for evaluation of adequacy.  
25 Should the inadequacies not be resolved to NMED's satisfaction, DOE shall not submit a  
26 Determination Request for the same waste stream at a later date. DOE shall not submit a  
27 Determination Request if a previous Determination Request is pending evaluation by NMED.

28 In the event DOE disagrees, in whole or in part, with an evaluation performed by NMED  
29 resulting in a determination by NMED that DOE's provisional approval for a particular waste  
30 stream is inadequate, DOE may seek dispute resolution. The dispute resolution process is  
31 specified in Part 1. The Secretary's final decision under Permit Section 1.16.4 shall constitute a  
32 final agency action.

33 By July 1 of each year, the Permittees shall submit to NMED a list of waste streams the  
34 Permittees may submit for an AK Sufficiency Determination during the upcoming federal fiscal  
35 year. The Permittees will post a link to the transmittal letter to NMED and announce a public  
36 meeting to discuss the list with interested members of the public on the WIPP Home Page and  
37 inform those on the e-mail notification list as specified in Permit Section 1.11.

38 If a generator/storage site does not submit a Determination Request, or if DOE does not  
39 approve a Determination Request, or if NMED finds that DOE's provisional approval of a  
40 Determination Request is inadequate, the generator/storage site shall perform radiography or  
41 VE on 100% of the containers in a waste stream.

1 If a generator/storage site submits a Determination Request, DOE provisionally approves the  
2 Determination Request and NMED finds that DOE's provisional approval is adequate, neither  
3 radiography nor VE of the waste stream is required.

#### 4 C-0c Waste Stream Profile Form Completion

5 After a complete AK record has been compiled and either a Determination Request has been  
6 approved by DOE or the generator/storage site has completed the applicable testing  
7 requirements specified in Permit Attachments C1 the generator/storage site will complete a  
8 Waste Stream Profile Form (**WSPF**) and Characterization Information Summary (**CIS**). The  
9 requirements for the completion of a WSPF and a CIS are specified in Permit Attachment C3,  
10 Sections C3-6b(1) and C3-6b(2) respectively.

11 The WSPF and the CIS for the waste stream resulting from waste characterization activities  
12 shall be transmitted to the Permittees, who shall review them for completeness, and screen  
13 them for acceptance prior to loading any TRU mixed waste into the Contact-Handled or  
14 Remote-Handled Packaging at the generator facility, as described in Section C-4. The review  
15 and approval process will ensure that the submitted waste analysis information is sufficient to  
16 meet the Data Quality Objectives (**DQOs**) for AK in Section C-4a(1) and allow the Permittees to  
17 demonstrate compliance with the requirements of this WAP. Only TRU mixed waste and TRU  
18 waste that has been characterized in accordance with this WAP and that meets the **TSDF-WAC**  
19 specified in this Permit will be accepted at the WIPP facility for disposal in a permitted  
20 Underground Hazardous Waste Disposal Unit (**HWDU**). DOE will approve and provide NMED  
21 with copies of the approved WSPF and accompanying CIS prior to waste stream shipment.  
22 Upon notification of DOE's approval of the WSPF, the generator/storage site may be authorized  
23 to ship waste to WIPP.

24 In the event the Permittees request detailed information on a waste stream, the site will provide  
25 a Waste Stream Characterization Package (Section C3-6b(2)). For each waste stream, this  
26 package will include the WSPF, the CIS, and the complete AK summary. The Waste Stream  
27 Characterization Package will also include specific Batch Data Reports (**BDRs**) and raw data  
28 associated with waste container characterization as requested by the Permittees.

#### 29 C-0d Waste Confirmation

30 The Permittees will perform waste confirmation on a representative subpopulation of each  
31 waste stream shipment after certification and prior to shipment pursuant to Permit Attachment  
32 C7. The Permittees will use radiography, review of radiography audio/video recordings, **VE**, or  
33 review of VE records (e.g., VE data sheets or packaging logs) to examine at least 7 percent of  
34 each waste stream shipment to confirm that the waste does not contain ignitable, corrosive, or  
35 reactive waste. Waste confirmation will be performed by the Permittees prior to shipment of the  
36 waste from the generator/storage site to WIPP.

#### 37 C-1 Identification of TRU Mixed Waste to be Managed at the WIPP Facility

##### 38 C-1a Waste Stream Identification

39 TRU mixed waste destined for disposal at WIPP will be characterized on a waste stream basis.  
40 Generator/storage sites will delineate waste streams using acceptable knowledge. Required  
41 acceptable knowledge is specified in Section C-3a and Permit Attachment C4.

1 C-1b Waste Summary Category Groups and Hazardous Waste Accepted at the WIPP Facility

2 Once a waste stream has been delineated, generator/storage sites will assign a Waste Matrix  
3 Code to the waste stream based on the physical form of the waste. Waste streams are then  
4 assigned to one of three broad Summary Category Groups; S3000-Homogeneous Solids,  
5 S4000-Soils/Gravel, and S5000-Debris Wastes. These Summary Category Groups are used to  
6 determine further characterization requirements.

7 The Permittees will only allow generators to ship those TRU mixed waste streams with EPA  
8 hazardous waste numbers listed in Table C-5. Some of the waste may also be identified by  
9 unique state hazardous waste codes or numbers. These wastes are acceptable at WIPP as  
10 long as the TSDF-WAC are met. The Permittees will require sites to perform characterization of  
11 all waste streams as required by this WAP. If during the characterization process, new EPA  
12 hazardous waste numbers are identified, those wastes will be prohibited for disposal at the  
13 WIPP facility until a permit modification has been submitted to and approved by NMED for these  
14 new EPA hazardous waste numbers. Similar waste streams at other generator/storage sites will  
15 be examined by the Permittees to ensure that the newly identified EPA hazardous waste  
16 numbers do not apply to those similar waste streams. If the other waste streams also require  
17 new EPA hazardous waste numbers, shipment of these similar waste streams will also be  
18 prohibited for disposal until a permit modification has been submitted to and approved by  
19 NMED.

20 C-1c Waste Prohibited at the WIPP Facility

21 The following TRU mixed waste are prohibited at the WIPP facility:

- 22 • liquid waste is not acceptable at WIPP. Liquid in the quantities delineated below is  
23 acceptable:
  - 24 – Observable liquid shall be no more than 1 percent by volume of the outermost  
25 container at the time of radiography or visual examination
  - 26 – Internal containers with more than 60 milliliters or 3 percent by volume observable  
27 liquid, whichever is greater, are prohibited
  - 28 – Containers with Hazardous Waste Number U134 assigned shall have no  
29 observable liquid
  - 30 – Overpacking the outermost container that was examined during radiography or  
31 visual examination or redistributing untreated liquid within the container shall not be  
32 used to meet the liquid volume limits
- 33 • non-radionuclide pyrophoric materials, such as elemental potassium
- 34 • hazardous wastes not occurring as co-contaminants with TRU mixed wastes (non-  
35 mixed hazardous wastes)
- 36 • wastes incompatible with backfill, seal and panel closures materials, container and  
37 packaging materials, shipping container materials, or other wastes

- 1 • wastes containing explosives or compressed gases
- 2 • wastes with polychlorinated biphenyls (PCBs) not authorized under an EPA PCB  
3 waste disposal authorization
- 4 • wastes exhibiting the characteristic of ignitability, corrosivity, or reactivity (EPA  
5 Hazardous Waste Numbers of D001, D002, or D003)
- 6 • waste that has ever been managed as high-level waste and waste from tanks specified  
7 in Table C-4, unless specifically approved through a Class 3 permit modification
- 8 • any waste container from a waste stream (or waste stream lot) which has not  
9 undergone either radiographic or visual examination of a statistically representative  
10 subpopulation of the waste stream in each shipment, pursuant to Permit Attachment  
11 C7
- 12 • any waste container from a waste stream which has not been preceded by an  
13 appropriate, certified WSPF (see Section C-1d)

14 Before accepting a container holding TRU mixed waste, the Permittees will perform waste  
15 confirmation activities pursuant to Permit Attachment C7 on each waste stream shipment to  
16 confirm that the waste does not contain ignitable, corrosive, or reactive waste and the assigned  
17 EPA hazardous waste numbers are allowed for storage and disposal by this Permit. Waste  
18 confirmation activities will be performed on at least 7 percent of each waste stream shipped,  
19 equating to examination of at least one of fourteen containers in each waste stream shipment. If  
20 a waste stream shipment contains fewer than fourteen containers, one container will be  
21 examined to satisfy waste confirmation requirements. Section C-4 and Permit Attachment C7  
22 include descriptions of the waste confirmation processes that the Permittees will conduct prior to  
23 receiving a shipment at the WIPP facility.

24 Containers are vented through filters, allowing any gases that are generated by radiolytic and  
25 microbial processes within a waste container to escape, thereby preventing over pressurization  
26 or development of conditions within the container that would lead to the development of  
27 ignitable, corrosive, reactive, or other characteristic wastes.

28 To ensure the integrity of the WIPP facility, waste streams identified to contain incompatible  
29 materials or materials incompatible with waste containers cannot be shipped to WIPP unless  
30 they are treated to remove the incompatibility. Only those waste streams that are compatible or  
31 have been treated to remove incompatibilities will be shipped to WIPP.

#### 32 C-1d Control of Waste Acceptance

33 Every waste stream shipped to WIPP shall be preceded by a WSPF (Figure C-1) and a CIS.  
34 The required WSPF information and the CIS elements are found in Section C3-6b(1) and  
35 Section C3-6b(2).

36 Generator/storage sites will provide the WSPF to the Permittees for each waste stream prior to  
37 its acceptance for disposal at WIPP. The WSPF and the CIS will be transmitted to the  
38 Permittees for each waste stream from a generator/storage site. If continued waste  
39 characterization reveals discrepancies that identify different hazardous waste numbers or

1 indicates that the waste belongs to a different waste stream, the waste will be redefined to a  
2 separate waste stream and a new WSPF submitted. Generator/storage sites will develop criteria  
3 to determine the specific circumstances under which a WSPF is revised versus when a new  
4 WSPF is required. These criteria will be evaluated by DOE during site audits (Attachment C6).

5 The Permittees are responsible for the review of WSPFs and CISs to verify compliance with the  
6 restrictions on TRU mixed wastes for WIPP disposal. DOE will approve and submit completed  
7 WSPFs to NMED prior to waste stream shipment. The Permittees will be responsible for the  
8 review of shipping records (Section C-5) to ensure that each waste container has been  
9 prepared and characterized in accordance with applicable provisions of this WAP. Waste  
10 characterization data shall ensure the absence of prohibited items specified in Section C-1c.

11 Any time the Permittees request additional information concerning a waste stream, the  
12 generator/storage site will provide a Waste Stream Characterization Package (Section C3-  
13 6b(2)). The option for the Permittees to request additional information ensures that the waste  
14 being offered for disposal is adequately characterized and accurately described on the WSPF.

#### 15 C-1e Waste Generating Processes at the WIPP Facility

16 Waste generated as a result of the waste containers handling and processing activities at the  
17 WIPP facility is termed "derived" waste. Because derived wastes can contain only those RCRA-  
18 regulated materials present in the waste from which they were derived, no additional  
19 characterization of the derived waste is required for disposal purposes. In other words, the  
20 generator/storage site's characterization data and knowledge of the processes at the WIPP  
21 facility will be used to identify and characterize hazardous waste and hazardous constituents in  
22 derived waste. The management of derived waste is addressed in Permit Attachment A1.

#### 23 C-2 Waste Characterization Program Requirements and Waste Characterization Parameters

24 The Permittees shall require the sites to develop the procedure(s) which specify their  
25 programmatic waste characterization requirements. DOE will evaluate the procedures during  
26 audits conducted under the Audit and Surveillance Program (Section C-5a(3)) and may also  
27 evaluate the procedures as part of the review and approval of the WSPF. Sites must notify the  
28 Permittees and obtain DOE approval prior to making data-affecting modifications to procedures  
29 (Permit Attachment C3, Section C3-9). Program procedures shall address the following  
30 minimum elements:

- 31 • Waste characterization and certification procedures for retrievably stored and newly  
32 generated wastes to be sent to the WIPP facility
- 33 • Methods used to ensure prohibited items are documented and managed. These will  
34 include procedures for performing radiography, VE, or treatment, if these methods are  
35 used to ensure prohibited items are not present in the waste prior to shipment of the  
36 waste to WIPP.
- 37 • Identify the organization(s) responsible for compliance with waste characterization and  
38 certification procedures.
- 39 • Identify the oversight procedures and frequency of actions to verify compliance with  
40 waste characterization and certification procedures.



- 1       • Develop training specific to waste characterization and certification procedures.
- 2       • Ensure that personnel may stop work if noncompliance with waste characterization or
- 3       certification procedures is identified.
- 4       • Develop a nonconformance process that complies with the requirements in Permit
- 5       Attachment C3 of the WAP to document and establish corrective actions.
- 6       • As part of the corrective action process, assess the potential time frame of the
- 7       noncompliance, the potentially affected waste population(s), and the reassessment
- 8       and recertification of those wastes.
- 9       • A listing of all approved hazardous waste numbers which are acceptable at WIPP are
- 10      included in Table C-5.

11 For those waste streams or containers that are not amenable to radiography (e.g., RH TRU  
12 mixed waste, direct loaded ten-drum overpacks (**TDOPs**)) for waste confirmation by the  
13 Permittees pursuant to Permit Attachment C7, generator/storage site VE data may be used for  
14 waste acceptance. In those cases, the Permittees will review the generator/storage site VE  
15 procedures to ensure that data sufficient for the Permittees' waste acceptance activities  
16 pursuant to Permit Attachment C7 will be obtained and the procedures meet the minimum  
17 requirements for visual examination specified in Permit Attachment C1, Section C1-1.

18 The following waste characterization parameters shall be obtained from the generator/storage  
19 sites:

- 20       • Determination whether TRU mixed waste streams comply with the applicable
- 21       provisions of the TSDF-WAC
- 22       • Determination whether TRU mixed wastes exhibit a hazardous characteristic
- 23       (20.4.1.200 NMAC, incorporating 40 CFR §261 Subpart C)
- 24       • Determination whether TRU mixed wastes are listed (20.4.1.200 NMAC, incorporating
- 25       40 CFR §261 Subpart D)
- 26       • Estimation of waste material parameter weights

27 Table C-1 provides the parameters of interest for the various constituent groupings and testing  
28 methodologies. The following sections provide a description of the acceptable methods to  
29 evaluate these parameters for each waste Summary Category Group.

### 30 C-3 Generator Waste Characterization Methods

31 The characterization techniques used by generator/storage sites includes acceptable  
32 knowledge and may also include, as necessary, radiography and visual examination. All  
33 characterization activities are performed in accordance with the WAP. Table C-1 provides a  
34 summary of the characterization requirements for TRU mixed waste.

### 1 C-3a Acceptable Knowledge

2 Acceptable knowledge (**AK**) is used in TRU mixed waste characterization activities in five ways:

- 3 • To delineate TRU mixed waste streams
- 4 • To assess whether TRU mixed wastes comply with the TSDF-WAC
- 5 • To assess whether TRU mixed wastes exhibit a hazardous characteristic (20.4.1.200  
6 NMAC, incorporating 40 CFR §261 Subpart C)
- 7 • To assess whether TRU mixed wastes are listed (20.4.1.200 NMAC, incorporating 40  
8 CFR §261 Subpart D)
- 9 • To estimate waste material parameter weights

10 Acceptable knowledge is discussed in detail in Permit Attachment C4, which outlines the  
11 minimum set of requirements and DQOs which shall be met by the generator/storage sites in  
12 order to use acceptable knowledge. In addition, Section C-5a(3) of this permit attachment  
13 describes the assessment of acceptable knowledge through the Audit and Surveillance  
14 Program.

### 15 C-3b Radiography and Visual Examination

16 Radiography and visual examination (**VE**) are nondestructive qualitative and quantitative  
17 techniques used to identify and verify waste container contents as specified in Permit  
18 Attachment C1. Generator/storage sites shall perform radiography or VE of 100 percent of CH  
19 TRU mixed waste containers in waste streams except for those waste streams for which DOE  
20 approves a Determination Request. No RH TRU mixed waste will be shipped to WIPP for  
21 storage or disposal without documentation of radiography or VE of 100 percent of the containers  
22 as specified in Permit Attachment C1. Radiography and/or VE will be used, when necessary, to  
23 examine a waste container to verify the physical form of the waste matches its waste stream  
24 description as determined by AK. These techniques can detect observable liquid in excess of  
25 TSDF-WAC limits and containerized gases, which are prohibited for WIPP disposal. The  
26 prohibition of liquid in excess of TSDF-WAC limits and containerized gases prevents the  
27 shipment of corrosive, ignitable, or reactive wastes. Radiography and/or VE are also able to  
28 verify that the physical form of the waste matches its waste stream description (i.e.  
29 Homogeneous Solids, Soil/Gravel, or Debris Waste [including uncategorized metals]). If the  
30 physical form does not match the waste stream description, the waste will be designated as  
31 another waste stream and assigned the preliminary hazardous waste numbers associated with  
32 that new waste stream assignment. That is, if radiography and/or VE indicates that the waste  
33 does not match the waste stream description arrived at by acceptable knowledge  
34 characterization, a non-conformance report (**NCR**) will be completed and the inconsistency will  
35 be resolved as specified in Permit Attachment C4, and the NCR will be dispositioned as  
36 specified in Permit Attachment C3, Section C3-7. The proper waste stream assignment will be  
37 determined (including preparation of a new WSPF), the correct hazardous waste numbers will  
38 be assigned, and the resolution will be documented. Refer to Permit Attachment C4 for a  
39 discussion of acceptable knowledge and its verification process.

1 For generator/storage sites that use VE, the detection of any liquid in non-transparent internal  
2 containers, detected from shaking the internal container, will be handled by assuming that the  
3 internal container is filled with liquid and adding this volume to the total liquid in the container  
4 being characterized using VE. The container being characterized using VE would be rejected  
5 and/or repackaged to exclude the internal container if it is over the TSDF-WAC limits. When  
6 radiography is used, or visual examination of transparent containers is performed, if any liquid in  
7 internal containers is detected, the volume of liquid shall be added to the total for the container  
8 being characterized using radiography or VE. Radiography, or the equivalent, will be used as  
9 necessary on the existing/stored waste containers to verify the physical characteristics of the  
10 TRU mixed waste correspond with its waste stream identification/waste stream Waste Matrix  
11 Code and to identify prohibited items. Radiographic examination protocols and QA/QC methods  
12 are provided in Permit Attachment C1. Radiography and VE shall be subject to the Audit and  
13 Surveillance Program (Permit Attachment C6).

#### 14 C-4 Data Verification and Quality Assurance

15 The Permittees will ensure that applicable waste characterization processes performed by  
16 generator/storage sites sending TRU mixed waste to the WIPP for disposal meets WAP  
17 requirements through data validation, usability and reporting controls. Verification occurs at  
18 three levels: 1) the data generation level, 2) the project level, and 3) the Permittee level. The  
19 validation and verification process and requirements at each level are described in Permit  
20 Attachment C3, Section C3-4. The validation and verification process at the Permittee Level is  
21 also described in Section C-5.

#### 22 C-4a Data Generation and Project Level Verification Requirements

##### 23 C-4a(1) Data Quality Objectives

24 The waste characterization data obtained through WAP implementation will be used to ensure  
25 that the Permittees meet regulatory requirements with regard to both regulatory compliance and  
26 to ensure that all TRU mixed wastes are properly managed during the Disposal Phase. To  
27 satisfy the RCRA regulatory compliance requirements, the following DQOs are established by  
28 this WAP:

- 29 • Acceptable Knowledge
  - 30 – To delineate TRU mixed waste streams.
  - 31 – To assess whether TRU mixed wastes comply with the applicable requirements of  
32 the TSDF-WAC.
  - 33 – To assess whether TRU mixed wastes exhibit a hazardous characteristic  
34 (20.4.1.200 NMAC, incorporating 40 CFR §261 Subpart C).
  - 35 – To assess whether TRU mixed wastes are listed (20.4.1.200 NMAC, incorporating  
36 40 CFR §261, Subpart D).
  - 37 – To estimate waste material parameter weights.

1       • Radiography and VE

- 2             – To verify the TRU mixed waste streams contain no prohibited items and to verify  
3             that physical form of the waste matches the waste stream description as  
4             determined by AK.

5 Reconciliation of these DQOs by the Generator/Storage Site Project Manager, as applicable, is  
6 addressed in Permit Attachment C3. Reconciliation requires determining whether sufficient type,  
7 quality, and quantity of data have been collected to ensure the DQOs cited above can be  
8 achieved.

9 C-4a(2) Quality Assurance Objectives

10 The generator/storage sites shall demonstrate compliance with each QAO associated with the  
11 characterization methods as presented in Permit Attachment C3. Generator/Storage Site  
12 Project Managers are further required to perform a reconciliation of the data with the DQOs  
13 established in this WAP. The Generator/Storage Site Project Manager shall conclude that all of  
14 the DQOs have been met for the characterization of the waste stream prior to submitting a  
15 WSPF to DOE for approval (Permit Attachment C3). The following QAO elements shall be  
16 considered for each technique, as a minimum:

17       • Precision

- 18             – Precision is a measure of the mutual agreement among multiple measurements.

19       • Accuracy

- 20             – Accuracy is the degree of agreement between a measurement result and the true  
21             or known value.

22       • Completeness

- 23             – Completeness is a measure of the amount of valid data obtained from a method  
24             compared to the total amount of data obtained that is expressed as a percentage.

25       • Comparability

- 26             – Comparability is the degree to which one data set can be compared to another.

27       • Representativeness

- 28             – Representativeness expresses the degree to which data represent characteristics  
29             of a population.

30 A more detailed discussion of the QAOs can be found in Permit Attachment C3, which  
31 describes the QAOs associated with each test method.

1 C-4a(3) Data Generation

2 BDRs, in a format approved by DOE, will be used by each generator/storage site for reporting  
3 waste characterization data. This format will be included in the generator/storage site QAPjP,  
4 controlled electronic databases, or procedures referenced in the QAPjP (Permit Attachment C5)  
5 and will include all of the elements required by this WAP for BDR (Permit Attachment C3).

6 DOE shall perform audits of the generator/storage site waste characterization programs, as  
7 implemented by the generator/storage site QAPjP, to verify compliance with the WAP and the  
8 DQOs in this WAP (See Permit Attachment C6 for a discussion of the content of the audit  
9 program). The primary functions of these audits are to review generator/storage sites'  
10 adherence to the requirements of this WAP and ensure adherence to the WAP characterization  
11 program. DOE shall provide the results of each audit to NMED. If audit results indicate that a  
12 generator/storage site is not in compliance with the requirements of this WAP, DOE will take  
13 appropriate action as specified in Permit Attachment C6.

14 C-4a(4) Data Verification

15 BDRs will document the testing results from the required characterization activities, and  
16 document required QA/QC activities. Data validation and verification at both the data-generation  
17 level and the project level will be performed as required by this Permit before the required data  
18 are transmitted to the Permittees (Permit Attachment C3). NMED may request, through the  
19 Permittees, copies of any BDR, and/or the raw data validated by the generator/storage sites, to  
20 check DOE's audit of the validation process.

21 C-4a(5) Data Transmittal

22 BDRs will include the information required by Section C3-4 and will be transmitted by hard copy  
23 or electronically (provided a hard copy is available on demand) from the data generation level to  
24 the project level.

25 The generator/storage site will transmit waste container information electronically via the WIPP  
26 Waste Information System (**WWIS**). Data will be entered into the WWIS in the exact format  
27 required by the database. Refer to Section C-5a(1) for WWIS reporting requirements and the  
28 *Waste Data System User's Manual* (DOE, 2009) for the WWIS data fields and format  
29 requirements.

30 Once a waste stream is characterized, the Site Project Manager will also submit to the  
31 Permittees a WSPF (Figure C-1) accompanied by the CIS for that waste stream which includes  
32 reconciliation with DQOs (Sections C3-6b(1) and C3-6b(2)). The WSPF, the CIS, and  
33 information from the WWIS will be used as the basis for acceptance of waste characterization  
34 information on TRU mixed wastes to be disposed of at the WIPP.

35 C-4a(6) Records Management

36 Records related to waste characterization activities performed by the generator/storage sites will  
37 be maintained in the testing facility files or generator/storage site project files, or at the WIPP  
38 Records Archive facility. Raw data obtained by testing TRU mixed waste in support of this WAP  
39 will be identifiable, legible, and provide documentary evidence of quality. TRU mixed waste

1 characterization records submitted to the Permittees shall be maintained in the WIPP facility  
2 operating record and be available for inspection by NMED.

3 Records inventory and disposition schedule (**RIDS**) or an equivalent system shall be prepared  
4 and approved by generator/storage site personnel. All records relevant to an enforcement action  
5 under this Permit, regardless of disposition, shall be maintained at the generator/storage site  
6 until NMED determines they are no longer needed for enforcement action, and then  
7 dispositioned as specified in the approved RIDS. All waste characterization data and related  
8 QA/QC records for TRU mixed waste to be shipped to the WIPP facility are designated as either  
9 Lifetime Records or Non-Permanent Records.

10 Records that are designated as Lifetime Records shall be maintained for the life of the waste  
11 characterization program at a participating generator/storage site plus six years or transferred  
12 for permanent archival storage to the WIPP Records Archive facility.

13 Waste characterization records include historical characterization records (i.e. headspace gas  
14 sampling/analysis and homogeneous solids and soil/gravel sampling/analysis) generated  
15 through implementation of previous requirements in this WAP. Those waste characterization  
16 records designated as Non-Permanent Records shall be maintained for ten years from the date  
17 of (record) generation at the participating generator/storage site or at the WIPP Records Archive  
18 facility and then dispositioned according to their approved RIDS. If a generator/storage site  
19 ceases to operate, all records shall be transferred before closeout to the Permittees for  
20 management at the WIPP Records Archive facility. Table C-2 is a listing of records designated  
21 as Lifetime Records and Non-Permanent Records. Classified information will not be transferred  
22 to WIPP. Notations will be provided to the Permittees indicating the absence of classified  
23 information. The approved generator/storage site RIDS will identify appropriate disposition of  
24 classified information. Nothing in this Permit is intended to, nor should it be interpreted to,  
25 require the disclosure of any U.S. Department of Energy classified information to persons  
26 without appropriate clearance to view such information.

#### 27 C-5 Permittee Level Waste Screening and Verification of TRU Mixed Waste

28 Permittee waste screening is a two-phased process. Phase I will occur prior to configuring  
29 shipments of TRU mixed waste. Phase II will occur after configuration of shipments of TRU  
30 mixed waste but before it is disposed at the WIPP facility. Figure C-3 presents Phase I and a  
31 portion of Phase II of the TRU mixed waste screening process. Permit Attachment C7 presents  
32 the TRU mixed waste confirmation portion of Phase II activities.

#### 33 C-5a Phase I Waste Stream Screening and Verification

34 The first phase of the waste screening and verification process will occur before TRU mixed  
35 waste is shipped to the WIPP facility. Before the Permittees begin the process of accepting TRU  
36 mixed waste from a generator/storage site, an initial audit of that generator/storage site will be  
37 conducted as part of the Audit and Surveillance Program (Permit Attachment C6). The RCRA  
38 portion of the generator/storage site audit program will provide on-site verification of  
39 characterization procedures; BDR preparation; and recordkeeping to ensure that all applicable  
40 provisions of the WAP requirements are met. Another portion of the Phase I verification is the  
41 WSPF approval process. At the WIPP facility, this process includes verification that all of the  
42 required elements of the WSPF and the CIS are present (Permit Attachment C3) and that the

1 waste characterization information meet acceptance criteria required for compliance with the  
2 WAP (Section C3-6b(1)).

3 A generator/storage site must first prepare a QAPjP, which includes applicable WAP  
4 requirements, and submit it to DOE for review and approval (Permit Attachment C5). Once  
5 approved, a copy of the QAPjP is provided to NMED for examination. The generator/storage  
6 site will implement the specific parameters of the QAPjP after it is approved. An initial audit will  
7 be performed after QAPjP implementation and prior to the generator/storage site being certified  
8 for shipment of waste to WIPP. Additional audits, focusing on the results of waste  
9 characterization, will be performed at least annually. DOE has the right to conduct unannounced  
10 audits and to examine any records that are related to the scope of the audit. See Section C-  
11 5a(3) and Permit Attachment C6 for further information regarding audits.

12 When the required waste stream characterization data have been collected by a  
13 generator/storage site and the initial generator/storage site audit has been successfully  
14 completed, the generator/storage Site Project Manager will verify that waste stream  
15 characterization meets the applicable WAP requirements as a part of the project level  
16 verification (Section C3-4b). If the waste characterization does not meet the applicable  
17 requirements of the WAP, the mixed waste stream cannot be managed, stored, or disposed at  
18 WIPP until those requirements are met. The Site Project Manager will then complete a WSPF  
19 and submit it to the Permittees, along with the accompanying CIS for that waste stream (Section  
20 C3-6b(1)). All data necessary to check the accuracy of the WSPF will be transmitted to the  
21 Permittees for verification. This provides notification that the generator/storage site considers  
22 that the waste stream (identified by the waste stream identification number) has been  
23 adequately characterized for disposal prior to shipment to WIPP. The Permittees will compare  
24 radiographic and visual examination data obtained subsequent to submittal and approval of the  
25 WSPF (and prior to submittal) with characterization information presented on this form. If the  
26 Permittees determine (through the data comparison) that the characterization information is  
27 adequate, DOE will approve the WSPF. Prior to the first shipment of containers from the  
28 approved waste stream, the approved WSPF and accompanying CIS will be provided to NMED.  
29 If the data comparison indicates that analyzed containers have hazardous wastes not present  
30 on the WSPF, or a different Waste Matrix Code applies, the WSPF is in error and shall be  
31 resubmitted. Ongoing WSPF examination is discussed in detail in Section C-5a(2).

32 Audits of generator/storage sites will be conducted as part of the Audit and Surveillance  
33 Program (Permit Attachment C6). The RCRA portion of the generator/storage site audit program  
34 will provide on-site verification of waste characterization procedures; BDR preparation; and  
35 record keeping to ensure that all applicable provisions of the WAP requirements are met. As  
36 part of the waste characterization data submittal, the generator/storage site will also transmit the  
37 data on a container basis via the WWIS. This data submittal can occur at any time as the data  
38 are being collected, but will be complete for each container prior to shipment of that container.  
39 The WWIS will conduct internal edit/limit checks as the data are entered, and the data will be  
40 available to the Permittees as supporting information for WSPF review. NMED will have read-  
41 only access to the WWIS as necessary to determine compliance with the WAP. The initial  
42 WSPF check performed by the Permittees will include WWIS data submitted by the  
43 generator/storage site for each waste container submitted for the WSPF review and the CIS.  
44 The Permittees will compare ongoing characterization data obtained and submitted via the  
45 WWIS to the approved WSPF. If this comparison shows that containers have hazardous wastes  
46 not reported on the WSPF, or a different Waste Matrix Code applies, the data are rejected and

1 the waste containers are not accepted for shipment until a new or revised WSPF is submitted to  
2 the Permittees and approved by DOE.

3 If discrepancies regarding hazardous waste number assignment or Waste Matrix Code  
4 designation arise as a result of the Phase I review, the generator/storage sites will be contacted  
5 by the Permittees and required to provide the necessary additional information to resolve the  
6 discrepancy before that waste stream is approved for disposal at the WIPP facility. If the  
7 discrepancy is not resolved, the waste stream will not be approved. DOE will notify NMED in  
8 writing of any discrepancies identified during WSPF review and the resulting discrepancy  
9 resolution prior to waste shipment. The Permittees will not manage, store, or dispose the waste  
10 stream until this discrepancy is resolved in accordance with this WAP.

#### 11 C-5a(1) WWIS Description

12 All generator/storage sites planning to ship TRU mixed waste to WIPP will supply the required  
13 data to the WWIS. The WWIS Data Dictionary includes all of the data fields, the field format and  
14 the limits associated with the data as established by this WAP. These data will be subjected to  
15 edit and limit checks that are performed automatically by the database, as defined in the *Waste*  
16 *Data System User's Manual* (DOE, 2009).

17 The Permittees will coordinate the data transmission with each generator/storage site. Actual  
18 data transmission will use appropriate technology to ensure the integrity of the data  
19 transmissions. The Permittees will require sites with large waste inventories and large  
20 databases to populate a data structure provided by the Permittees that contains the required  
21 data dictionary fields that are appropriate for the waste stream (or waste streams) at that site.  
22 The Permittees will access these data via the Internet to ensure an efficient transfer of this data.  
23 Small quantity sites will be given a similar data structure by the Permittees that is tailored to  
24 their types of waste. Sites with very small quantities of waste will be provided with the ability to  
25 assemble the data interactively to this data structure on the WWIS.

26 The Permittees will use the WWIS to verify that all of the supplied data meet the edit and limit  
27 checks prior to the shipment of any TRU mixed waste to WIPP. The WWIS automatically will  
28 notify the generator/storage site if any of the supplied data fails to meet the requirements of the  
29 edit and limit checks via an appropriate error message. The generator/storage site will be  
30 required to correct the discrepancy with the waste or the waste data and re-transmit the  
31 corrected data prior to acceptance of the data by the WWIS. The Permittees will review data  
32 reported for each container of each shipment prior to providing notification to the shipping  
33 generator/storage site that the shipment is acceptable. Read-only access to the WWIS will be  
34 provided to NMED. Table C-3 contains a listing of the data fields contained in the WWIS that are  
35 required as part of this Permit.

36 The WWIS will generate the following:

- 37 • Waste Emplacement Report

38 This report will be added to the operating record to track the quantities of waste, date  
39 of emplacement, and location of authorized containers or container assemblies in the  
40 repository. The Permittees will document the specific panel room or drift that an  
41 individual waste container is placed in as well as the row/column/height coordinates  
42 location of the container or containers assembly. This report will be generated on a



1 weekly basis. Locations of containers or container assemblies will also be placed on a  
2 map separate from the WWIS. Reports and maps that are included as part of the  
3 operating record will be retained at the WIPP site, for the life of the facility.

4 • Shipment Summary Report

5 This report will contain the container identification numbers (**IDs**) of every container in  
6 the shipment, listed by Shipping Package number and by assembly number (for  
7 seven-packs, four-packs, and three-packs), for every assembly in the Shipping  
8 Package. This report is used by the Permittees to verify containers in a shipment and  
9 will be generated on a shipment basis.

10 • Waste Container Data Report

11 This report will be generated on a waste stream basis and will be used by the  
12 Permittees during the WSPF review and DOE approval process. This report will  
13 contain the data listed in the Characterization Module on Table C-3. This report will be  
14 generated and attached to the WSPF for inclusion in the facility operating record and  
15 will be kept for the life of the facility.

16 • Reports of Change Log

17 This will consist of a short report that lists the user ID and the fields changed. The  
18 report will also include a reason for the change. A longer report will list the information  
19 provided on the short report and include a before and after image of the record for  
20 each change, a before-record for each deletion, and the new information for added  
21 records. These reports will provide an auditable trail for the data in the database.

22 Access to the WWIS will be controlled by the Permittees' Data Administrator (**DA**) who will  
23 control the WWIS users based on approval from management personnel. Training for the WWIS  
24 Data Administrator job position will be in accordance with the WWIS Retrieval Characterization  
25 Transportation Data Administrator Task Card on file at the WIPP facility.

26 The TRU mixed waste generator/storage sites will only have access to data that they have  
27 supplied, and only until the data have been formally accepted by the Permittees. After the data  
28 have been accepted, the data will be protected from indiscriminate change and can only be  
29 changed by an authorized DA.

30 The WWIS has a Change Log that requires a reason for the change from the DA prior to  
31 accepting the change. The data change information, the user ID of the authorized DA making  
32 the change, and the date of the change will be recorded in the data change log automatically.  
33 The data change log cannot be revised by any user, including the DA. The data change log will  
34 be subject to internal and external audits and will provide an auditable trail for all changes made  
35 to previously approved data.

36 C-5a(2) Examination of the Waste Stream Profile Form and Container Data Checks

37 The Permittees will verify the completeness and accuracy of the Waste Stream Profile Form  
38 (Section C3-6b(1)). Figure C-2 includes the waste characterization and waste stream approval  
39 process. The assignment of the waste stream description, Waste Matrix Code Group, and

1 Summary Category Groups; the acceptable knowledge summary documentation; the methods  
2 used for characterization; the DOE certification, and appropriate designation of EPA hazardous  
3 waste number(s) will be examined by the Permittees. If the WSPF is inaccurate, efforts will be  
4 made to resolve discrepancies by contacting the generator/storage site in order for the waste  
5 stream to be eligible for shipment to the WIPP facility. If discrepancies in the waste stream are  
6 detected at the generator/storage site, the generator/storage site will implement a non-  
7 conformance program to identify, document, and report discrepancies (Permit Attachment C3).

8 The WSPF shall pass all verification checks by the Permittees in order for the waste stream to  
9 be approved by DOE for shipment to the WIPP facility. The WSPF check against waste  
10 container data will occur during the initial WSPF approval process (Section C-5a).

11 The EPA hazardous waste numbers for the wastes that appear on the Waste Stream Profile  
12 Form will be compared to those in Table C-5 to ensure that only approved wastes are accepted  
13 for management, storage, or disposal at WIPP. Some of the waste may also be identified by  
14 unique state hazardous waste codes or numbers. These wastes are acceptable at WIPP as  
15 long as the TSDF-WAC are met. The CIS will be reviewed by the Permittees to verify that the  
16 waste has been classified correctly with respect to the assigned EPA hazardous waste  
17 numbers. The Permittees will verify that the applicable requirements of the TSDF-WAC have  
18 been met by the generator/storage site.

19 Waste data transferred via the WWIS after WSPF approval will be compared with the approved  
20 WSPF. Any container from an approved hazardous waste stream with a description different  
21 from its WSPF will not be managed, stored, or disposed at WIPP.

22 The Permittees will also verify that three different types of data specified below are available for  
23 every container holding TRU mixed waste before that waste is managed, stored, or disposed at  
24 WIPP: 1) an assignment of the waste stream's waste description (by Waste Matrix Codes) and  
25 Waste Matrix Code Group; 2) a determination of ignitability, reactivity, and corrosivity; and 3) a  
26 determination of compatibility. The verification of waste stream description will be performed by  
27 reviewing the WWIS for consistency in the waste stream description and WSPF. The CIS will  
28 indicate if the waste has been checked for the characteristics of ignitability, corrosivity, and  
29 reactivity. The final verification of waste compatibility will be performed using Appendix C1 of the  
30 WIPP RCRA Part B Permit Application (DOE, 1997), the compatibility study.

31 Any container with unresolved discrepancies associated with hazardous waste characterization  
32 will not be managed, stored, or disposed at the WIPP facility until the discrepancies are  
33 resolved. If the discrepancies cannot be resolved, DOE will revoke the approval status of the  
34 waste stream, suspend shipments of the waste stream, and notify NMED. Waste stream  
35 approval will not be reinstated until the generator/storage site demonstrates all corrective  
36 actions have been implemented and the generator/storage site waste characterization program  
37 is reassessed by DOE.

### 38 C-5a(3) Audit and Surveillance Program

39 An important part of the Permittees' verification process is the Audit and Surveillance Program.  
40 The focus of this audit program is compliance with this WAP and the Permit. This audit program  
41 addresses all AK implementation and testing activities, from waste stream classification  
42 assignment through waste container certification, and ensures compliance with SOPs and the  
43 WAP. Audits will ensure that containers and their associated documentation are adequately

1 tracked throughout the waste handling process. Operator qualifications will be verified, and  
2 implementation of QA/QC procedures will be surveyed. A final report that includes  
3 generator/storage site audit results and applicable WAP-related corrective action report (**CAR**)  
4 resolution will be provided to NMED for approval, and will be kept in the WIPP facility operating  
5 record until closure of the WIPP facility.

6 DOE will perform an initial audit at each generator/storage site performing waste  
7 characterization activities prior to the formal acceptance of the WSPFs and/or any waste  
8 characterization data supplied by the generator/storage sites. Audits will be performed at least  
9 annually thereafter, including the possibility of unannounced audits (i.e., not a regularly  
10 scheduled audit). These audits will allow NMED to verify that the Permittees have implemented  
11 the WAP and that generator/storage sites have implemented a QA program for the  
12 characterization of waste and meet applicable WAP requirements. The accuracy of physical  
13 waste description and waste stream assignment provided by the generator/storage site will be  
14 verified by review of the radiography results, and visual examination of data records and  
15 radiography images (as necessary) during audits conducted by DOE. More detail on this audit  
16 process is provided in Permit Attachment C6.

#### 17 C-5b Phase II Waste Shipment Screening and Verification

18 As presented in Figure C-3, Phase II of the waste shipment screening and verification process  
19 begins with confirmation of the waste pursuant to Permit Attachment C7 after waste shipments  
20 are configured. After the waste shipment has arrived, the Permittees will screen the shipments  
21 to determine the completeness and accuracy of the EPA Hazardous Waste Manifest and the  
22 land disposal restriction notice completeness. The Permittees will verify there are no waste  
23 shipment irregularities and the waste containers are in good condition. Only those waste  
24 containers that are from shipments that have been confirmed pursuant to Permit Attachment C7  
25 and that pass all Phase II waste screening and verification determinations will be emplaced at  
26 WIPP. For each container shipped, the Permittees shall ensure that the generator/storage sites  
27 provide the following information:

##### 28 Hazardous Waste Manifest Information:

- 29 Generator/storage site name and EPA ID
- 30 Generator/storage site contact name and phone number
- 31 Quantity of waste
- 32 List of up to six state and/or federal hazardous waste numbers in each line item
- 33 Listing of all shipping container IDs (Shipping Package serial number)
- 34 • Signature of authorized generator representative

##### 35 Specific Waste Container information:

- 36 Waste Stream Identification Number
- 37 List of Hazardous Waste Numbers per Container
- 38 Certification Data
- 39 • Shipping Data (Assembly numbers, ship date, shipping category, etc.)

40 This information shall also be supplied electronically to the WWIS. The container-specific  
41 information will be supplied electronically as described in Section C-5a(1), and shall be supplied  
42 prior to the Permittees' management, storage, or disposal of the waste.

1 The Permittees will verify each approved shipment upon receipt at WIPP against the data on the  
2 WWIS shipment summary report to ensure containers have the required information. A Waste  
3 Receipt Checklist will be used to document the verification.

4 C-5b(1) Examination of the EPA Uniform Hazardous Waste Manifest and Associated Waste  
5 Tracking Information

6 Upon receipt of a TRU mixed waste shipment, the Permittees will make a determination of EPA  
7 Uniform Hazardous Waste Manifest completeness and sign the manifest to allow the driver to  
8 depart. For CH TRU mixed waste, the Permittees will then make a determination of waste  
9 shipment completeness by checking the unique, bar-coded identification number found on each  
10 container holding TRU mixed waste against the WWIS database after opening the Shipping  
11 Package.

12 The WWIS links the bar-coded identification numbers of all containers in a specific waste  
13 shipment to the waste assembly (for 7-packs, 4-packs, 3-packs and 5-drum carriages) and to  
14 the shipment identification number, which is also written on the EPA Hazardous Waste  
15 Manifest.

16 For shipments in the RH-TRU 72B cask, the identification number of the single payload  
17 container is read during cask-to-cask transfer in the Transfer Cell and then checked against the  
18 WWIS database. For shipments in the CNS 10-160B cask, the Permittees will make a  
19 determination of waste shipment completeness by checking the unique identification number  
20 found on each container holding TRU mixed waste in the Hot Cell against the WWIS database  
21 after unloading the cask.

22 Generators electronically transmit the waste shipment information to the WWIS before the TRU  
23 mixed waste shipment is transported. Once a TRU mixed waste shipment arrives, the  
24 Permittees verify the identity of each cask or container (or one container in a bound 7-pack, 4-  
25 pack, or 3-pack) using the data already in the WWIS.

26 The WWIS will maintain waste container receipt and emplacement information provided by the  
27 Permittees. It will include, among other items, the following information associated with each  
28 container of TRU mixed waste:

- 29 • Package Inner Containment Vessel or shipping cask closure date
- 30 • Package (container or canister) receipt date
- 31 • Overpack identification number (if appropriate)
- 32 • Package (container or canister) emplacement date
- 33 • Package (container or canister) emplacement location

34 Manifest discrepancies will be identified during manifest examination and container bar-code  
35 WWIS data comparison. A manifest discrepancy is a difference between the quantity or type of  
36 hazardous waste designated on the manifest and the quantity or type of hazardous waste the  
37 WIPP facility actually receives. The generator/storage site technical contact (as listed on the  
38 manifest) will be contacted to resolve the discrepancy. If the discrepancy is identified prior to the  
39 containers being removed from the package or shipping cask, the waste will be retained in the  
40 parking area. If the discrepancy is identified after the waste containers are removed from the  
41 package or cask, the waste will be retained in the Waste Handling Building (**WHB**) until the

1 discrepancy is resolved. Errors on the manifest can be corrected by the WIPP facility with a  
2 verbal (followed by a mandatory written) concurrence by the generator/storage site technical  
3 contact. All discrepancies that are unresolved within fifteen (15) days of receiving the waste will  
4 be immediately reported to NMED in writing. Notifications to NMED will consist of a letter  
5 describing the discrepancies, discrepancy resolution, and a copy of the manifest. If the manifest  
6 discrepancies have not been resolved within thirty (30) days of waste receipt, the shipment will  
7 be returned to the generator/storage facility. If it becomes necessary to return waste containers  
8 to the generator/storage site, a new EPA Uniform Hazardous Waste Manifest may be prepared  
9 by the Permittees.

10 Documentation of the returned containers will be recorded in the WWIS. Changes will be made  
11 to the WWIS data to indicate the current status of the container(s) The reason for the WWIS  
12 data change and the record of the WWIS data change will be maintained in the change log of  
13 the WWIS, which will provide an auditable record of the returned shipment.

14 The Permittees will be responsible for the resolution of discrepancies, notification of NMED, as  
15 well as returning the original copy of the manifest to the generator/storage site.

#### 16 C-5b(2) Examination of the Land Disposal Restriction (LDR) Notice

17 TRU mixed waste designated by the Secretary of Energy for disposal at WIPP is exempt from  
18 the LDRs by the WIPP Land Withdrawal Act Amendment (Public Law 104-201). This  
19 amendment states that WIPP "Waste is exempted from treatment standards promulgated  
20 pursuant to section 3004(m) of the Solid Waste Disposal Act (42 U.S. C. 6924(m)) and shall not  
21 be subjected to the Land Disposal prohibitions in section 3004(d), (e), (f), and (g) of the Solid  
22 Waste Disposal Act." Therefore, with the initial shipment of a TRU mixed waste stream, the  
23 generator shall provide the Permittees with a one time written notice. The notice must include  
24 the information listed below:

##### 25 Land Disposal Restriction Notice Information:

- 26 • EPA Hazardous Waste Number(s) and Manifest Numbers of first shipment of a mixed  
27 waste stream
- 28 • Statement: this waste is not prohibited from land disposal
- 29 • Date the waste is subject to prohibition

30 This information is the applicable information taken from column "268.7(a)(4)" of the "Generator  
31 Paperwork Requirements Table" in 20.4.1.800 NMAC (incorporating 40 CFR §268.7(a)(4)).  
32 Note that item "5" from the "Generator Paperwork Requirements Table" is not applicable since  
33 waste analysis data are provided electronically via the WWIS and item "7" is not applicable  
34 since waste designated by the Secretary of Energy for disposal at WIPP is exempted from the  
35 treatment standards.

36 The Permittees will review the LDR notice for accuracy and completeness. The generator will  
37 prepare this notice in accordance with the applicable requirements of 20.4.1.800 NMAC  
38 (incorporating 40 CFR §268.7(a)(4)).

### 1 C-5b(3) Verification

2 The Permittees will make a determination of TRU mixed waste shipment irregularities. The  
3 following items will be inspected for each TRU mixed waste shipment arriving at the WIPP  
4 facility:

- 5 • Whether the number and type of containers holding TRU mixed waste match the  
6 information in the WWIS
- 7 • Whether the containers are in good condition

8 The Permittees will verify that the containers (as identified by their container ID numbers) are  
9 the containers for which accepted data already exists in the WWIS. A check will be performed  
10 by the Permittees comparing the data on the WWIS Shipment Summary Report for the  
11 shipment to the actual shipping papers (including the EPA Hazardous Waste Manifest). This  
12 check also verifies that the containers included in the shipment are those for which approved  
13 shipping data already exist in the WWIS Transportation Data Module (Table C-3). For standard  
14 waste boxes (**SWBs**) and ten drum overpacks (**TDOPs**), this check will include comparing the  
15 barcode on the container with the container number on the shipping papers and the data on the  
16 WWIS Shipment Summary Report. For 7-pack assemblies, one of the seven container barcodes  
17 will be read by the barcode reader and compared to the assembly information for this container  
18 on the WWIS Shipment Summary Report. This will automatically identify the remaining six  
19 containers in the assembly. This process enables the Permittees to identify all of the containers  
20 in the assembly with minimum radiological exposure. If all of the container IDs and the  
21 information on the shipping papers agree with the WWIS Shipment Summary Report, and the  
22 shipment was subject to waste confirmation by the Permittees prior to shipment to WIPP  
23 pursuant to Permit Attachment C7, the containers will be approved for storage and disposal at  
24 the WIPP facility.

### 25 C-6 Permittees' Waste Shipment Screening QA/QC

26 Waste shipment screening QA/QC ensures that TRU mixed waste received is that which has  
27 been approved for shipment during the Phase I and Phase II screening. This is accomplished by  
28 maintaining QA/QC control of the waste shipment screening process. The screening process  
29 will be controlled by administrative processes which will generate records documenting waste  
30 receipt that will become part of the waste receipt record. The waste receipt record documents  
31 that container identifications correspond to shipping information and approved TRU mixed  
32 waste streams. The Permittees will extend QA/QC practices to the management of all records  
33 associated with waste shipment screening determinations.

### 34 C-7 Records Management and Reporting

35 As part of the WIPP facility's operating record, data and documents associated with waste  
36 characterization and waste confirmation are managed in accordance with standard records  
37 management practices.

38 All waste characterization data for each TRU mixed waste container transmitted to WIPP shall  
39 be maintained by the Permittees for the active life of the WIPP facility plus two years. The active  
40 life of the WIPP facility is defined as the period from the initial receipt of TRU mixed waste at the  
41 facility until NMED receives certification of final closure of the facility. After their active life, the

1 records shall be retired to the WIPP Records Archive facility and maintained for 30 years. These  
2 records will then be offered to the National Archives. However, this disposition requirement does  
3 not preclude the inclusion of these records in the permanent marker system or other  
4 requirements for institutional control.

5 The storage of the Permittees' copy of the manifest, LDR information, waste characterization  
6 data, WSPFs, waste confirmation activity records, and other related records will be identified on  
7 the appropriate records inventory and disposition schedule.

8 The following records will be maintained for waste characterization and waste confirmation  
9 purposes as part of the WIPP facility operating record:

- 10 • Completed WIPP WSPFs and accompanying CIS, including individual container data  
11 as transferred on the WWIS (or received as hard-copy) and any discrepancy-related  
12 documentation as specified in Section C-5a
- 13 • Radiography and visual examination records (data sheets, packaging logs, and video  
14 and audio recordings) of waste confirmation activities
- 15 • Completed Waste Receipt Checklists and discrepancy-related documentation as  
16 specified in Section C-5b
- 17 • WIPP WWIS Waste Emplacement Report as specified in Section C-5a(1)
- 18 • Audit reports and corrective action reports from the Audit and Surveillance Program  
19 audits as specified in Section C-5a(3) and Permit Attachment C6
- 20 • CARs and closure information for corrective actions taken due to nonconforming waste  
21 being identified during waste confirmation by the Permittees

22 These records will be maintained for all TRU mixed waste managed at the WIPP facility.

23 Waste characterization and waste confirmation data and documents related to waste  
24 characterization that are part of the WIPP facility operating record are managed in accordance  
25 with the following guidelines:

26 C-7a General Requirements

27 Records shall be legible

28 Corrections shall be made with a single line through the incorrect information, and the date  
29 and initial of the person making the correction shall be added

30 Black ink is encouraged, unless a copy test has been conducted to ensure the other color  
31 ink will copy

32 Use of highlighters on records is discouraged

33 Records shall be reviewed for completeness

- 1           • Records shall be validated by the cognizant manager or designee

2    C-7b Records Storage

3           Active records shall be stored when not in use

4           Quality records shall be kept in a one-hour (certified) fire-rated container or a copy of a  
5           record shall be stored separately (sufficiently remote from the original) in order to  
6           prevent destruction of both copies as a result of a single event such as fire or natural  
7           disaster

- 8           • Unauthorized access to the records is controlled by locking the storage container or  
9           controlling personnel access to the storage area

10   C-8 Reporting

11   The Permittees will provide a biennial report in accordance with 20.4.1.500 NMAC  
12   (incorporating 40 CFR §264.75) to NMED that includes information on actual volume and waste  
13   descriptions received for disposal during the time period covered by the report.

14



1 C-9 List of References

2 U.S. Department of Energy (DOE), 2009, "Waste Data System User's Manual", DOE/WIPP 09-  
3 3427, U.S. Department of Energy.

4 U.S. Department of Energy (DOE), 1997, Resource Conservation and Recovery Act Part B  
5 Permit Application for the Waste Isolation Pilot Plant", Revision 6.5, U.S. Department of Energy.

6 U.S. Environmental Protection Agency (EPA), April 1994, "Waste Analysis at Facilities that  
7 Generate, Treat, Store, and Dispose of Hazardous Waste, a Guidance Manual," OSWER  
8 9938.4-03, Office of Solid Waste and Emergency Response, Washington, D.C.

9 U.S. Environmental Protection Agency (EPA), April 1980. "A Method for Determining the  
10 Compatibility of Hazardous Wastes," EPA-600/2-80-076, California Department of Health  
11 Services and the U.S. Environmental Protection Agency, Office of Research and Development.

12

1  
2

## TABLES

1  
2

(This page intentionally blank)

1  
2  
3

**Table C-1  
 Summary of Parameters, Characterization Methods, and Rationale for Transuranic Mixed Waste**

<b>Waste Matrix Code Summary Categories</b>	<b>Waste Matrix Code Groups</b>	<b>Characterization Parameter</b>	<b>Method</b>	<b>Rationale</b>
S3000-Homogeneous Solids	<ul style="list-style-type: none"> <li>• Solidified inorganics</li> <li>• Salt waste</li> <li>• Solidified organics</li> </ul>	Physical waste form	Acceptable knowledge, radiography and/or visual examination	<ul style="list-style-type: none"> <li>• Determine waste matrix</li> <li>• Demonstrate compliance with waste acceptance criteria (e.g., no liquid in excess of TSDf-WAC limits, no incompatible wastes, no compressed gases)</li> <li>• Determine assignment of EPA hazardous waste numbers</li> </ul>
S4000-Soil/Gravel	<ul style="list-style-type: none"> <li>• Contaminated soil/debris</li> </ul>			
S5000-Debris Waste	<ul style="list-style-type: none"> <li>• Uncategorized metal (metal waste other than lead/cadmium)</li> <li>• Lead/cadmium waste</li> <li>• Inorganic nonmetal waste</li> <li>• Combustible waste</li> <li>• Graphite waste</li> <li>• Heterogeneous debris waste</li> <li>• Composite filter waste</li> </ul>	Hazardous constituents <ul style="list-style-type: none"> <li>• Listed</li> <li>• Characteristic</li> </ul>	Acceptable knowledge	

1  
2

**Table C-2**  
**Required Program Records Maintained in Generator/Storage Site Project Files**

<p><u>Lifetime Records</u></p> <ul style="list-style-type: none"><li>• Field sampling data forms</li><li>• Field and laboratory chain-of-custody forms</li><li>• Test facility and laboratory batch data reports</li><li>• Waste Stream Characterization Package</li><li>• Sampling Plans</li><li>• Data reduction, validation, and reporting documentation</li><li>• Acceptable knowledge documentation</li><li>• Waste Stream Profile Form and Characterization Information Summary</li></ul>
<p><u>Non-Permanent Records</u></p> <ul style="list-style-type: none"><li>• Nonconformance documentation</li><li>• Variance documentation</li><li>• Assessment documentation</li><li>• Gas canister tags</li><li>• Methods performance documentation</li><li>• Performance Demonstration Program documentation</li><li>• Sampling equipment certifications</li><li>• Calculations and related software documentation</li><li>• Training/qualification documentation</li><li>• QAPjPs (generator/storage sites) documentation (all revisions)</li><li>• Calibration documentation</li><li>• Analytical raw data</li><li>• Procurement documentation</li><li>• QA procedures (all revisions)</li><li>• Technical implementing procedures (all revisions)</li><li>• Audio/video recording (radiography, visual, etc.)</li></ul>

3

1  
2

**Table C-3  
 WIPP Waste Information System Data Fields<sup>a</sup>**

Characterization Module Data Fields <sup>b</sup>	
Container ID <sup>c</sup> Generator EPA ID Generator Address Generator Name Generator Contact Hazardous Code Layers of Packaging Liner Exists Liner Hole Size Filter Model Number of Filters Installed Item Description Code Haz. Manifest Number NDE Complete <sup>e</sup>	Transporter EPA ID Transporter Name Visual Exam Container <sup>e</sup> Waste Material Parameter <sup>d</sup> Waste Material Weight <sup>d</sup> Waste Matrix Code Waste Matrix Code Group Waste Stream Profile Number
Certification Module Data Fields	
Container ID <sup>c</sup> Container type Container Weight Contact Dose Rate Container Certification date Container Closure Date	Handling Code
Transportation Data Module	
Contact Handled Package Number Assembly Number <sup>f</sup> Container IDs <sup>c,d</sup> ICV Closure Date	Ship Date Receive Date
Disposal Module Data	
Container ID <sup>c</sup> Disposal Date Disposal Location	

- <sup>a</sup> This is not a complete list of the WWIS data fields.
- <sup>b</sup> Some of the fields required for characterization are also required for certification and/or transportation.
- <sup>c</sup> Container ID is the main relational field in the WWIS Database.
- <sup>d</sup> This is a multiple occurring field for each waste material parameter, nuclide, etc.
- <sup>e</sup> These are logical fields requiring only a yes/no.
- <sup>f</sup> Required for 7-packs of 55-gal drums, 4-packs of 85-gal drums, or 3-packs of 100-gal drums to tie all of the drums in that assembly together. This facilitates the identification of waste containers in a shipment without need to breakup the assembly.

3

1  
 2

**Table C-4**  
**Waste Tanks Subject to Exclusion**

Hanford Site - 177 Tanks	
A-101 through A-106	C-201 through C-204
AN-101 through AN-107	S-101 through S-112
AP-101 through AP-108	SX-101 through SX-115
AW-101 through AW-106	SY-101 through SY-103
AX-101 through AX-104	T-101 through T-112
AY-101 through AY-102	T-201 through T-204
B-101 through B-112	TX-101 through TX-118
B-201 through B-204	TY-101 through TY-106
BX-101 through BX-112	U-101 through U-112
BY-101 through BY-112	U-201 through U-204
C-101 through C-112	
Savannah River Site - 51 Tanks	
Tank 1 through 51	
Idaho National Engineering and Environmental Laboratory - 15 Tanks	
WM-103 through WM-106	WM-180 through 190

3

1  
2

**Table C-5**  
**Listing of Permitted Hazardous Waste Numbers**

<b>EPA Hazardous Waste Numbers</b>			
F001	D019	D043	U079
F002	D021	P015	U103
F003	D022	P030	U105
F004	D026	P098	U108
F005	D027	P099	U122
F006	D028	P106	U133*
F007	D029	P120	U134*
F009	D030	U002*	U151
D004	D032	U003*	U154*
D005	D033	U019*	U159*
D006	D034	U037	U196
D007	D035	U043	U209
D008	D036	U044	U210
D009	D037	U052	U220
D010	D038	U070	U226
D011	D039	U072	U228
D018	D040	U078	U239*

\* Acceptance of U-numbered wastes listed for reactivity, ignitability, or corrosivity characteristics is contingent upon a demonstration that the wastes no longer exhibit the characteristic of reactivity, ignitability, or corrosivity.

3



1  
2

(This page intentionally blank)

1

## FIGURES

2

1

(This page intentionally blank)

WASTE STREAM PROFILE FORM

Waste Stream Profile Number: \_\_\_\_\_  
Generator Site Name: \_\_\_\_\_ Technical Contract: \_\_\_\_\_  
Generator Site EPA ID: \_\_\_\_\_ Technical Contact Phone Number: \_\_\_\_\_  
Date of audit report approved by NMED: \_\_\_\_\_  
Title, version number and date of documents used for WAP Certification \_\_\_\_\_

Did your facility generate this waste?  Yes  No  
If no, provide the name and EPA ID of the original generator: \_\_\_\_\_

WIPP ID: \_\_\_\_\_ Summary Category Group \_\_\_\_\_  
Waste Stream Name: \_\_\_\_\_  
Description from the WTWBIR: \_\_\_\_\_

Defense Waste:  Yes  No Check one:  CH  RH  
Number of SWBs \_\_\_\_\_ Number of Drums \_\_\_\_\_ Number of Canisters \_\_\_\_\_  
Batch Data Report numbers supporting this waste stream characterization: \_\_\_\_\_  
List applicable EPA Hazardous Waste Numbers <sup>(2)</sup> \_\_\_\_\_  
Applicable TRUCON Content Numbers: \_\_\_\_\_

**Acceptable Knowledge Information**<sup>(1)</sup>  
(for the following, enter supporting documentation used (i.e., references and dates))

**Required Program Information**  
Map of site: \_\_\_\_\_  
Facility mission description: \_\_\_\_\_  
Description of operations that generate waste: \_\_\_\_\_

Waste Identification/categorization schemes: \_\_\_\_\_  
Types and quantities of waste generated: \_\_\_\_\_  
Correlation of waste streams generated from the same building and process, as applicable \_\_\_\_\_

Waste certification procedures: \_\_\_\_\_

**Required Waste Stream Information**  
Area(s) and building(s) from which waste stream was generated: \_\_\_\_\_  
Waste stream volume and time period of generation: \_\_\_\_\_  
Waste generating process description for each building: \_\_\_\_\_  
Waste process flow diagrams: \_\_\_\_\_

Material inputs or other information identifying chemical/radionuclide content and physical waste form: \_\_\_\_\_

Waste material parameter estimates per unit of waste: \_\_\_\_\_

- Which Defense Activity generated the waste (check all that apply)
- Weapons activities including defense inertial confinement fusion
  - Naval reactors development
  - Verification and control technology
  - Defense research and development
  - Defense nuclear waste and material by products management
  - Defense nuclear material production
  - Defense nuclear waste and materials security and safeguards and security investigations

**Figure C-1**  
**WIPP Waste Stream Profile Form (Example Only)**

WASTE STREAM PROFILE FORM

Supplemental Documentation

Process design documents: \_\_\_\_\_  
Standard operating procedures: \_\_\_\_\_  
Safety Analysis Reports: \_\_\_\_\_  
Waste packaging logs: \_\_\_\_\_  
Test plans/research project reports: \_\_\_\_\_  
Site data bases: \_\_\_\_\_  
Information from site personnel: \_\_\_\_\_  
Standard industry documents: \_\_\_\_\_  
Previous analytical data: \_\_\_\_\_  
Material safety data sheets: \_\_\_\_\_  
Sampling and analysis data from comparable/surrogate waste: \_\_\_\_\_  
Laboratory notebooks: \_\_\_\_\_

Confirmation Information<sup>(2)</sup>

(for the following, when applicable, enter procedure title(s), number(s), and date(s))

Radiography: \_\_\_\_\_

Visual Examination: \_\_\_\_\_

Waste characterization procedures used (procedure number, revision number, date): \_\_\_\_\_

**Waste Stream Profile Form Certification**

I hereby certify that I have reviewed the information in this Waste Stream Profile Form, and it is complete and accurate to the best of my knowledge. I understand that this information will be made available to regulatory agencies and that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.


\_\_\_\_\_  
Signature of Site Project Manager

\_\_\_\_\_  
Printed Name and Title


\_\_\_\_\_  
Date

- NOTE: (1) Use back of sheet or continuation sheets, if required.  
(2) If, radiography, visual examination were used to confirm EPA Hazardous Waste Numbers, attach signed Characterization Information Summary documenting this determination.

**Figure C-1**  
**WIPP Waste Stream Profile Form (Example Only – Continued)**



**Figure C-3**  
**TRU Mixed Waste Screening and Verification**



**Figure C-3**  
**TRU Mixed Waste Screening and Verification (Continued)**