

WIPP Hazardous Facility Permit - Table of Contents

List of Parts:

PART 1 - GENERAL PERMIT CONDITIONS

- 1.1. AUTHORITY
- 1.2. EFFECT OF PERMIT
- 1.3. PERMIT ACTIONS
 - 1.3.1. Permit Modification, Suspension, and Revocation
 - 1.3.2. Permit Renewal
 - 1.3.3. Permit Review
- 1.4. SEVERABILITY
- 1.5. DEFINITIONS
 - 1.5.1. Contact-handled Transuranic Mixed Waste
 - 1.5.2. Remote-handled Transuranic Mixed Waste
 - 1.5.3. Facility
 - 1.5.4. Permittees
 - 1.5.5. Secretary
 - 1.5.6. TRU Waste
 - 1.5.7. TRU Mixed Waste
 - 1.5.8. Contact Handled Packages
 - 1.5.9. Remote-Handled Packages
 - 1.5.10. Containment Pallet
 - 1.5.11. Waste Characterization
 - 1.5.12. Waste Confirmation
 - 1.5.13. Substantial Barrier
 - 1.5.14. Bulkhead
 - 1.5.15. Explosion-Isolation Wall
 - 1.5.16. Filled Panel
 - 1.5.17. Internal Container
 - 1.5.18. Observable Liquid
 - 1.5.19. Filled Room
 - 1.5.20. Active Room
 - 1.5.21. TRU Mixed Waste RCRA Volume
 - 1.5.22. Land Withdrawal Act TRU Waste Volume
- 1.6. EFFECT OF INACCURACIES IN PERMIT APPLICATION
- 1.7. DUTIES AND REQUIREMENTS
 - 1.7.1. Duty to Comply
 - 1.7.2. Permit Term
 - 1.7.3. Duty to Reapply
 - 1.7.4. Continuation of Expiring Permits
 - 1.7.5. Need to Halt or Reduce Activity Not a Defense
 - 1.7.6. Duty to Mitigate
 - 1.7.7. Proper Operation and Maintenance

- 1.7.8. Duty to Provide Information
- 1.7.9. Inspection and Entry
 - 1.7.9.1. Entrance to Premises
 - 1.7.9.2. Access to Records
 - 1.7.9.3. Inspection
 - 1.7.9.4. Sampling
- 1.7.10. Monitoring and Records
 - 1.7.10.1. Representative Sampling
 - 1.7.10.2. Record Retention
 - 1.7.10.3. Monitoring Records Contents
- 1.7.11. Reporting Requirements
 - 1.7.11.1. Reporting Planned Changes
 - 1.7.11.2. Reporting Anticipated Noncompliance
- 1.7.12. Transfer of Permits
- 1.7.13. 24 Hour and Subsequent Reporting
 - 1.7.13.1. Oral Report
 - 1.7.13.2. Description of Occurrence
 - 1.7.13.3. Written Notice
 - 1.7.13.4. Contingency Plan Implementation
- 1.7.14. Other Noncompliance
- 1.7.15. Other Information
- 1.8. ADMISSIBILITY OF DATA
- 1.9. SIGNATORY REQUIREMENT
- 1.10. SUBMITTAL OF REPORTS, NOTIFICATIONS, AND INFORMATION TO THE SECRETARY
 - 1.10.1. Information Submittal
 - 1.10.2. Approval of Submittals
 - 1.10.3. Extension of Time
- 1.11. PUBLIC E-MAIL NOTIFICATION LIST
- 1.12. CONFIDENTIAL INFORMATION
- 1.13. DOCUMENTS TO BE MAINTAINED AT THE FACILITY
- 1.14. INFORMATION REPOSITORY
 - 1.14.1. Requirement for Information Repository
 - 1.14.2. Contents of Information Repository
 - 1.14.3. Index of Information Repository
 - 1.14.4. Notification to Public of Information Repository
- 1.15. COMMUNITY RELATIONS PLAN
 - 1.15.1. Requirement for Community Relations Plan
 - 1.15.2. Contents of Community Relations Plan
 - 1.15.3. Government to Government Consultation
 - 1.15.4. Initial Consultation on Community Relations Plan
 - 1.15.5. Annual Compilation of Comments on Community Relations Plan
- 1.16. DISPUTE RESOLUTION
 - 1.16.1. Applicability

- 1.16.2. Notice to NMED
- 1.16.3. Tier I - Informal Negotiations
- 1.16.4. Tier II - Final Decision of the Secretary
- 1.16.5. Actions Not Affected by Dispute
- 1.16.6. E-Mail Notifications

PART 2 - GENERAL FACILITY CONDITIONS

- 2.1. DESIGN AND OPERATION OF FACILITY
- 2.2. WASTE SOURCES
 - 2.2.1. Off-site Wastes
 - 2.2.2. Required Notification to Off-Site Sources
- 2.3. GENERAL WASTE ANALYSIS
 - 2.3.1. Waste Analysis Plan
 - 2.3.1.1. Implementation of Requirements
 - 2.3.1.2. Waste Characterization Testing Methods
 - 2.3.1.3. Waste Sampling and Analysis Methods
 - 2.3.1.4. Quality Assurance Objectives
 - 2.3.1.5. Acceptable Knowledge
 - 2.3.1.6. Quality Assurance
 - 2.3.1.7. WIPP Waste Information System (WWIS) Database
 - 2.3.2. Audit and Surveillance Program
 - 2.3.2.1. Requirement to Audit
 - 2.3.2.2. Observation of Audits and Generator Site Technical Reviews
 - 2.3.2.3. Final Audit Report
 - 2.3.2.4. Secretary Notification of Approval
 - 2.3.3. Treatment, Storage, and Disposal Facility Waste Acceptance Criteria (TSDF-WAC)
 - 2.3.3.1. Liquid
 - 2.3.3.2. Pyrophoric Materials
 - 2.3.3.3. Non-mixed Hazardous Wastes
 - 2.3.3.4. Chemical Incompatibility
 - 2.3.3.5. Explosives and Compressed Gases
 - 2.3.3.6. PCB Waste
 - 2.3.3.7. Ignitable, Corrosive, and Reactive Wastes
 - 2.3.3.8. Excluded Waste
 - 2.3.3.9. Unconfirmed Waste
 - 2.3.3.10. Waste Stream Profiles
 - 2.3.4. Permitted TRU Mixed Wastes
 - 2.3.5. Derived Waste
- 2.4. WASTE MINIMIZATION PROGRAM
- 2.5. DUST SUPPRESSION
- 2.6. SECURITY
 - 2.6.1. 24-Hour Surveillance System
 - 2.6.2. Barrier

- 2.6.3. Means to Control Entry
- 2.6.4. Warning Signs
- 2.7. GENERAL INSPECTION REQUIREMENTS
 - 2.7.1. Inspection Schedule
 - 2.7.2. Inspection Log Forms
 - 2.7.3. Inspection Frequency
 - 2.7.4. Inspection Remediation
 - 2.7.5. Inspection Records
- 2.8. PERSONNEL TRAINING
 - 2.8.1. Personnel Training Content
 - 2.8.2. Personnel Training Requirements
 - 2.8.3. Personnel Training Records
 - 2.8.4. Continuing Training
- 2.9. GENERAL REQUIREMENTS FOR HANDLING IGNITABLE, CORROSIVE, REACTIVE, OR INCOMPATIBLE WASTES
- 2.10. PREPAREDNESS AND PREVENTION
 - 2.10.1. Required Equipment
 - 2.10.1.1. Internal Communications
 - 2.10.1.2. External Communications
 - 2.10.1.3. Emergency Equipment
 - 2.10.1.4. Water for Fire Control
 - 2.10.1.5. Electrical Backup
 - 2.10.2. Testing and Maintenance of Equipment
 - 2.10.3. Access to Communications or Alarm System
 - 2.10.4. Required Aisle Space
 - 2.10.5. Arrangements with Local Authorities
 - 2.10.5.1. Parties to Arrangements
 - 2.10.5.2. Coordination Agreements
- 2.11. HAZARDS PREVENTION
- 2.12. CONTINGENCY PLAN
 - 2.12.1. Implementation of Plan
 - 2.12.2. Copies of Plan
 - 2.12.3. Amendments to Plan
 - 2.12.4. Emergency Coordinator
- 2.13. MANIFEST SYSTEM
- 2.14. RECORDKEEPING AND REPORTING
 - 2.14.1. Operating Record
 - 2.14.2. Biennial Report
 - 2.14.3. Repository Siting Annual Report

PART 3 - CONTAINER STORAGE

- 3.1. DESIGNATED CONTAINER STORAGE UNITS
 - 3.1.1. Waste Handling Building Container Storage Unit
 - 3.1.1.1. Storage Containers
 - 3.1.1.2. Storage Locations and Quantities
 - 3.1.1.3. Use of CH Bay Surge Storage

- 3.1.1.4. Notification of CH Bay Surge Storage Use
- 3.1.1.5. Storage on Pallets
- 3.1.1.6. Storage of Derived Waste
- 3.1.1.7. CH TRU Mixed Waste Storage Time Limit
- 3.1.1.8. Minimum Aisle Space
- 3.1.1.9. Storage of RH TRU Mixed Waste Containers
- 3.1.1.10. RH TRU Mixed Waste Storage Time Limit
- 3.1.1.11. Hot Cell RH TRU Mixed Waste Processing Capacity
- 3.1.2. Parking Area Container Storage Unit
 - 3.1.2.1. Storage Containers
 - 3.1.2.2. Storage Locations and Quantities
 - 3.1.2.3. Use of Parking Area Surge Storage
 - 3.1.2.4. Notification of Parking Area Surge Storage Use
 - 3.1.2.5. Prohibition on Opening Shipping Containers
 - 3.1.2.6. Storage Time Limit
 - 3.1.2.7. Minimum Aisle Space
- 3.2. **PERMITTED AND PROHIBITED WASTE IDENTIFICATION**
 - 3.2.1. Permitted Waste
 - 3.2.1.1. Waste Analysis Plan
 - 3.2.1.2. TSDF Waste Acceptance Criteria
 - 3.2.1.3. Hazardous Waste Numbers
 - 3.2.2. Prohibited Waste
- 3.3. **CONDITION OF CONTAINERS**
 - 3.3.1. Acceptable Storage Containers
 - 3.3.1.1. Standard 55-gallon (208-liter) Drum
 - 3.3.1.2. Standard Waste Box (**SWB**)
 - 3.3.1.3. Ten-drum Overpack (**TDOP**)
 - 3.3.1.4. 85-gallon (322-liter) Drum
 - 3.3.1.5. 100-gallon (379-liter) Drum
 - 3.3.1.6. RH TRU Canister
 - 3.3.1.7. Standard Large Box 2 (**SLB2**)
 - 3.3.1.8. Shielded Container
 - 3.3.2. Derived Waste Containers
- 3.4. **COMPATIBILITY OF WASTE WITH CONTAINERS**
- 3.5. **MANAGEMENT OF CONTAINERS**
- 3.6. **CONTAINMENT SYSTEMS**
- 3.7. **INSPECTION SCHEDULES AND PROCEDURES**
 - 3.7.1. Inspection of 55-Gallon Drum Seven-Packs
 - 3.7.2. Inspection of Sealed Contact-Handled or Remote-Handled Packages
- 3.8. **RECORDKEEPING**

PART 4 - GEOLOGIC REPOSITORY DISPOSAL

- 4.1. **DESIGNATED DISPOSAL UNITS**
 - 4.1.1. Underground Hazardous Waste Disposal Units
 - 4.1.1.1. Disposal Containers

- 4.1.1.2. Disposal Locations and Quantities
- 4.2. PERMITTED AND PROHIBITED WASTE IDENTIFICATION
 - 4.2.1. Permitted Waste
 - 4.2.1.1. Waste Analysis Plan
 - 4.2.1.2. TSDF Waste Acceptance Criteria
 - 4.2.1.3. Hazardous Waste Numbers
 - 4.2.1.4. Prioritization and Risk Reduction of New Mexico Waste
 - 4.2.1.5. Legacy TRU Waste Disposal Plan
 - 4.2.2. Prohibited Waste
 - 4.2.2.1. General Prohibition
 - 4.2.2.2. Specific Prohibition
- 4.3. DISPOSAL CONTAINERS
 - 4.3.1. Acceptable Disposal Containers
 - 4.3.1.1. Standard 55-gallon (208-liter) Drum
 - 4.3.1.2. Standard Waste Box (SWB)
 - 4.3.1.3. Ten-drum Overpack (TDOP)
 - 4.3.1.4. 85-gallon (322-liter) Drum
 - 4.3.1.5. 100 gallon (379-liter) Drum
 - 4.3.1.6. RH TRU Canister
 - 4.3.1.7. Standard Large Box 2 (SLB2)
 - 4.3.1.8. Shielded Container
 - 4.3.2. Condition of Containers
- 4.4. VOLATILE ORGANIC COMPOUND LIMITS
 - 4.4.1. Room-Based Limits
 - 4.4.2. Determination of VOC Room-Based Limits
- 4.5. DESIGN, CONSTRUCTION, AND OPERATION REQUIREMENTS
 - 4.5.1. Repository Design
 - 4.5.2. Repository Construction
 - 4.5.2.1. Construction Requirements
 - 4.5.2.2. Notification Requirements
 - 4.5.3. Repository Operation
 - 4.5.3.1. Underground Traffic Flow
 - 4.5.3.2. Ventilation
 - 4.5.3.3. Ventilation Barriers
- 4.6. MAINTENANCE AND MONITORING REQUIREMENTS
 - 4.6.1. Geomechanical Monitoring
 - 4.6.1.1. Implementation of Geomechanical Monitoring Program
 - 4.6.1.2. Reporting Requirements
 - 4.6.1.3. Notification of Adverse Conditions
 - 4.6.2. Repository Volatile Organic Compound Monitoring
 - 4.6.2.1. Implementation of Repository VOC Monitoring
 - 4.6.2.2. Reporting Requirements
 - 4.6.2.3. Notification Requirements
 - 4.6.2.4. Remedial Action

- 4.6.3. Disposal Room Volatile Organic Compound Monitoring
 - 4.6.3.1. Implementation of Disposal Room VOC Monitoring
 - 4.6.3.2. Notification Requirements
 - 4.6.3.3. Remedial Action
- 4.6.4. Mine Ventilation Rate Monitoring
 - 4.6.4.1. Implementation of Mine Ventilation Rate Monitoring Plan
 - 4.6.4.2. Reporting Requirements
 - 4.6.4.3. Notification Requirements
- 4.7. INSPECTION SCHEDULES AND PROCEDURES
- 4.8. RECORDKEEPING
 - 4.8.1. Underground HWDU Location Map
 - 4.8.2. Disposal Waste Type and Location
 - 4.8.3. Ventilation Rate

PART 5 - GROUNDWATER DETECTION MONITORING

- 5.1. DETECTION MONITORING PROGRAM
- 5.2. IDENTIFICATION OF POINT OF COMPLIANCE
- 5.3. WELL LOCATION, MAINTENANCE, AND PLUGGING AND ABANDONING
 - 5.3.1. Well Locations
 - 5.3.2. Well Maintenance
 - 5.3.3. Well Plugging and Abandoning
- 5.4. DETECTION MONITORING PROGRAM PARAMETERS AND CONSTITUENTS
- 5.5. SAMPLING AND ANALYSIS PROCEDURES
 - 5.5.1. Sample Collection Procedures
 - 5.5.2. Sample Preservation and Shipment Procedures
 - 5.5.3. Analytical Procedures
 - 5.5.4. Chain of Custody Procedures
- 5.6. BACKGROUND GROUNDWATER QUALITY
- 5.7. GROUNDWATER SURFACE ELEVATION DETERMINATION
 - 5.7.1. DMP Groundwater Surface Elevation Determination
 - 5.7.2. Regional Groundwater Surface Elevation Determination
- 5.8. GROUNDWATER FLOW DETERMINATION
- 5.9. DATA EVALUATION
 - 5.9.1. Statistical Procedures
 - 5.9.2. Groundwater Quality Determination
 - 5.9.3. Data Evaluation
 - 5.9.4. Data Evaluation Timeframe
- 5.10. RECORDKEEPING AND REPORTING
 - 5.10.1. Operating Record Requirements
 - 5.10.2. Submittal of Results
 - 5.10.2.1. Data Evaluation Results
 - 5.10.2.2. Groundwater Surface Elevation Results

- 5.10.2.3. Groundwater Flow and Radionuclide Sampling Results
- 5.10.3. Determination of Contamination
 - 5.10.3.1. Notification
 - 5.10.3.2. Appendix IX Sampling
 - 5.10.3.3. Verification Sampling
 - 5.10.3.4. Submittal of Compliance Monitoring Program
 - 5.10.3.5. Submittal of Additional Information
- 5.10.4. Demonstration of Outside Contamination
 - 5.10.4.1. Notification
 - 5.10.4.2. Submittal of Demonstration
 - 5.10.4.3. Submittal of Modification Request
 - 5.10.4.4. Continued Monitoring
- 5.11. REQUEST FOR PERMIT MODIFICATION

PART 6 – CLOSURE REQUIREMENTS

- 6.1. OVERVIEW
- 6.2. PERFORMANCE STANDARD
- 6.3. AMENDMENT TO CLOSURE PLAN
- 6.4. NOTIFICATION OF CLOSURE
- 6.5. TIME ALLOWED FOR CLOSURE
 - 6.5.1. Partial Closure
 - 6.5.2. Final Facility Closure
- 6.6. DISPOSAL OR DECONTAMINATION OF EQUIPMENT, STRUCTURES, AND SOILS
- 6.7. CERTIFICATION OF CLOSURE
- 6.8. SURVEY PLAT
- 6.9. CLOSURE OF PERMITTED CONTAINER STORAGE UNITS
- 6.10. CLOSURE OF PERMITTED DISPOSAL UNITS
 - 6.10.1. Panel Closure
 - 6.10.2. Repository Closure
 - 6.10.3. Repository Post-Closure

PART 7 - POST-CLOSURE CARE PLAN

- 7.1. OVERVIEW
- 7.2. UNIT IDENTIFICATION
- 7.3. POST-CLOSURE PROCEDURES AND USE OF PROPERTY
 - 7.3.1. Post-Closure Plan
 - 7.3.2. Post-Closure Care and Monitoring
 - 7.3.2.1. General Monitoring, Inspection, and Maintenance Requirements
 - 7.3.2.2. Air Monitoring Requirements
 - 7.3.2.3. Detection Monitoring Program
 - 7.3.3. Security
 - 7.3.4. Post-Closure Disturbance
- 7.4. NOTICES AND CERTIFICATION

- 7.4.1. Disposal Unit Records
- 7.4.2. Deed Notice
 - 7.4.2.1. Deed Recordation
 - 7.4.2.2. Certification
- 7.4.3. Removal of Wastes or Contaminated Soils
- 7.4.4. Completion of Post-Closure Care
- 7.5. POST-CLOSURE PERMIT MODIFICATIONS
 - 7.5.1. Changes Requiring a Permit Modification
 - 7.5.1.1. Operating Plans
 - 7.5.1.2. Timing of Closure
 - 7.5.1.3. Other Events
 - 7.5.2. Timing of Permit Modification

PART 8 - CORRECTIVE ACTION FOR SWMUs and AOCs

- 8.1. APPLICABILITY
- 8.2. CONTAMINATION BEYOND THE FACILITY BOUNDARY
- 8.3. CORRECTIVE ACTION ALREADY COMPLETED
- 8.4. NOTIFICATION AND ASSESSMENT FOR NEWLY IDENTIFIED SWMUS AND AOCs
- 8.5. NOTIFICATION REQUIREMENTS FOR NEWLY DISCOVERED RELEASES FROM SWMUS OR AOCs
- 8.6. RELEASE ASSESSMENT
 - 8.6.1. Release Assessment Report
 - 8.6.2. Requirement to Proceed
- 8.7. INTERIM MEASURES
 - 8.7.1. Secretary-Initiated Interim Measures
 - 8.7.2. Permittee-Initiated Interim Measures
 - 8.7.3. Emergency Interim Measures
 - 8.7.4. IM Work Plan Requirements
 - 8.7.5. Interim Measures Implementation
 - 8.7.5.1. Implementation and Completion of Approved IM Work Plan
 - 8.7.5.2. Notification of Changes
 - 8.7.6. Interim Measures Reports
- 8.8. CORRECTIVE ACTION INVESTIGATIONS
 - 8.8.1. Investigation Work Plan
 - 8.8.1.1. Investigation Work Plan Submittal
 - 8.8.1.2. Investigation Work Plan Requirements
 - 8.8.1.3. Historical Documents
 - 8.8.2. Investigation Work Plan Implementation
 - 8.8.3. Corrective Action Investigation Reports
 - 8.8.3.1. Cleanup Levels
 - 8.8.3.2. Requirement to Proceed
- 8.9. RISK ASSESSMENT
- 8.10. CORRECTIVE MEASURES EVALUATION

- 8.10.1. General
- 8.10.2. Corrective Measures Evaluation Report
- 8.10.3. Cleanup Standards
- 8.10.4. Remedy Evaluation Criteria
 - 8.10.4.1. Threshold Criteria
 - 8.10.4.2. Remedial Alternative Evaluation Criteria
- 8.10.5. Approval of Corrective Measures Evaluation Report
- 8.10.6. Relationship to Corrective Action Requirements
- 8.10.7. Statement of Basis
- 8.11. CORRECTIVE MEASURES IMPLEMENTATION
 - 8.11.1. General
 - 8.11.2. Corrective Measures Implementation Plan
 - 8.11.3. Health and Safety Plan
 - 8.11.4. Progress Reports
 - 8.11.5. Remedy Completion
 - 8.11.5.1. Remedy Completion Report
- 8.12. ACCELERATED CLEANUP PROCESS
 - 8.12.1. Accelerated Corrective Measures Work Plan
 - 8.12.2. Accelerated Corrective Measures Implementation
- 8.13. CLEANUP LEVELS
 - 8.13.1. Ground Water Cleanup Levels
 - 8.13.2. Soil Cleanup Levels
 - 8.13.3. Land Use Determination
 - 8.13.4. Surface Water Cleanup Levels
 - 8.13.5. Ecological Risk Cleanup Levels
 - 8.13.6. Background Concentrations
 - 8.13.7. Variance from Cleanup Levels
 - 8.13.7.1. WQCC Standards
 - 8.13.7.2. Soil Standards and Non-WQCC Ground Water Standards
- 8.14. REPORTING REQUIREMENTS
 - 8.14.1. Investigation Work Plan
 - 8.14.1.1. Title Page
 - 8.14.1.2. Executive Summary (Abstract)
 - 8.14.1.3. Table of Contents
 - 8.14.1.4. Introduction
 - 8.14.1.5. Background
 - 8.14.1.6. Site Conditions
 - 8.14.1.7. Scope of Activities
 - 8.14.1.8. Investigation Methods
 - 8.14.1.9. Monitoring and Sampling
 - 8.14.1.10. Schedule
 - 8.14.1.11. Tables
 - 8.14.1.12. Figures
 - 8.14.1.13. Appendices

- 8.14.2. Investigation Report
 - 8.14.2.1. Title Page
 - 8.14.2.2. Executive Summary (Abstract)
 - 8.14.2.3. Table of Contents
 - 8.14.2.4. Introduction
 - 8.14.2.5. Background
 - 8.14.2.6. Scope of Activities
 - 8.14.2.7. Field Investigation Results
 - 8.14.2.8. Regulatory Criteria
 - 8.14.2.9. Site Contamination
 - 8.14.2.10. Conclusions
 - 8.14.2.11. Recommendations
 - 8.14.2.12. Tables
 - 8.14.2.13. Figures
 - 8.14.2.14. Appendices
- 8.14.3. Periodic Monitoring Report
 - 8.14.3.1. Title Page
 - 8.14.3.2. Executive Summary (Abstract)
 - 8.14.3.3. Table of Contents
 - 8.14.3.4. Introduction
 - 8.14.3.5. Scope of Activities
 - 8.14.3.6. Regulatory Criteria
 - 8.14.3.7. Monitoring Results
 - 8.14.3.8. Analytical Data Results
 - 8.14.3.9. Remediation System Monitoring
 - 8.14.3.10. Summary
 - 8.14.3.11. Tables
 - 8.14.3.12. Figures
 - 8.14.3.13. Appendices
- 8.14.4. Risk Assessment Report
 - 8.14.4.1. Title Page
 - 8.14.4.2. Executive Summary (Abstract)
 - 8.14.4.3. Table of Contents
 - 8.14.4.4. Introduction
 - 8.14.4.5. Background
 - 8.14.4.6. Conceptual Site Model
 - 8.14.4.7. Risk Screening Levels
 - 8.14.4.8. Risk Assessment Results
 - 8.14.4.9. Conclusions and Recommendations
 - 8.14.4.10. Tables
 - 8.14.4.11. Figures
 - 8.14.4.12. Appendices
- 8.14.5. Corrective Measures Evaluation Report
 - 8.14.5.1. Title Page
 - 8.14.5.2. Executive Summary (Abstract)
 - 8.14.5.3. Table of Contents

- 8.14.5.4. Introduction
- 8.14.5.5. Background
- 8.14.5.6. Site Conditions
- 8.14.5.7. Potential Receptors
- 8.14.5.8. Regulatory Criteria
- 8.14.5.9. Identification of Corrective Measures Options
- 8.14.5.10. Evaluation of Corrective Measures Options
- 8.14.5.11. Selection of Preferred Corrective Measure
- 8.14.5.12. Design Criteria to Meet Cleanup Objectives
- 8.14.5.13. Schedule
- 8.14.5.14. Tables
- 8.14.5.15. Figures
- 8.14.5.16. Appendices

8.15. REFERENCES

List of Attachments

- A General Facility Description and Process Information
 - A1 Container Storage
 - A2 Geologic Repository
 - A3 Traffic Patterns

- B Hazardous Waste Permit Application Part A
- C Waste Analysis Plan
 - C1 Waste Characterization Sampling Methods
 - C2 (Reserved)
 - C3 Quality Assurance Objectives and Data Validation Techniques for Waste Characterization Methods
 - C4 TRU Mixed Waste Characterization Using Acceptable Knowledge
 - C5 Quality Assurance Project Plan Requirements
 - C6 Audit and Surveillance Program
 - C7 TRU Waste Confirmation
- D RCRA Contingency Plan
- E Inspection Schedule, Process and Forms
- F Facility Personnel Permit Training Program
- G Closure Plan
 - G1 WIPP Panel Closure Design Description and Specifications
 - G1-A Technical Specifications
 - G1-B Drawings
 - G2 Shaft Sealing System Compliance Submittal Design Report
 - G2-A Material Specifications
 - G2-B Shaft Sealing Construction Procedures
 - G2-E Design Drawings
 - Radiological Surveys to Indicate Potential Hazardous Waste Releases
- G3
- H Post-Closure Plan
 - H1 Active Institutional Controls During Post-closure
- I Compliance Schedule (Reserved)
- J Hazardous Waste Management Unit Tables
- K Solid Waste Management Unit (SWMU) and Area of Concern (AOC) Tables
- L WIPP Groundwater Detection Monitoring Program Plan
- M Figures
- N Volatile Organic Compound Monitoring Plan
- O WIPP Mine Ventilation Rate Monitoring Plan