



Department of Energy

Carlsbad Field Office
P. O. Box 3090
Carlsbad, New Mexico 88221

SEP 29 2004

Ms. Elizabeth Cotsworth, Director
Office of Radiation and Indoor Air
U. S. Environmental Protection Agency
Washington D.C., 20460

Subject: Response to EPA May 20, 2004 Letter on CRA

Dear Ms. Cotsworth:

In response to the Environmental Protection Agency's (EPA's) letter of May 20, 2004, and the request for information received during the EPA Run Control Inspection the Week of August 9, 2004, the U.S. Department of Energy (DOE) is providing information to answer the questions included in the enclosure to that letter and answer the inspection information request.

This letter is the third and final DOE response to the EPA's May 20, 2004 letter. Additional information was previously provided in Detwiler to Cotsworth letters dated July 15, 2004 and August 16, 2004.

This submittal includes two enclosures. Enclosure 1 is a hard copy of the responses. Enclosure 2 (on compact disc) provides the references for documents identified in Enclosure 1.

If you have any questions, please contact Mr. Russ Patterson at (505) 234-7457.

Sincerely,

R. Paul Detwiler
Acting Manager

Enclosure

cc: w/enclosure
B. Forinash, EPA
C. Byrum, EPA
T. Peake, EPA
R. Lee, EPA
J. Schramke, Contract

cc: w/o enclosure
G. Basabilvazo, CBFO
R. Patterson, CBFO
P. Shoemaker, SNL
N. Elikins, LANL
CBFO M&RC

0405154

SEP 30 2004

MAIL ROOM COPY